EAST CENTRAL WISCONSIN REGIONAL PLANNING COMMISSION


COMPREHENSIVE SAFETY ACTION PLAN

FOR THE APPLETON (FOX CITIES) AND OSHKOSH METROPOLITAN PLANNING ORGANIZATIONS



ADOPTED 1-25-24

EAST CENTRAL WISCONSIN COMPREHENSIVE SAFETY ACTION PLAN



COMPREHENSIVE SAFETY ACTION PLAN (CSAP)

Adopted on January 25, 2024

PREPARED BY

East Central Wisconsin Regional Planning Commission

CHAPTERS

CHAPTER 1 INTRODUCTION	163	VILLAGE OF COMBINED LOCKS
SAFE STREETS AND ROADS FOR ALL PROGRAM OVERVIEW	170	VILLAGE OF FOX CROSSING
CSAP PURPOSE AND GUIDING PRINCIPLES		VILLAGE OF GREENVILLE
CSAP STRUCTURE	184	VILLAGE OF HARRISON
	191	VILLAGE OF KIMBERLY
CHAPTER 2 BACKGROUND	198	VILLAGE OF LITTLE CHUTE
PLANNING AREA AND EQUITY	205	VILLAGE OF SHERWOOD
ENGAGEMENT AND COLLABORATION	212	VILLAGE OF WRIGHTSTOWN
DATA COLLECTION AND CRASH ANALYSIS METHODOLOGY		
PRIORITY PROJECT OVERVIEW	219	CHAPTER 4 OSHKOSH MPO
	220	OSHKOSH MPO
CHAPTER 3 APPLETON (FOX CITIES) MPO	233	CITY OF OSHKOSH
APPLETON (FOX CITIES) MPO	240	TOWN OF ALGOMA
CITY OF APPLETON	247	TOWN OF BLACK WOLF
CITY OF KAUKAUNA	254	TOWN OF NEKIMI
CITY OF MENASHA	261	TOWN OF OMRO
CITY OF NEENAH	268	TOWN OF OSHKOSH
TOWN OF BUCHANAN	275	TOWN OF UTICA
TOWN OF CENTER		
TOWN OF CLAYTON	282	CHAPTER 5 RECOMMENDATIONS AND EVALUATION
TOWN OF ELLINGTON	283	RECOMMENDATIONS AND EVALUATION
TOWN OF FREEDOM	285	RECOMMENDED PROVEN SAFETY COUNTERMEASURES
TOWN OF GRAND CHUTE	286	GOAL 1: SAFER ROADS
TOWN OF KAUKAUNA	287	GOAL 2: SAFER SPEEDS
TOWN OF NEENAH	288	GOAL 3: SAFER PEOPLE
TOWN OF VANDENBROEK	289	GOAL 4: POST-CRASH CARE
TOWN OF VINLAND	290	GOAL 5: COLLABORATION
TOWN OF WOODVILLE	291	PERFORMANCE MEASURES AND MONITORING
	SAFE STREETS AND ROADS FOR ALL PROGRAM OVERVIEW CSAP PURPOSE AND GUIDING PRINCIPLES CSAP STRUCTURE CHAPTER 2 BACKGROUND PLANNING AREA AND EQUITY ENGAGEMENT AND COLLABORATION DATA COLLECTION AND CRASH ANALYSIS METHODOLOGY PRIORITY PROJECT OVERVIEW CHAPTER 3 APPLETON (FOX CITIES) MPO APPLETON (FOX CITIES) MPO CITY OF APPLETON CITY OF KAUKAUNA CITY OF MENASHA CITY OF NEENAH TOWN OF BUCHANAN TOWN OF CLAYTON TOWN OF FREEDOM TOWN OF FREEDOM TOWN OF GRAND CHUTE TOWN OF NAUKAUNA TOWN OF NEENAH TOWN OF VANDENBROEK TOWN OF VINLAND	SAFE STREETS AND ROADS FOR ALL PROGRAM OVERVIEW CSAP PURPOSE AND GUIDING PRINCIPLES 177 CSAP STRUCTURE 184 191 CHAPTER 2 BACKGROUND PLANNING AREA AND EQUITY ENGAGEMENT AND COLLABORATION DATA COLLECTION AND CRASH ANALYSIS METHODOLOGY PRIORITY PROJECT OVERVIEW 219 CHAPTER 3 APPLETON (FOX CITIES) MPO APPLETON (FOX CITIES) MPO CITY OF APPLETON CITY OF APPLETON CITY OF KAUKAUNA CITY OF MENASHA CITY OF MENASHA CITY OF NEENAH TOWN OF CENTER TOWN OF CLAYTON TOWN OF CLAYTON TOWN OF GRAND CHUTE TOWN OF GRAND CHUTE TOWN OF KAUKAUNA 283 TOWN OF KAUKAUNA 286 TOWN OF KAUKAUNA 287 TOWN OF KAUKAUNA 288 TOWN OF NEENAH 288 TOWN OF VANDENBROEK 289 TOWN OF VINLAND

APPENDICES AND FIGURES

46

46

FIGURE 3.10 CRASH LOCATIONS: TOTAL CRASHES

FIGURE 3.11 CRASH LOCATIONS: KSI CRASHES

293	APPENDIX A: SS4A SELF-CERTIFICATION ELIGIBILITY WORKSHEET
296	APPENDIX B: PUBLIC ENGAGEMENT SURVEY RESULTS
310	APPENDIX C: SRF CSAP MPO PROJECT PRIORITIZATION MEMO
350	APPENDIX D: RESOLUTION OF ADOPTION
	FIGURES
17	FIGURE 2.1 CSAP STAKEHOLDER AND PUBLIC ENGAGEMENT TIMELINE
28	FIGURE 2.2 IN-PERSON ENGAGEMENT MATERIAL RESULTS
29	FIGURE 2.3 WORD CLOUD RESPONSES FROM PUBLIC ON BENEFITS OF PLANNING TO REDUCE ROADWAY FATALITIES AND SERIOUS INJURIES
30	FIGURE 2.4 WORD CLOUD RESPONSES FROM PUBLIC ON PREFERRED TRANSPORTATION INTERVENTIONS
31	FIGURE 2.5 SAFETY PERCEPTION OF ROADWAY FEATURES ACCORDING TO VEHICLE USERS
32	FIGURE 2.6 SAFETY PERCEPTION OF ROADWAY FEATURES ACCORDING TO BICYCLE USERS
32	FIGURE 2.7 SAFETY PERCEPTION OF ROADWAY FEATURES ACCORDING TO PEDESTRIAN USERS
33	FIGURE 2.8 PUBLIC FAMILIARITY WITH THE SAFE SYSTEMS APPROACH
37	FIGURE 2.9 COMPREHENSIVE SAFETY ACTION PLAN CRASH ANALYSIS MODEL
39	FIGURE 2.10 COMPREHENSIVE SAFETY ACTION PLAN HIGH-INJURY NETWORK MODEL
43	FIGURE 3.1 CRASH FACTORS: TOTAL CRASHES
43	FIGURE 3.2 CRASH FACTORS: KSI CRASHES
43	FIGURE 3.3 CRASH FACTORS: FATAL CRASHES
44	FIGURE 3.4 TOTAL CRASHES PER YEAR BY MODE
44	FIGURE 3.5 KSI CRASHES PER YEAR BY MODE
44	FIGURE 3.6 FATAL CRASHES PER YEAR BY MODE
45	FIGURE 3.7 CRASH TYPE BY MODE: TOTAL CRASHES
45	FIGURE 3.8 CRASH TYPE BY MODE: KSI CRASHES
45	FIGURE 3.9 CRASH TYPE BY MODE: FATAL CRASHES

FIGURES (cont.) AND MAPS

46	FIGURE 3.12 CRASH LOCATIONS: FATAL CRASHES
221	FIGURE 4.1 CRASH FACTORS: TOTAL CRASHES
221	FIGURE 4.2 CRASH FACTORS: KSI CRASHES
221	FIGURE 4.3 CRASH FACTORS: FATAL CRASHES
222	FIGURE 4.4 TOTAL CRASHES PER YEAR BY MODE
222	FIGURE 4.5 KSI CRASHES PER YEAR BY MODE
222	FIGURE 4.6 FATAL CRASHES PER YEAR BY MODE
223	FIGURE 4.7 CRASH TYPE BY MODE: TOTAL CRASHES
223	FIGURE 4.8 CRASH TYPE BY MODE: KSI CRASHES
223	FIGURE 4.9 CRASH TYPE BY MODE: FATAL CRASHES
224	FIGURE 4.10 CRASH LOCATIONS: TOTAL CRASHES
224	FIGURE 4.11 CRASH LOCATIONS: KSI CRASHES
224	FIGURE 4.12 CRASH LOCATIONS: FATAL CRASHES
	MAPS
18	MAP 2.1 APPLETON (FOX CITIES) METROPOLITAN PLANNING ORGANIZATION
19	MAP 2.2 OSHKOSH METROPOLITAN PLANNING ORGANIZATION
47	MAP 3.1 APPLETON (FOX CITIES) MPO KILLED AND SERIOUS INJURY CRASHES 2018 - 202
48	MAP 3.2 APPLETON (FOX CITIES) MPO CRASH ANALYSIS
49	MAP 3.3 APPLETON (FOX CITIES) MPO HIGH-INJURY NETWORK
50	MAP 3.4 APPLETON (FOX CITIES) MPO PRIORITY PROJECTS
225	MAP 3.1 OSHKOSH MPO KILLED AND SERIOUS INJURY CRASHES 2018 - 2022
226	MAP 3.2 OSHKOSH MPO CRASH ANALYSIS
227	MAP 3.3 OSHKOSH MPO HIGH-INJURY NETWORK
228	MAP 3.4 OSHKOSH MPO PRIORITY PROJECTS

TABLES

	IADLES
17	TABLE 2.1 ECWRPC 2022-2024 STANDING COMMITTEE ASSIGNMENTS
23	TABLE 2.2 CSAP COMMITTEE
24	TABLE 2.3 APPLETON (FOX CITIES) MPO AND OSHKOSH MPO PROJECT SELECTION ADVISORY GROUPS
56	TABLE 3.1 APPLETON (FOX CITIES) MPO PRIORITY PROJECTS
231	TABLE 4.1 OSHKOSH MPO PRIORITY PROJECTS
285	TABLE 5.1 FHWA PROVEN SAFETY COUNTERMEASURES
286	TABLE 5.2 GOAL 1: SAFER ROADS - RECOMMENDED ACTIONS, PARTNERS, TIMEFRAME, AND EVALUATION INDICATORS
287	TABLE 5.3 GOAL 2: SAFER SPEEDS - RECOMMENDED ACTIONS, PARTNERS, TIMEFRAME, AND EVALUATION INDICATORS
288	TABLE 5.4 GOAL 3: SAFER PEOPLE - RECOMMENDED ACTIONS, PARTNERS, TIMEFRAME, AND EVALUATION INDICATORS
289	TABLE 5.5 GOAL 4: POST-CRASH CARE - RECOMMENDED ACTIONS, PARTNERS, TIMEFRAME, AND EVALUATION INDICATORS
290	TABLE 5.6 GOAL 5: COLLABORATION - RECOMMENDED ACTIONS, PARTNERS, TIMEFRAME, AND EVALUATION INDICATORS
291	TABLE 5.7 PERFORMANCE MEASURE 1: SAFETY
291	TABLE 5.8 PERFORMANCE MEASURE 2: INFRASTRUCTURE CONDITION
292	TARI F 5 9 PERFORMANCE MEASURE 3. SYSTEM/TIME RELIABILITY

COMPREHENSIVE SAFETY ACTION PLAN

CHAPTER 1 INTRODUCTION

SAFE STREETS AND ROADS FOR ALL (SS4A) PROGRAM OVERVIEW

Safe Streets and Roads for All (SS4A) Grant Program

Established as part of the Bipartisan Infrastructure Law (BIL), the Safe Streets and Roads for All (SS4A) discretionary program funds regional, local, and Tribal initiatives through grants to prevent roadway deaths and serious injuries.¹ These initiatives are funded through two grant types:

- Planning and Demonstration Grants: Provide Federal funds to develop, complete, or supplement a comprehensive safety action plan. The goal of an Action Plan is to develop a holistic, welldefined strategy to prevent roadway fatalities and serious injuries in a locality, Tribe, or region. Planning and Demonstration Grants also fund supplemental planning and/or demonstration activities that inform the development of a new or existing Action Plan.
- Implementation Grants: Provide Federal funds to implement projects and strategies identified in an Action Plan to address a roadway safety problem. Projects and strategies can be infrastructure, behavioral, and/or operational activities. Implementation Grants may also include demonstration activities, supplemental planning, and project-level planning, design, and development. Applicants must have an eligible Action Plan to apply for Implementation Grants.

The ECWRPC Comprehensive Safety Action Plan (CSAP) fulfills the Action Plan requirements set forth by the SS4A Program, making the Appleton (Fox Cities) MPO, Oshkosh MPO, and the municipalities within, eligible to apply for SS4A Demonstration and/or Implementation Grants. See SS4A Self-Certification Eligibility Worksheet in Appendix A.





¹ United States Department of Transportation. 2023. "Safe Streets and Roads for All (SS4A) Grant Program." United States Department of Transportation. https://www. transportation.gov/grants/SS4A

CSAP PURPOSE AND GUIDING PRINCIPLES

The Comprehensive Safety Action Plan

Whether people are driving, biking, skating, walking, jogging, pushing a wheelchair, or riding the bus, roadways should get everyone, young and old, where they need to go. The communities within the Appleton (Fox Cities) and Oshkosh Metropolitan Planning Organizations (MPO) constantly work to make roadways safer for all road users. To further support these efforts, the CSAP:

- (1) Provides an inventory and analysis of crashes by mode, severity, and location on all roadways of each MPO, regardless of ownership, to ascertain existing and historical trends in crashes.
- (2) Identifies High-Injury Networks (HIN) for each MPO and individual municipalities that pinpoint dangerous road corridors and intersections based on crash analysis modeling that indexes observed crash factors and environmental factors that increase crash risk.
- (3) Distinguishes high priority projects for both MPOs and individual municipalities according to crash analysis findings and confirmed by stakeholders during the engagement process.
- (4) Provides recommendations of Safe System strategies and countermeasures that may be implemented to improve safety for all roadway users through infrastructure enhancement and policy reform.
- (5) Outline implementation timelines, partnerships, and performance measures that evaluate and measure progress over time, using outcome data where plausible.

While the CSAP is designed to meet the specific Action Plan requirements set forth by the SS4A program, many federal funding sources for roadway projects require that a project be listed in an existing plan to ensure consistency and connectivity. Therefore, this plan may potentially open the door to other funding opportunities.

Surface Transportation Block Grants (STBG), Transportation Alternatives Program Set-asides (TAP), Highway Safety Improvement Program (HSIP), several Bipartisan Infrastructure Law (BIL) programs, Reconnecting Communities, Rebuilding American Infrastructure with Sustainability and Equity (RAISE), Department of Natural Resources (DNR) Stewardship Grants, and potentially Carbon Reduction Program Grants, all require evidence regarding how a proposed project will improve safety in a community. Many of these funding sources specifically look at roadway safety from the non-driver experience, a key focus of the Comprehensive Safety Action Plan.

By synthesizing the many factors that go into each crash and the severe outcomes of those crashes, the CSAP aids communities in the identification, or confirmation, of problematic areas and suggests potential solutions to ensure safety for all roadway users.

CSAP PURPOSE AND GUIDING PRINCIPLES

CSAP and the Safe Systems Approach

The Safe System Approach is an internationally recognized best practice for reducing and ultimately eliminating fatalities and serious injuries for all road users. The United States Department of Transportation National Roadway Safety Strategy, in an effort to address and mitigate the risks inherent to the national transportation system, has adopted the Safe Systems Approach.² The approach is predicated on the following principles:

- Death and serious injury are unacceptable
- Humans make mistakes
- Humans are vulnerable
- Responsibility for road safety is shared
- Traffic safety is proactive
- Redundancy is crucial

Guided by the principles outlined above, the implementation of a Safe System consists of the following five objectives:

Safe Road Users

Encourage safe, responsible driving and behavior by people who use our roads and create conditions that prioritize their ability to reach their destination unharmed.

Safe Roads

Design roadway environments to mitigate human mistakes and account for injury tolerances, to encourage safer behaviors, and to facilitate safe travel by the most vulnerable users.

Safe Vehicles

Expand the availability of vehicle systems and features that help to prevent crashes and minimize the impact of crashes on both occupants and non-occupants.

Safe Speeds

Promote safer speeds in all roadway environments through a combination of thoughtful, equitable, context-appropriate roadway design, appropriate speed-limit setting, targeted education, outreach campaigns, and enforcement.

Post-Crash Care

Enhance the survivability of crashes through expedient access to emergency medical care, while creating a safe working environment for vital first responders and preventing secondary crashes through robust traffic incident management practices.

The guiding principles of the CSAP are influenced by the Safe System Approach, as are the recommended strategies and countermeasures identified later in the CSAP.

² United States Department of Transportation. 2023. "What is a Safe System Approach?" United States Department of Transportation. https://www.transportation. gov/NRSS/SafeSystem

CSAP PURPOSE AND GUIDING PRINCIPLES

CSAP Guiding Principles

The guiding principles of the CSAP comply with the requirements set forth by the SS4A Program, incorporate feedback from stakeholders involved throughout the development of the plan, and connect to the objectives of the Safe System Approach. The following principles guided the development of the CSAP to ensure that the plan equitable and effective manner:

Identify Leadership

The CSAP identifies a local official and/or governing body to champion the plan as well as a group dedicated to developing, implementing, and monitoring the plan.

Engage and Collaborate with Stakeholders and the Public

The CSAP is informed and developed through thorough engagement with the public and relevant stakeholders with a focus on equitable representation and feedback.

Provide Roadway Safety Data Analysis

The CSAP provides a clear, concise presentation of crash data with specific focus on the aggregation and analysis of non-motorist and severe or fatal injury crashes.

Distinguish Priority Projects for Demonstration and/or Implementation Funding

The CSAP identifies projects based on an extensive analysis with sound methodology and an inclusive engagement process with key stakeholders, with attention paid to historically under-funded or underserved areas of communities.

Offer Practical Strategies and Recommendations

The CSAP identifies specific, proven recommendations using a Safe Systems approach and informed by strategies identified by stakeholders as preferred improvements.

Support Implementation, Set Goals, and Monitor Impact

The CSAP identifies processes, partnerships, and timelines to support implementation efforts of roadway safety initiatives and establishes benchmarks to evaluate progress towards desired safety outcomes and goals.

CSAP STRUCTURE

Chapter 2. Background

The Background chapter provides context on the fundamental components of the plan as well as the processes taken throughout its development. The chapter outlines the planning area and equity considerations, engagement and collaboration processes, data inventory and analysis methodologies, and project identification processes contained within the document. In addition, the chapter holistically explains how the CSAP satisfies the requirements of the SS4A program.

Chapter 3. Appleton (Fox Cities) MPO Inventory, Analysis, and Projects

Chapter 4. Oshkosh MPO Inventory, Analysis, and Projects

An extensive crash inventory, crash analysis, and priority project listing for the Appleton (Fox Cities) MPO and Oshkosh MPO is provided in two separate chapters. Each chapter contains sub-sections which provide a crash inventory, the results of the crash analysis, an identification of the High-Injury Network, and the priority projects for the relevant MPO. The MPO section of the chapter is followed by an inventory, analysis, and priority project listing for each individual municipality within the specific MPO. More on these sub-sections is detailed below.

Crash Inventory

The Comprehensive Safety Action Plan contains an extensive inventory of crashes at the MPO and municipal levels that evaluates the factors and dynamics of crashes involving all roadway users. All crash data utilized in the CSAP inventory is provided by the Wisconsin Traffic Operations and Safety (TOPS) Laboratory, which collects data of all police recorded crashes in the State of Wisconsin on an annual basis.

TOPS lab data identifies each crash by geographical location and provides numerous crash attribute data regarding mode, injury severity, time, age, violation, weather, roadway ownership, etc. for each individual report.

TOPS crash data, in conjunction with other datasets of the roadway network, roadway attributes, MPO boundaries, and municipal boundaries, was collected to identify the mode, severity, type, and location of crashes in the Appleton (Fox Cities) MPO, Oshkosh MPO, and all municipalities partially or fully within each MPO between 2018 and 2022. This data inventory is conveyed for each MPO and the municipalities contained within them in the subsequent pages through brief descriptive text, charts, figures, and maps.

Crash data for each municipality includes all 2018 to 2022 reported crashes that occurred within the respective MPO. Several municipalities are only partially within an MPO and only those crashes that occurred within the planning boundary of either the Oshkosh MPO or Appleton (Fox Cities) MPO were used in the inventory and analysis processes. The data is subject to error due to the detail and estimations input at the time of reporting. Adjustments were made when possible reduce known errors.

CSAP STRUCTURE

Crash Analysis Model

ECWRPC staff developed a methodology to analyze roadway corridors and intersections based on observed crash factors (crash totals, severity, rate, and mode) and design or locational factors to surmise the possible risk of a crash (sidewalk availability, right of way width, proximity to amenities, and speed). These criteria are indexed by the crash analysis model according to the goals outlined by the SS4A program.

The overall output of the CSAP crash analysis model ranks corridors and intersections depending on their scoring within the model. Higher scoring corridors and intersections are considered more dangerous to roadway users based on observed crashes and risk factors along or at that particular corridor or intersection. Model rankings are displayed in the crash analysis map for each MPO and municipality, with deeper shades of red representing corridors and intersections which scored higher according to the model.

High-Injury Network

The final output of the CSAP crash analysis model is the High-Injury Network (HIN) which identifies higher risk locations on the road network and helps inform where strategies and potential projects should be implemented to enhance safety for all roadway users. The High-Injury Network is comprised of functionally classified arterial and collector corridors and intersections that rank in the 90th percentile of the model. In addition to meeting the requirements of the SS4A grant program, the methodology of the CSAP crash analysis and the identification of the HIN may also meet criteria set forth by other federal and state grant programs, presenting opportunities for meeting eligibility requirements of other grant sources.

Priority Projects

Priority projects for the Appleton (Fox Cities) MPO, Oshkosh MPO, and the municipalities within them are identified in the CSAP. These projects were identified through a series of meetings held with local government staff across the MPOs. Prior to conducting these project selection meetings, ECWRPC staff provided crash inventory, crash analysis, and High-Injury Network results in packets to all participants to help inform project selection discussions. Projects were selected for each MPO by the Appleton (Fox Cities) MPO Project Selection Advisory Group and the Oshkosh MPO Project Selection Advisory Group, which consisted of CSAP Committee members. Municipal projects were selected by either a municipality's staff or a county staff if a municipality was unable to participate in the process. Invitations were extended to at least one staff or elected official of all the municipalities within both the MPOs, regardless if they were fully or partially within either MPO, to attend meeting sessions.

During these meetings, municipal stakeholders identified potential projects by comparing the results of the crash analysis model and HIN with their anecdotal knowledge of roadway safety challenges, upcoming construction projects, and local plans. Suggestions of potential projects for municipalities that did not participate in the process were made either by relevant county staff or ECWRPC staff. Although some municipalities did not identify any projects, crash inventory and analysis results are provided for each jurisdiction. Municipal stakeholders were reached out to again several months after the selection meetings to review, revise, and ultimately confirm the selection of priority projects to be identified within the plan. Priority projects are not listed in a specific order.

CSAP STRUCTURE

Chapter 5. Recommendations and Evaluation

This chapter identifies the five goals of the CSAP: Safer Roads, Safer Speeds, Safer People, Post-Crash Care, and Collaboration and provides recommendations of actions to be taken to improve safety for all roadway users in each MPO. These recommendations provide the Appleton (Fox Cities) and Oshkosh MPOs, as well as the municipalities within them, with an array of infrastructure, behavioral, and operational actions to implement safe systems and address roadway safety concerns. In addition, the recommendations are directly related to specific, eligible SS4A Planning and Demonstration and/or Implementation activities.

The chapter also identifies potential partners, timeframes, and evaluation indicators for each action item to ensure a clear path for implementation is put forward. The chapter concludes by identifying system-wide performance measures that will be utilized to evaluate the implementation of the strategies and projects recommended in throughout the chapter and CSAP by assessing baselines and setting plausibly attainable goals to reach the desired outcomes. Performance measure targets for the CSAP are taken from the Appleton (Fox Cities) and Oshkosh MPO Transportation Improvement Program, which are themselves measures and targets identified by the Wisconsin Department of Transportation.

Appendix A. SS4A Self-Certification Eligibility Worksheet

Worksheet that outlines how the CSAP meets the requirements of an SS4A Action Plan

Appendix B. Public Engagement Survey Results

All results from the CSAP Public Engagement Survey are provided in this appendix

Appendix C. SRF CSAP MPO Project Prioritization Memo

SRF Consulting Group was contracted by ECWRPC to conduct a prioritization analysis of Appleton (Fox Cities) MPO and Oshkosh MPO projects based on funding eligibility according to the requirements of the SS4A program. The full report is provided in this appendix.

Appendix D. Resolution of Approval

ECWRPC Commission Approval of the CSAP

COMPREHENSIVE SAFETY ACTION PLAN

CHAPTER 2

BACKGROUND

PLANNING AREA AND EQUITY

ECWRPC, Appleton (Fox Cities) Metropolitan Planning Organization, and Oshkosh Metropolitan Planning Organization

The East Central Wisconsin Regional Planning Commission (ECWRPC) was established in 1972 and is an association of counties and other local units of government with statutory responsibility to plan and coordinate the physical and economic development of the region. The region consists of ten counties (seven of which are member counties), 27 cities, 57 villages, and 154 towns. ECWRPC is governed by 28 commissioners with all member county executives and member county board chairs serving as commissioners with additional seats held by other local representatives. ECWRPC maintains four formal subcommittees: Executive, Transportation, Environmental Management, and Economic Development (Table 2.1). ECWRPC assists local governments throughout the region with transportation planning projects and infrastructure management tools.

ECWRPC is designated as the governing body for the Appleton (Fox Cities) and Oshkosh Metropolitan Planning Organizations (MPOs) and works with all jurisdictions, operating agencies, and the public within each MPO to carry out cooperative, continuing, and comprehensive transportation and land use planning. This is achieved by regularly developing and updating the required Unified Transportation Work Program, Public Participation Plan, Transportation Improvement Program (TIP), and Long-Range Transportation and Land Use Plan for both MPOs. Additionally, ECWRPC serves as staff for the Fond du Lac MPO.

A Metropolitan Planning Organization (MPO) is the policy board of an organization created and designated to carry out the metropolitan transportation planning process.

MPOs are required to represent localities in all urbanized areas with populations over 50,000. An urbanized area with a population over 200,000 people, as defined by the U.S. Census Bureau and designated by the Secretary of the U.S. Department of Transportation, is designated as a Transportation Management Area (TMA). TMAs have additional responsibilities, including congestion management.

The Appleton (Fox Cities) MPO is designated as a TMA. In 2021, the Appleton (Fox Cities) MPO was home to approximately 257,432 people across areas of Calumet, Outagamie, Winnebago counties. Identified in Map 2.1, a total of 23 municipalities – four cities, eleven towns, and eight villages – are either fully or partially within the MPO planning boundaries.

In 2021, the population of the Oshkosh MPO was approximately 78,794. The MPO is entirely within Winnebago County and is comprised of eight municipalities that are either fully or partially within the MPO planning boundaries (Map 2.2).

Both MPOs are comprised of a Technical Advisory Committee (TAC), Transportation Committee (Policy Board), and a Commission Board. The committees direct and monitor transportation plans with guidance from MPO staff at the East Central Wisconsin Regional Planning Commission. The boundaries of the Appleton (Fox Cities) MPO and the Oshkosh MPO. are displayed in Map 2.1 and Map 2.2, respectively. In addition, these maps identify local governments, disadvantaged census tracts, and major Interstate, State, and County roads in the respective MPOs.

PLANNING AREA AND EQUITY

Table 2.1 ECWRPC 2022-2024 Standing Committee Assignments


County	Name	Committee	
	Executive Committee		
Lead Staff: Melissa Kraemer-Badtke - Executive Director, Craig Moser - Deputy Director, Sara Otting - Controller			
Calumet	Alice Connors - Com Vice Chair, Exe Vice Chair	Executive Committee	
Fond du Lac	Steven Abel	Executive Committee	
Menominee	Jeremy Johnson (Perm Alt) for Elizabeth Moses	Executive Committee	
Outagamie	Jeff Nooyen - Commission Chair, Exe Chair	Executive Committee	
Shawano	Tom Kautza	Executive Committee	
Waupaca	Dick Koeppen	Executive Committee	
Winnebago	David Albrecht (Perm Alt) for Tom Egan	Executive Committee	
	Environmental Management Committee		
	Lead Staff: Vacant		
Calumet	David DeTroye (Perm Alt) for Tom Reinl	Environment Management Committee	
Fond du Lac	Brenda Schneider - Vice Chair	Environment Management Committee	
Menominee	Jeremy Johnson (Perm Alt) for Elizabeth Moses	Environment Management Committee	
Outagamie	Jeff Nooyen	Environment Management Committee	
Outagamie	Kevin Englebert - Chair (Perm Alt) for Thomas Nelson	Environment Management Committee	
Shawano	Ken Capelle	Environment Management Committee	
Waupaca	Aaron Jenson (Perm Alt) for Brian Smith	Environment Management Committee	
Winnebago	David Albrecht (Perm Alt) for Tom Egan	Environment Management Committee	
Winnebago	Bob Schmeichel	Environment Management Committee	
	Economic Development Committee		
	Lead Staff: Colin Kafka - Associate Planner, Craig Moser - Deputy Dir	ector	
Calumet	Alice Connors - Chair	Economic Development Committee	
Fond du Lac	Sam Kaufmann	Economic Development Committee	
Outagamie	Kara Homan (alt for EDC) for Jake Woodford	Economic Development Committee	
Outagamie	Nadine Miller	Economic Development Committee	
Menominee	Gene Caldwell	Economic Development Committee	
Waupaca	DuWayne Federwitz	Economic Development Committee	
Shawano	Steve Gueths	Economic Development Committee	
Winnebago	Jerry Bougie - Vice Chair (Perm Alt) for Jon Doemel	Economic Development Committee	
Winnebago	Mark Rohloff - (Perm Alt) for Matt Mugerauer	Economic Development Committee	
	Transportation Committee		
	Lead Staff: Kim Biedermann - Principal Planner		
Calumet	Nick Kesler	Transportation Committee	
Fond du Lac	John Zorn (alt for Transportation) for Steven Abel	Transportation Committee	
Fond du Lac	Joe Moore (Perm Alt) for Keith Heisler	Transportation Committee	
Menominee	Jane Comstock	Transportation Committee	
Outagamie	Lee Hammen - Vice Chair	Transportation Committee	
Shawano	Tom Kautza	Transportation Committee	
Waupaca	Dick Koeppen	Transportation Committee	
Winnebago	Robert Keller - Chair	Transportation Committee	
Valley Transit Rep.	Ronald McDonald	Transportation Committee	
WisDOT Rep.	Scott Nelson	Transportation Committee	

Roadway Centerline

Railroad

Justice40 Tracts

PLANNING AREA AND EQUITY I MAP 2.1 APPLETON (FOX CITIES) METROPOLITAN PLANNING ORGANIZATION



USDOT ETC Tracts


MPO Boundary

Municipal Boundary

18

County Boundary

PLANNING AREA AND EQUITY I MAP 2.2 OSHKOSH METROPOLITAN PLANNING ORGANIZATION



PLANNING AREA AND EQUITY

Roadway Design and Disadvantaged Communities

Roadway design influences the behaviors of all roadway users, impacting the risks, dynamics, and results of crashes. Ensuring safe design and implementing countermeasures that consider all road users is a fundamental component in encouraging safe behaviors and reducing negative outcomes.

In tandem to discrepancies in risk caused by design characteristics, the socio-economic characteristics of disadvantaged communities generate differences in transportation needs. Socio-economic disparities affect transportation mode choices, travel times, and safety. Disadvantaged communities suffer from limited modal choices, thus choices of residential and employment locations (and other destinations) become dependent on transportation access, and thus further restricted.

These disparities highlight the need for plans that prioritize vulnerable road users and promote safer and more equitable means of transportation. Low income communities are significantly more likely to contain major arterial roads with higher traffic speeds and volumes, and less likely to have safe infrastructure like marked crosswalks and sidewalks. These factors also influence safety outcomes; there are significantly more injuries at intersections in economically disadvantaged areas than affluent areas.³ Summarily, low status in any socio-economic category extends negative effects into both transportation and other socio-economic categories.

In addition to the CSAP, ECWRPC adopted two complete streets plans (one for the region and one for the Appleton and Oshkosh MPOs) that work in tandem with the CSAP to encourage streets to be constructed or reconstructed with all users in mind. Complete Streets work to implement an increasing variety of transportation modes while also improving pedestrian infrastructure (crosswalk visibility, protected bike lanes). The combination of both CSAP and Complete Streets will promote necessary infrastructure to keep all residents safe regardless of socio-economic status.

The CSAP integrates two socio-economic tools which identify disadvantaged communities and underserved populations:

The Climate and Economic Justice Screening Tool (CEJST) analyzes census tracts across eight socio-economic variables. 4 Each variable, or burden, is ranked using a percentage threshold, and census tracts are considered disadvantaged if they meet the thresholds for at least one burden, or they are on land within the boundary of Federally recognized tribes.

³ Morency, P. et. Al. June, 2012 "Neighborhood Social Inequalities in Road Traffic Injuries: The Influences of Traffic Volume and Road Design." American Journal of Public Health. https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3483951/ ⁴ Council on Environmental Quality. 2023. "Climate and Economic Justice Screening Tool: About." Council on Environmental Quality. https://screeningtool. geoplatform.gov/en/about

PLANNING AREA AND EQUITY

The Equitable Transportation Community Explorer (ETC) works in concurrence with the CEJST tool, examining transportation disparities in five components: Transportation Insecurity, Climate and Disaster Risk Burden, Environmental Burden, Health Vulnerability, and Social Vulnerability.⁵ The tool identifies census tracts which experience burden in any of the above categories.

The tools are designed to work in conjunction, with the CEJST tool analyzing socioeconomic variables and the ETC tool narrowing focus. The ETC's Transportation Inequality component combined with the Transportation Disadvantage component of CEJST provide deeper insight into the transportation system. The CEJST tool identifies socio-economic encumbrance, while the ETC tool is dynamic, and not intended to indicate whether a community is disadvantaged or not, but rather to help the community understand how it's experiencing socio-economic burden that transportation investments can mitigate and reverse.

ENGAGEMENT AND COLLABORATION

CSAP Engagement Overview and Timeline

A vital component to the development of the CSAP, several approaches were taken to properly collaborate with stakeholders and engage the public. Engagement activities included multiple meetings with the CSAP Committee, two MPO Project Selection Advisory Group meetings, six municipal meeting sessions, and a focused public outreach and engagement period comprised of a survey and multiple pop-up events. The overall timeline of these engagement activities over the course of the plan is identified in Figure 2.1 Engagement with both stakeholders and the public was integral to the development of the CSAP.


CSAP Committee

The CSAP Committee, comprised of stakeholders representing communities across the Appleton (Fox Cities) and Oshkosh MPOs. provided support, feedback, and guidance throughout the development of the plan (Table 2.2). These stakeholders represented local governments and two transit agencies within the Appleton (Fox Cities) and Oshkosh MPOs, and provided an array of professional expertise to the planning process ranging in traffic engineering, health, community development, public works, administration, and equity and inclusion. The CSAP Committee provided guidance on how to best implement and monitor the CSAP to ensure its relevance into the future, and several Committee members participated in the project selection process for either the Appleton (Fox Cities) or Oshkosh MPOs. Table 2.2 identifies members of the Committee at the beginning of the project.

⁵ United States Department of Transportation. 2023. "ETC Explorer: Overview." United States Department of Transportation. https://www.transportation.gov/ priorities/equity/justice40/etc-explorer

ENGAGEMENT AND COLLABORATION

Figure 2.1 CSAP Stakeholder and Public Engagement Timeline



ENGAGEMENT AND COLLABORATION

Table 2.2 CSAP Committee

Name		Title	Organization	County	MPO
Danielle	Block	Public Works Director	City of Appleton	Outagamie/Winnebago/Calumet	Appleton (Fox Cities) MPO
Jim	Collins	Transportation Director/General Manager	City of Oshkosh/GOTransit	Winnebago	Oshkosh MPO
George	Dearborn	Community Development Director	Village of Fox Crossing	Winnebago	Appleton (Fox Cities) MPO
Holly	Femal	Community Enrichment Director	Village of Kimberly	Outagamie	Appleton (Fox Cities) MPO
Susan	Garcia Franz	Community Health Strategist	Winnebago County	Winnebago	Oshkosh MPO
Brian	Glaeser	Highway Commissioner	Calumet County	Calumet	Appleton (Fox Cities) MPO
Kevin	Englebert	Development & Land Services Director	Outagamie County	Outagamie	Appleton (Fox Cities) MPO
Laura	Jungwirth	Public Works Director	City of Menasha	Winnebago/Calumet	Appleton (Fox Cities) MPO
Ron	McDonald	General Manager	Valley Transit	Outagamie/Winnebago/Calumet	Appleton (Fox Cities) MPO
James	Merten	Traffic Engineer	City of Neenah	Winnebago	Appleton (Fox Cities) MPO
Chris	Meuer	Planning, Zoning & Land Information Director	Calumet County	Calumet	Appleton (Fox Cities) MPO
Mark	Mommaerts	Assistant Village Manager	Village of Harrison	Calumet	Appleton (Fox Cities) MPO
James	Rabe	Public Works Director	City of Oshkosh	Winnebago	Oshkosh MPO
Katie	Schwartz	Public Works Director	Town of Grand Chute	Outagamie	Appleton (Fox Cities) MPO
Timber	Smith	Diversity, Equity, & Inclusion Coordinator	City of Appleton	Outagamie/Winnebago/Calumet	Appleton (Fox Cities) MPO
Dean	Steingraber	Highway Commissioner	Outagamie County	Outagamie	Appleton (Fox Cities) MPO
Joe	Stephenson	Planning and Community Development Director	City of Kaukauna	Outagamie	Appleton (Fox Cities) MPO

ENGAGEMENT AND COLLABORATION

MPO Project Selection Advisory Groups

Two Project Selection Advisory Groups were established for each MPO to discuss, propose, and confirm the selection of cross-jurisdictional roadway corridors and intersections priority projects most dangerous to all roadway users, most in need for safety measures, and most eligible for the SS4A program. All members of the CSAP Committee were invited to participate on the MPO advisory group their jurisdiction was within, with several accepting the invitation and participating in the subsequent meetings. Invitations to the Committee were distributed one month prior to the meeting date and invitees were asked to accept or reject the invitation within a timely manner. One week prior to the meeting date, packets containing the results of the crash inventory, crash analysis, and High-Injury Network were provided to the advisory groups. Participants for these advisory groups are identified in Table 2.3 and meetings dates are identified in Figure 2.1.

MPO priority projects were identified by participants based on their knowledge of safety concerns, crash dynamics, infrastructure design, and historical funding and implementation barriers. Participants also had their knowledge supplemented by the results of the crash inventory, crash analysis, and High-Injury Network developed by ECWRPC staff for the CSAP and provided to them in packets.

Following the meetings, the priority projects selected by each group for the respective MPO were finalized and included within the CSAP. Value-added analysis of the MPO priority projects was later provided by SRF Consulting Group, further detail of which can be found later in this chapter.

Table 2.3 Appleton (Fox Cities) MPO and Oshkosh MPO Project Selection Advisory Groups

Name		Title	Organization	County	
Appleton (Appleton (Fox Cities) MPO Project Selection Advisory Group				
Danielle	Block	Public Works Director	City of Appleton	Outagamie/Winnebago/Calumet	
Brian	Glaeser	Highway Commissioner	Calumet County	Calumet	
Laura	Jungwirth	Public Works Director	City of Menasha	Winnebago/Calumet	
Katie	Schwartz	Public Works Director	Town of Grand Chute	Outagamie	
Dean	Steingraber	Highway Commissioner	Outagamie County	Outagamie	
Joe	Stephenson	Planning and Community Development Director	City of Kaukauna	Outagamie	
Oshkosh MPO Project Selection Advisory Group					
Jim	Collins	Transportation Director	GO Transit	Winnebago County	
James	Rabe	Public Works Director	City of Oshkosh	Winnebago County	

ENGAGEMENT AND COLLABORATION

Municipal Collaboration

Engagement and collaboration with local government staff and officials was fundamental to the identification of the municipal level priority projects identified in subsequent chapters. Local staff and officials are the experts on their individual community's needs and development plans, and having these voices at the table provided specific insights not identified through the crash analysis. This collaboration allowed municipalities to discuss roadway safety challenges with neighbor communities, specifically at shared corridors and intersections.

Six meetings were set up in March 2023 (Figure 2.1) and at least one staff or official from every city, village, and town within the Appleton (Fox Cities) MPO and Oshkosh MPO was invited to attend one or more meetings.

Those invited included local planning, engineering, and administrative staff or elected officials in the case of smaller municipalities. In preparation for the meetings, ECWRPC staff provided each municipality with a packet containing a crash inventory, crash analysis, and the High-Injury Network for their community as well as an agenda detailing the purpose and timeline of the meetings. Meetings were facilitated by ECWRPC staff and began with a presentation overviewing the SS4A program and CSAP. This was followed by an extensive open discussion focused on identifying corridors and intersections within each community where the demonstration or implementation of safety measures should be prioritized. Municipalities were invited to the following meetings:

Appleton (Fox Cities) MPO Municipal Group A Tuesday, March 21st @ 10:00AM

- Town of Freedom
- Town of Kaukauna
- Town of Vandenbroek
- Village of Little Chute
- Village of Wrightstown
- **Outagamie County**

Appleton (Fox Cities) MPO Municipal Group D Tuesday, March 28th @ 10:00AM

- City of Appleton
- City of Menasha
- Town of Woodville
- Village of Fox Crossing
- Village of Harrison
- Village of Sherwood
- Calumet County

Appleton (Fox Cities) MPO Municipal Group B

Wednesday, March 22nd @ 10:00AM

- City of Kaukauna
- Town of Buchanan
- Village of Combined Locks
- Village of Kimberly
- **Outagamie County**

Appleton (Fox Cities) MPO Municipal Group E

Wednesday, March 29th @ 10:00AM

- City of Menasha
- City of Neenah
- Town of Clayton
- Town of Neenah
- Town of Vinland
- Village of Fox Crossing
- Winnebago County

Appleton (Fox Cities) MPO Municipal Group C

Thursday, March 23rd @ 10:00AM

- City of Appleton
- Town of Center
- Town of Ellington
- Town of Grand Chute
- Village of Greenville
- **Outagamie County**

Oshkosh MPO Municipal Group A

Thursday, March 30th @ 10:00AM

- City of Oshkosh
- Town of Algoma
- Town of Black Wolf
- Town of Nekimi
- Town of Oshkosh
- Town of Utica
- Winnebago County

ENGAGEMENT AND COLLABORATION

Public Outreach and Engagement

ECWRPC utilized the Equitable Engagement Toolkit and Guidebook to design and carry out public engagement for the CSAP. Through a survey and in-person, community-based pop-up table engagement opportunities, staff was able to talk about roadway safety and collect impressions from community members throughout the study area regarding roadway safety for all road users. Survey distribution and the existing events that staff chose to attend were intentionally planned and implemented to engage diverse communities and groups that are often not included in public meetings and planning activities. Materials used in the popup events were designed to be inclusive and accessible.

Equitable Engagement Toolkit and Guidebook

In January 2023, ECWRPC adopted the Equitable Engagement Toolkit and Guidebook (Guidebook). This guidebook serves as a resource to ensure that efforts to solicit feedback and input from all residents, with a focus on historically underserved populations, are intentional and equitable. It provides a series or worksheets to inform the engagement process and is accompanied by a toolkit to move beyond traditional engagement efforts. More information on the Guidebook can be found online.6

CSAP Roadway Safety Survey

In developing the Roadway Safety Survey, staff crafted twelve questions that examined what made the respondent feel safe on a roadway whether in a vehicle, on a bike, or as a pedestrian. The survey tool also featured a transportation safety priority ranking section that was mirrored in the pop-up engagement poster boards (described below).

Using both online (SurveyMonkey) and paper collection methods, staff sought to reduce barriers for community members to be able to complete the survey in the manner they were most comfortable.

The online survey was distributed over email to stakeholders in the public sector, non-profit sector, and the private sector engaged with the CSAP, as well as through diverse community outreach organizations and partner groups that promote transit ridership, engage with underserved populations, support active transportation initiatives, and provide economic and community development. In addition, the survey was posted to ECWRPC social media channels to further distribute the digital survey tool to a wide swath of the community impacted by roadway safety. The survey was made available between April and June 2023.

The paper version of the survey was available at each of the pop-up events and featured the QR code and survey link printed in both English and Spanish. Community members without smartphones, or unwilling to engage with the survey tool through the QR code, were able to complete the brief survey in person while taking part in the events.

⁶ East Central Wisconsin Regional Planning Commission. 2023. "Equitable Engagement Toolkit and Guidebook." ECWRPC. https://www.ecwrpc.org/programs/ transportation/community-engagement/

ENGAGEMENT AND COLLABORATION

Pop-Up Events

In-person events provided a way for ECWRPC staff to engage directly with neighbors about transportation and safety issues, inform the public about East Central's mission and work, and collect valuable insights and opinions from people who travel throughout the region. By choosing existing event at various times and days of the week such as on weekends (BikeOsh '23), weekday middays, afternoons, and evenings (Appleton Public Library, Wisconsin Timber Rattlers baseball game, and the Greenville Farmers Market) staff were able to reach many community members who are often not able to attend, not comfortable in, or not aware of, official meetings that may take place at inconvenient times. Meeting the public at places and times convenient for them allowed staff to be able to share a bit of information and get responses that likely would otherwise have been missed.

The public engagement materials used at the pop-up events were designed to encourage community members to think about and identify the priority of an array of roadway safety components such as sidewalk issues, distracted driving, impaired driving, roadway lighting, speeding, crosswalk issues, vehicle operability, bike accommodations. Participants also had the opportunity to add in additional factors not included on the list but thought were important.

This method allowed for staff to interact with community members with all sorts of road safety knowledge, travel experiences, and backgrounds. Children enjoyed placing the stickers on the boards, parents took the time to explain prioritization to their family members, cyclists got to share stories about rides locally and in other communities, and adults of all ages mentioned that it felt good to have government agencies value their thoughts, opinions, and priorities. The results of the in-person engagement materials are provided in Figure 2.2



FCWRPC staff attended several in-person pop-up events to engage members of the public at places convenient to them.





ENGAGEMENT AND COLLABORATION

Figure 2.2 In-person Engagement Material Results

Timber Rattlers Pop-up Board



BikeOsh Pop-up Board Appleton Library Pop-up Board

ENGAGEMENT AND COLLABORATION

Survey Results and Public Feedback

The CSAP Roadway Safety Survey received 137 responses across multiple dissemination methods throughout both MPOs during the survey period. Developed using SurveyMonkey, the predominant goal of the survey was to gather community input on roadway system usage, safety perspectives, and priorities. Questions encompassed mode usage frequency, perspectives on design features that make users feel safe or unsafe, and perspectives on factors contributing to crashes.

The first open ended survey question was designed to obtain respondents' thoughts on the importance and benefits of communities having a plan that establishes a goal of reducing transportation related fatalities and serious injury crashes. Themes were extracted from the responses. tabulated, and fed into the word cloud shown in Figure 2.3. In general, the larger the font size, the more times the theme was mentioned in response to the question.

As shown in Figure 2.3, increasing safety was the most mentioned theme. Other responses noted that having a plan with these goals could result in a reduction in congestion, increased road network efficiency, reduced strain on resources, increased safety for non-motorists, and could have a positive impact both emotionally and economically, resulting in a higher quality of life.

Figure 2.3 Word Cloud Responses from Public on Benefits of Planning to **Reduce Roadway Fatalities and Serious Injuries**



Question: "Why do you think it is helpful for our community to have a plan that establishes a goal of reducing or eliminating fatalities and serious injuries from traffic crashes?"

ENGAGEMENT AND COLLABORATION

Respondents were also asked in an open-ended format to list their priority transportation interventions, what they would like to see implemented to improve safety across the transportation system. Themes were again extracted and tabulated. Results are displayed in Figure 2.4, with larger font size indicating more popular answers.

Traffic calming features was the most prominent theme in Figure 2.4, followed by improving bike and pedestrian infrastructure. For pedestrians, responses desired expanding the sidewalk network and adding features such as pedestrian crossing flashing lights, pinched and compliant crosswalks, and pedestrian refugee islands. For bikes, respondents preferred separated bike paths to bike lanes, though they advocated for increased infrastructure in general. Expanded transit network was also listed along with associated infrastructure, specifically updated bus stops and shelters.

Figure 2.4 Word Cloud Responses from Public on Preferred **Transportation Interventions**




Question: "What are the best transportation interventions to improve safety?"

ENGAGEMENT AND COLLABORATION

Perceived safety of different roadway attributes, features, and behaviors was broken into three different sections: by car, bike, and pedestrian/ transit user groups. These responses are shown in Figures 2.5 through 2.7. The questions originally had respondents choose whether they deemed each category to be very unsafe, unsafe, safe, or very safe. The variable was recoded to consolidate results into two categories, either safe or unsafe, for the purposes of data visualization and comparability.

Most interventions were rated as safe across all three categories, with two notable exceptions. In spite of quantitative evidence that wide roads tend to be less safe for non-motorist than narrow roads, over 70% of respondents perceived wide roads as being safer.⁷ Respondents held the perspective that roundabouts are safe for cars, but are unsafe for bikes and pedestrians.

Figure 2.5 Safety Perception of Roadway Features According to Vehicle Users



⁷ Hamidi, S. et. Al. November, 2023. "A National Investigation on the Impacts of Lane Width on Traffic Safety." Johns Hopkins Bloomberg School of Public Health. https://narrowlanes.americanhealth.jhu.edu/report/JHU-2023-Narrowing-Travel-Lanes-Report.pdf

ENGAGEMENT AND COLLABORATION

Figure 2.6 Safety Perception of Roadway Features According to **Bicyclists**






Figure 2.7 Safety Perception of Roadway Features According to **Pedestrians**



ENGAGEMENT AND COLLABORATION

While results from the previous question showcase community desire for increased roadway safety and the preferred priorities, Figure 2.8 indicates a lack of awareness of the safe systems approach framework used to plan and implement roadway safety improvements. In fact, less than 10 percent of those surveyed responded that they know what the safe systems approach is. This illustrates the need for additional community engagement and information sharing to ensure the general public is aware of the strategies and tools that can bring about safer roads for all. The CSAP is intended to reach and inform a broad audience to fulfill this role by furthering, or beginning, conversations about ensuring safety for all roadway users.

Figure 2.8 Public Familiarity with the Safe Systems Approach



ENGAGEMENT AND COLLABORATION

Additional Engagement Methods

ECWRPC staff participate in a number of partner and coalition meetings, which are often comprised of a mix of residents, government staff, and employees representing the private sector and non-profit sector. The Comprehensive Safety Action Plan was discussed at some of these partner meetings, either through community sharing or as a formal presentation. ECWRPC staff shared information and progress of the CSAP at the following meetings:

Winnebago County Traffic Safety Commission

ECWRPC staff regularly participates in these quarterly meetings. These meetings bring together law enforcement, first responders, residents, traffic engineers, and healthcare professionals to review and discuss crashes that result in serious injuries and fatalities. ECWRPC staff reported on progress of the CSAP at the January 11, 2023 Winnebago County Traffic Safety Commission meeting, and staff attended meetings throughout 2022 and 2023 to better understand traffic safety concerns from the viewpoint of law enforcement and first responders.

Hispanic Interagency Meetings

These monthly meetings bring together public, non-profit, and private organizations throughout the greater Fox Valley to discuss issues important to the Hispanic/Latinx communities and to share resources. ECWRPC attends these meetings on a monthly basis, and updates and progress on the CSAP were offered during these meetings. The survey was shared out to this group to solicit additional feedback.

Bicycle and Pedestrian Advisory Committee Meetings

ECWRPC has its own bicycle and pedestrian advisory committee that oversees and advises on implementation of the Appleton (Fox Cities) TMA and Oshkosh MPO Bicycle and Pedestrian Plan—2021. This advisory committee is made up of municipal staff, public health department staff, residents, and members of local organizations. This committee was provided updates on the plan throughout 2022 and 2023, and a formal presentation was made to the committee in April 2023 to solicit additional feedback. Additionally, an ECWRPC staff member participates in the Appleton Bicycle and Pedestrian Advisory Committee, which is comprised of a school district representative and residents. Updates on the CSAP were provided at these quarterly meetings.

Northeast Wisconsin Regional Access to Transportation

The Northeast Wisconsin Regional Access to Transportation is a collaboration committee comprised of transportation providers, planners, consumers, and stakeholders; ECWRPC participates in these quarterly meetings. During these meetings, ECWRPC staff would provide updates on the CSAP to the group.

DATA COLLECTION AND CRASH ANALYSIS METHODOLOGY

Data Collection and Inventory Process

The Comprehensive Safety Action Plan contains an extensive inventory of crashes involving all roadway users at both the MPO and municipal levels to evaluate the factors and dynamics behind them. All crash data in the CSAP inventory and crash analysis model was provided by the Wisconsin Traffic Operations and Safety (TOPS) Laboratory, which is a database of all police recorded crashes in the State of Wisconsin collected on an annual basis.8 TOPS lab data identifies each crash by geographical location and provides numerous crash attribute data regarding mode, injury severity, time, age, violation, weather, roadways ownership, etc. for each individual report. It is important to note that several municipalities are only partially within either MPO and that only the crashes which occurred within the MPO planning boundary were collected and used in the inventory and analysis.

Crash data in the CSAP is evaluated by mode, severity, type, and location for the Appleton (Fox Cities) MPO, Oshkosh MPO, and all municipalities partially or fully within each MPO between 2018 and 2022. All reported crashes which took place in either MPO, regardless if they occurred on a restricted access freeway or in a parking lot, are included in the inventory. The results of the inventory are conveyed for each MPO and municipality in the subsequent chapters through descriptive text, charts, figures, and maps. Evaluating the crash data through the inventory process played a significant role in the development of the crash analysis model.

Crash Analysis Methodology

The crash analysis model considers eight criteria to determine the danger posed to roadway users along each corridor and at each intersection of the entire roadway network. The model ranks each corridor and intersection by the degree of danger posed to roadway users based on the dynamics of observed crashes and existing design characteristics along or at each specific corridor or intersection. These variables were weighted in a way that aligned best with the requirements of the SS4A program and the model is designed to place significant emphasis on high crash severity and incidents involving non-motorists. Given the differing causes and dynamics of crashes along corridors compared to those at intersections, the model was applied to corridors and intersections separately to appropriately compare corridors with corridors and intersections with intersections. The following processes were taken to organize data and develop the crash analysis model.

The crash analysis model was developed in GIS using vector datasets. Data was primarily provided by two sources, the Traffic Operations and Safety Laboratory (TOPS Lab) and the Wisconsin Department of Transportation with crash data provided by the former as a point layer and roadway attribute and design characteristic data provided by the latter through a centerline layer. Internal ECWRPC datasets were also used, specifically for data regarding land use.

Prior to developing the crash analysis model, several steps were taken to organize and prepare datasets prior to analysis within the model.

⁸ Traffic Operations and Safety Laboratory. 2023. "The WisTransPortal System." University of Wisconsin Madison. https://transportal.cee.wisc.edu/

DATA COLLECTION AND CRASH ANALYSIS METHODOLOGY

First, all crashes that were recorded in TOPS attribute data as having taken place in a parking lot were removed as were all crashes which took place on a restricted access freeway. These crashes were excluded since private parking lots are out of the scope of the CSAP and the SS4A program is not intended for restricted access freeways that are not intended to be used by non-motorists.


Next, each crash was joined to either a corridor – defined as a segment of roadway from intersection to intersection, or an intersection – defined as a point were two or more corridors converged. This separation of data was done to avoid any double counting of crashes across the road network and to acknowledge the differences in risk and crash dynamics that occur along corridors versus at intersections. Crashes were joined to either corridors or intersections through the use of buffers around intersections with crashes within a buffer joined to the nearest intersection and any crashes outside a buffer joined to the nearest corridor. As intersections between larger capacity corridors tend to have a wider spatial distribution of crashes due to the large physical footprint of the intersection, different radii buffers were used. The radii of buffers were directly related to the highest functional classification of the corridors that met at the intersection. Intersections where at least one corridor was a functionally classified arterial used a 200-foot buffer, while if at least one corridor was a functionally classified collector a 150-foot buffer was used. Any intersection where neither an arterial nor a collector crossed utilized a 100-foot buffer. Crashes which were not within any of the intersection buffers and were within 150 feet of the centerline were joined to a corridor.

Finally, as some intersections were in close proximity to one another and had overlapping buffers, and given some corridors had overlapping catchment areas, crashes were assigned to the nearest feature using the near function. The near function was applied to all crashes to determine the closest corridor for corridor crashes and closest intersection to each intersection crash.

The crash analysis model was developed by ECWRPC staff using an index analysis which ascribes criteria to a single feature set and scores each criterion on each feature to obtain an overall score. Using criterion specifically related to the requirements of the Safe Streets and Roads for All program and the feedback provided by the CSAP Committee, the model evaluates both the observed and potential safety risk to all roadway users across the roadway network by ranking indexed values (Figure 2.9). A total of eight criteria were utilized for the index analysis. Four criteria consider observed crash factors – total crashes, injury severity, total non-motorists, and crash rate – and collectively weigh 75% of the model. Data for these four criteria was all sourced from the TOPS Lab dataset. An additional four criteria weigh 25% of the model and consider environmental or design factors which increase the risk of crashes, especially for non-motorists. Data for these criteria was sourced from an array of ECWRPC internal data and external datasets, with additional steps taken to ensure datasets functionality within the model. More on these criteria, their purpose, and data sources are described on the following pages.

DATA COLLECTION AND CRASH ANALYSIS METHODOLOGY

Figure 2.9 Comprehensive Safety Action Plan Crash Analysis Model



The crash analysis model weighs eight criteria to determine areas of traffic safety concern. The model considers observed crash factors as well as environmental factors which increase risk of crashes and injury for nonmotorists. Criteria are indexed in the model according to the requirements of the SS4A program.

• Risk: Sidewalk Availability

The presence of sidewalk on one or both sides of roadways provides safety for non-motorists. Roadways were scored based on sidewalk presence on both sides, one side, or not present at all. While bicycle and pedestrian facilities locations are maintained by ECWRPC, this dataset represents the true locations of these features, meaning their location had to be assigned to the centerline road dataset used by the model. Buffers were placed around sidewalk locations and were then spatially joined to the centerline layer. The count of overlapping buffers represented a rough estimation if sidewalk existed on one or both sides of a roadway. This dataset required proofing using aerial imagery and the centerline layer identifying sidewalk availability was finalized after validation. Bike lanes and trails were not included in the model due to data limitations and/or the inability to properly attribute data to roadway centerline data.

• Risk: Right of Way (ROW) Width

The width of the right of way can have several impacts on safety, primarily, larger roadways can be more difficult to cross for bicyclists and pedestrians, especially without proper accommodation. This attribute data was readily available within the centerline dataset.

BACKGROUND

DATA COLLECTION AND CRASH ANALYSIS METHODOLOGY

• Risk: Proximity to Amenities

This criterion refers to the proximity of nearby locations which are likely to have non-motorists present. These locations include schools, transit stops, and parks and recreational areas. Data was sourced from internal ECWRPC land use datasets. Corridors and intersections which were within a half mile from any of the amenities were given index scores with a maximum score given if at least one of all amenity types were within the selection radius. While this criterion does not identify inherently unsafe locations, it identifies locations where the risk of non-motorist involved crashes may be more likely to happen.

• Risk: Posted Speed Limit

Although higher roadway speeds do not inherently mean an increase of danger, it is often a contributing factor in severe accidents. While average vehicle travel speeds would provide more reliable site conditions, the data was not available for the broad network of studied roadways. Instead, posted speed limit data was used as a proxy.

• Observed: Crash Rate

Crash Rate is derived from comparing the total number of crashes along a corridor or at an intersection with the average daily vehicle traffic. High frequency crash locations may likely be correlated to high traffic volume and vice versa. Average daily vehicle traffic data was not available for many roadways in both MPOs, therefore, crash rate was calculated using the Crash Rate by Route Length calculation provided by the Federal Highway Administration.9

Observed: Total Crashes

Total crashes, or frequency, provides evidence of possible issues on specific areas of the roadway network. A significant frequency of crashes along a corridor or at an intersection could indicate problematic areas. This criteria does not, however, consider injury severity or countermeasures such as roundabouts which are designed to reduce crash severity at the cost of increasing total crashes.

Observed: Non-Motorist Involvement

Non-Motorists include bicyclists and pedestrians that were involved in a crash with a motor vehicle. These users are at a greater risk of injury or death when involved in a crash with a motor vehicle.

• Observed: Crash Injury Severity

Crash severity considers the cost of injury and damages related to a crash. These values escalate based on the severity of a crash, with fatalities resulting in the highest values. In this analysis, the crash severity values for a particular corridor or intersection are totaled. This value increases exponentially at higher injury severities.

⁹ United States Department of Transportation. 2023. "Roadway Departure Safety: A Manual for Local Rural Road Owners." United States Department of Transportation https://safety.fhwa.dot.gov/local_rural/training/fhwasa1109/app_c.cfm


DATA COLLECTION AND CRASH ANALYSIS METHODOLOGY

The model was applied to the corridors and intersections of each individual MPO, with the results of the index analysis providing values that were used to quantitatively evaluate safety across the network holistically. The crash analysis provided in subsequent chapters for the Appleton (Fox Cities) and Oshkosh MPOs is comprised of the entire road network within the relevant MPO with no regard for municipal boundaries. The MPO level analysis is distinct from those provided for each municipality as the crash analysis model was applied to the corridors and intersections of each individual municipality, an analysis method that compares the municipality's own roadway network with itself. This provides a more locally relevant analysis as opposed to the MPO level perspective, which does not consider municipal borders. For the High-Injury Network (HIN), the roadway network was divided by MPO and municipality in the same fashion as the crash analysis model and results are provided for each MPO and individual municipality.

High-Injury Network

The High-Injury Network (HIN) is comprised of functionally classified arterial and collector corridors and intersections with index scores in the 90th percentile of the crash analysis model. Non-functionally classified corridors and intersections are not included in the HIN. The HIN identifies the functionally classified corridors and intersections with the worst scores in the crash analysis model, highlighting locations where strategies and potential projects should be implemented to enhance safety for all roadway users, especially non-motorists. The main methodology for the HIN is elaborated in Figure 2.10.

Figure 2.10 Comprehensive Safety Action Plan High-Injury Network Model



The High-Injury Network (HIN) is a tool that can guide where strategies and potential projects might be implemented to enhance safety for all roadway users. The HIN is comprised of functionally classified arterial and collector corridors and intersections that rank in the 90th percentile of the crash analysis model.

BACKGROUND

PRIORITY PROJECT IDENTIFICATION

Distinguishing Between MPO and Municipal Priority Projects

Priority projects at both the MPO level and municipal level were identified by MPO and municipal stakeholders through an engagement process. These meetings, detailed earlier in this chapter, were convened with stakeholders to discuss the results of the crash inventory, crash analysis model, and High-Injury Network to identify priority projects in need of demonstration or implementation funding to ensure roadway safety for all users. In the following chapters, distinct listings of corridor and intersection projects are identified for each of the MPOs as well as individual municipalities. Some municipalities did not identify any projects. While, in some cases, MPO projects may have similar boundaries as municipal projects, MPO priority projects are not a collection or summation of the municipal projects, rather, they are distinct, cross-jurisdictional projects that require collaboration by many entities. Both municipal projects and MPO projects will require varying amounts of attention, collaboration, planning, and/or funding to be transformed into corridors and intersections that reduce danger and enhance safety for all roadway users.

SRF Consulting

The MPO priority projects are perhaps the most crucial projects identified within the CSAP where demonstration and implementation of transportation safety measures would yield the most net positives to each MPO. To move forward on these projects, most of which cross multiple municipal boundaries and have had historic funding challenges, and all of which are hazardous to motorists and non-motorists alike in their current state, significant attention, collaboration, and funding are required next steps.

To help inform these next steps, SRF Consulting Group was contracted to conduct a prioritization analysis of Appleton (Fox Cities) MPO and Oshkosh MPO projects based on funding eligibility according to the requirements of the SS4A program. All 17 projects identified by the respective MPO Project Selection Advisory Groups, thirteen Appleton (Fox Cities) MPO and four Oshkosh MPO, were analyzed according to each project's rural/urban designation, proximity to underserved communities, crash histories, design elements, and other variables. Following the analysis, projects were given a ranking based on their competitiveness for SS4A Demonstration and/or Implementation Grant funding. This ranking will serve to help prioritize efforts to collaborate around the most competitive projects with the greatest impact to roadway safety, especially in underserved communities.

In addition, SRF provided recommendations on next steps for applying to SS4A funding, specifically suggestions in regard to important considerations to make in collaboration efforts and additional steps necessary to ensure competitiveness for SS4A Demonstration and/or Implementation funding. The full report developed by SRF is provided in Appendix C.

COMPREHENSIVE SAFETY ACTION PLAN

CHAPTER 3

APPLETON (FOX CITIES) METROPOLITAN PLANNING ORGANIZATION

42	APPLETON (FOX CITIES) MPO	163	VILLAGE OF COMBINED LOCKS
58	CITY OF APPLETON	170	VILLAGE OF FOX CROSSING
65	CITY OF KAUKAUNA	177	VILLAGE OF GREENVILLE
72	CITY OF MENASHA	184	VILLAGE OF HARRISON
79	CITY OF NEENAH	191	VILLAGE OF KIMBERLY
86	TOWN OF BUCHANAN	198	VILLAGE OF LITTLE CHUTE
93	TOWN OF CENTER	205	VILLAGE OF SHERWOOD
100	TOWN OF CLAYTON	212	VILLAGE OF WRIGHTSTOWN
107	TOWN OF ELLINGTON		
114	TOWN OF FREEDOM		
121	TOWN OF GRAND CHUTE		
128	TOWN OF KAUKAUNA		
135	TOWN OF NEENAH		
142	TOWN OF VANDENBROEK		
149	TOWN OF VINLAND		
156	TOWN OF WOODVILLE		

APPLETON (FOX CITIES) MPO I CHAPTER OVERVIEW AND EQUITY CONSIDERATIONS

Introduction

This chapter is divided into sections that provide crash inventories, crash analyses, High-Injury Networks (HIN), and project listings for the Appleton (Fox Cities) MPO and the municipalities that are both fully and partially within it. Inventories of all crashes which occurred between 2018 and 2022 are provided to give context to the crash types, locations, factors, modes, and severities that occurred within the given boundaries. Each inventory is followed with the results of the crash analysis, the extent of the High-Injury Network, and the priority projects identified for the MPO and each municipality. Priority projects are not listed in a specific order. Although some municipalities did not identify any projects, crash inventory and analysis results are provided for each jurisdiction.

The chapter begins with the MPO and is followed by municipalities both fully and partially within the MPO according to alphabetical order first by cities followed by towns and villages. An array of maps, figures, and tables illustrate the dynamics of crashes throughout the MPO and highlight the locations of dangerous corridors and intersections where SS4A Demonstration and/or Implementation funding would enhance safety for all road users. Disadvantaged census tracts according to the Equitable Transportation Community (ETC) tool and the Climate and Economic Justice Screening Tool (CEJST) are identified in all crash inventory, crash analysis, HIN, and priority project maps.

Equity

The Appleton (Fox Cities) MPO encompasses across areas of Calumet, Outagamie, Winnebago counties. A total of 23 municipalities – four cities, eleven towns, and eight villages – are either fully or partially within the MPO planning boundaries.

In 2023 the Appleton (Fox Cities) MPO had an estimated population of 258,600. According to the Equitable Transportation Community (ETC) toll, approximately 9.12 % of residents in the Appleton (Fox Cities) MPO were undeserved, with 23,600 residents living in seven disadvantaged census tracts across the MPO. Two census tracts were entirely within the City of Appleton, two were within portions of the Town of Grand Chute and City of Appleton, one tract encompassed areas of the Village of Fox Crossing, City of Menasha, and City of Appleton. In addition, one census tract was entirely within the City of Menasha, and another entirely within the City of Neenah.

According to the Climate and Economic Justice Screening Tool (CEJST), approximately 23,400 residents were within a disadvantaged census tract, or 9.04% of the total Appleton (Fox Cities) MPO population. The tool identified seven disadvantaged census tracts in the MPO. Three tracts were entirely within the City of Appleton, one was entirely within the City of Kaukauna, and one was entirely within the City of Menasha. The two other tracts were within portions of one or more municipalities, with one within portions of the City of Appleton, City of Menasha, and Village of Fox Crossing; and another within portions of the City of Neenah and Village of Fox Crossing. Four disadvantaged census tracts identified by CEJST were also identified by the ETC tool.

APPLETON (FOX CITIES) MPO I CRASH INVENTORY 2018 - 2022

Total Crashes by Severity and Mode

A total of 25,636 crashes occurred in the MPO between 2018 and 2022. Over this five-year period, 509 crashes resulted in a person being killed or seriously injured (KSI), and 52 crashes were fatal. The locations of serious injury and fatal injury crashes in the Appleton (Fox Cities) MPO between 2018 and 2022 are identified in Map 3.1. Approximately 30% of KSI crashes between 2018 and 2022 involved either a bicyclist or a pedestrian. Thirty-three motor vehicle, ten motorcycle, six bicycle, and three pedestrian crashes resulted in fatalities between 2015 and 2022. Over the five-year period, the average annual fatality rate per 100,000 population was 4.02 for all modes of transportation.



Crash Factors

Age and violation crash factors played a role in many motorist (motor vehicles and motorcycles) and non-motorist (bicyclists and pedestrians) crashes (Figures 3.1, 3.2, and 3.3). Many non-motorist crashes in the Appleton (Fox Cities) MPO involved either youth (37.3%) or seniors (28.4%), and 44.4% of fatal non-motorist crashes involved a youth while 44.4% involved a senior. For motorists, speed played a role in many crashes (14.7%) and a significant role in KSI and fatal crashes, contributing to 28.8% and 27.9% of these crashes, respectively.

Figure 3.3 Crash Factors: Fatal Crashes

Figure 3.2 Crash Factors: KSI Crashes

	Ag	ge	Viola	tion		Aş	ge	Viola	ntion		A	ge	Viola	ation
	Youth	Senior	Speed	DUI		Youth	Senior	Speed	DUI		Youth	Senior	Speed	DUI
Motorist	16.1%	17.0%	14.7%	5.2%	Motorist	8.1%	17.6%	28.8%	25.8%	Motorist	9.3%	20.9%	27.9%	18.6%
Non-Motorist	37.3%	28.4%	2.6%	9.1%	Non-Motorist	24.4%	48.7%	7.7%	17.9%	Non-Motorist	44.4%	44.4%	0.0%	33.3%

Figure 3.1 Crash Factors: Total Crashes

APPLETON (FOX CITIES) MPO | CRASH INVENTORY 2018 - 2022

Crashes Per Year by Mode

Trends for total, killed or seriously injured (KSI), and fatal crashes per year between 2018 and 2022 varied considerably by mode (Figures 3.4, 3.5, and 3.6). Total motor vehicle crashes, not including motorcycles, peaked in 2019, and, although declining in 2020, increased each year in 2021 and 2022. Motor vehicle KSI crashes per year varied depending on year, with the highest amounts recorded in 2018 and 2021. Fatal crashes for motor vehicles declined each year between 2018 and 2022, however, the declining trend was reversed in 2022.

Total motorcycle crashes were largely consistent each year between 2018 and 2022, peaking in 2020. KSI motorcycle crashes also remained largely consistent each year during the period, averaging about 21 per year with the most occurring in 2021. Motorcycle fatal crashes were highest in 2021, with a total of five fatal crashes in that year.

Although the total number of pedestrian crashes per year during the period declined in both 2020 and 2021, total crashes increased and peaked in 2022. Pedestrian killed or seriously injured (KSI) crashes remained consistent each year, averaging about nine per year. Three pedestrian crashes were fatal, with one occurring in 2021 and two in 2022.

Total crashes involving bicyclists declined in 2020 but increased in both 2021 and 2022. Bicycle KSI crashes remained consistent throughout the fiveyear period averaging about six per year. Six total bicycle crashes were fatal, with at least one fatal crash occurring each year during the period.

Figure 3.4 Total Crashes Per Year by Mode




Figure 3.5 KSI Crashes Per Year by Mode





Figure 3.6 Fatal Crashes Per Year by Mode



APPLETON (FOX CITIES) MPO | CRASH INVENTORY 2018 - 2022

Crash Types by Mode

Motorist and non-motorist crash types are recorded by TOPs according to the controlled maneuver of the motor vehicle prior to the beginning of the sequence of events. Consisting of 20 maneuvers that can be recorded at the scene of the crash, the dataset was condensed where appropriate to nine maneuvers and are expressed as ratios of total crashes according to mode and severity in Figures 3.7, 3.8, and 3.9.

For motor vehicle crashes, excluding motorcycles, the most common crash types for all crashes were hitting objects (33%), rear ends (27%), and broadsides (25%). The most common KSI crash types were similar, with objects hit and broadsides contributing to 37% and 31% of motor vehicle crash types, respectively. 42% of all fatal motor vehicle crashes were due to hitting an object. The most common motorcycle crash type for all motorcycle crashes was hitting an object (51%). This crash type was also the most common in motorcycle KSI crashes (57%) and fatal crashes (70%).

The most common crash types for all bicycle crashes involved motor vehicles going straight (44%) or making right turns (28%). Crashes involving motor vehicles going straight were also the most common crash type for killed or seriously injured (KSI) and fatal bicycle crashes, contributing to 49% and 83% of total crashes in these severity categories, respectively. For all pedestrian crashes, the most frequent crash type involved a motor vehicle going straight (41%) or making a left turn (21%). KSI pedestrian crash types recorded a continuation of this trend, with 41% resulting from a motor vehicle going straight and 20% resulting from a motor vehicle making a left turn. Of the three fatal pedestrian crashes that occurred during the period, all of them involved a motor vehicle going straight.

Figure 3.7 Crash Type by Mode: Total Crashes

	↔	%	序	÷.
Head-On	3%			2%
Sideswipe	10%			7%
Broadside	25%			22%
Rear End	27%			17%
Hit Object	33%			51%
Other/Unkn	1%	17%	31%	1%
MV - straight		44%	41%	
MV - right turn		28%	7%	
MV - left turn		11%	21%	
	100%	100%	100%	100%

Figure 3.8 Crash Type by Mode: KSI Crashes

		50	广	
Head-On	9%			3%
Sideswipe	2%			4%
Broadside	31%			23%
Rear End	20%			12%
Hit Object	37%			57%
Other/Unkn	0%	17%	37%	2%
MV - straight		49%	41%	
MV - right turn		17%	2%	
MV - left turn		17%	20%	
	100%	100%	100%	100%

Figure 3.9 Crash Type by Mode: Fatal Crashes

			秀	
Head-On	6%			10%
Sideswipe	3%			10%
Broadside	24%			0%
Rear End	24%			10%
Hit Object	42%			70%
Other/Unkn	0%	0%	0%	0%
MV - straight		83%	100%	
MV - right turn		17%	0%	
MV - left turn		0%	0%	
	100%	100%	100%	100%

APPLETON (FOX CITIES) MPO | CRASH INVENTORY 2018 - 2022

Crash Locations

Crashes across the MPO occurred at various types of intersections and road cross-sections owned by either local, state, or federal entities according to TOPs crash reports. For all crashes and all modes of transportation, many occurred along corridors (63%) (labeled in figure as Not at Intersection) or at four-way intersections (24%), on two-way roads (46%), and on locally owned roads (50%) (Figure 3.10).

For all roadway users, about 59% of KSI crashes occurred along corridors while 31% occurred at four-way intersections (Figure 3.11). Also displayed in Figure 3.11, a significant amount of KSI crashes occurred on two-way roads (61%) and many took place on locally owned roads (47%).

The majority of fatal crashes for all modes happened along corridors (73%), on two-way roads (61%), and primarily on locally owned roads (37%) and state highways (31%) (Figure 3.12).

Figure 3.10 Crash Locations: Total Crashes

Intersection Type Roundabout Five-Point/Other 1% T, Y, or L 6% Not at Intersection Four-Way 63% 24% Entrance/Exit Ramp Unkn/Private 18% Road Type One-Wav 6% Two-Wav Divided Hwy 46% 28% Interstate Highway Local Road Jurisdiction 11% 50% State Highway County Trunk 29% 10%

Figure 3.11 Crash Locations: KSI Crashes







Figure 3.12 Crash Locations: Fatal Crashes



APPLETON (FOX CITIES) MPO I MAP 3.1 APPLETON (FOX CITIES) MPO KILLED AND SERIOUS INJURY CRASHES 2018 - 2022



APPLETON (FOX CITIES) MPO I MAP 3.2 APPLETON (FOX CITIES) MPO CRASH ANALYSIS



MCD Boundary

Justice40 Tracts


MPO Boundary

USDOT ETC Tracts


High

Low

APPLETON (FOX CITIES) MPO I MAP 3.3 APPLETON (FOX CITIES) MPO HIGH-INJURY NETWORK



APPLETON (FOX CITIES) MPO I MAP 3.4 APPLETON (FOX CITIES) MPO PRIORITY PROJECTS



Areas

Corridors

Intersections

APPLETON (FOX CITIES) MPO I PRIORITY PROJECTS

Appleton (Fox Cities) MPO Priority Projects

The following projects were identified as priorities for the Appleton (Fox Cities) MPO by the Appleton (Fox Cities) Project Selection Advisory Group based on quantitative analysis and objective experience. The following pages provide more detailed maps and crash statistics for these projects. Projects are not listed in a specific order. Symbology for the maps is identified below:


KSI Crashes

- Pedestrian Serious Injury
- Pedestrian Fatal Injury
- Bicyclist Serious Injury
- Bicyclist Fatal Injury
- Motorist Serious Injury
- Motorist Fatal Injury

MPO-Selected Projects




- Corridors
- Areas




APPLETON (FOX CITIES) MPO I PRIORITY PROJECTS




APPLETON (FOX CITIES) MPO I PRIORITY PROJECTS



APPLETON (FOX CITIES) MPO I PRIORITY PROJECTS



APPLETON (FOX CITIES) MPO I PRIORITY PROJECTS



Project listing in no specific order * includes all motor vehicle and motorcycle crashes

APPLETON (FOX CITIES) MPO I TABLE 3.1 APPLETON (FOX CITIES) MPO PRIORITY PROJECTS

								Mode		Inju	ıry
ID	Potential Project	Туре	From	То	Miles	Total	*	્ર	序	Serious	Fatal
Α	CTH E & CTH EE	Intersection	-	-	-	7	7	0	0	0	0
В	CTH JJ	Corridor	CTH A	CTH J	6.60	211	210	0	1	4	2
С	CTH OO & Holland Rd	Intersection	-	-	-	14	14	0	0	0	0
D	Bluemound Dr	Corridor	Wisconsin Ave	Spencer St	1.00	145	144	1	0	5	0
E	College Ave	Corridor	Casaloma Dr	STH 47	2.99	981	972	4	5	10	1
F	CTH N	Corridor	STH 96	CTH CE	1.74	166	154	10	2	3	1
G	CTH CE & Fieldcrest Dr	Intersection	-	-	-	9	9	0	0	0	0
Н	CTH CB & CTH BB	Intersection	-	-	-	18	18	0	0	0	0
I	стн кк	Corridor	STH 47	STH 55	7.02	823	804	14	5	9	3
J	STH 47	Corridor	CTH KK	9th St	2.25	347	337	9	1	10	0
K	CTH AP (Midway Rd)	Corridor	STH 441	Schmidt Rd	5.80	224	218	5	1	8	1
L	Jacobsen Rd	Corridor	Irish Rd	СТН СВ	0.51	22	22	0	0	0	0
M	Larsen Rd/Oakridge Rd	Corridor	Clayton Ave	Green Bay Rd	1.99	116	115	1	0	5	0

COMPREHENSIVE SAFETY ACTION PLAN

APPLETON (FOX CITIES) MPO

MUNICIPAL PROFILES: CRASH INVENTORY, ANALYSIS, HIGH-INJURY NETWORK, AND PRIORITY PROJECTS

CITY OF APPLETON | CRASH INVENTORY 2018 - 2022

The City of Appleton had an estimated population of 74,752 in 2021, accounting for approximately 30% of the Appleton (Fox Cities) MPO total population.

A total of 6,425 crashes occurred in the city between 2018 and 2022, representing 25% of total MPO crashes.

There were 128 crashes which resulted in a person being killed or seriously injured (KSI), 9 crashes were fatal. 20% of KSI crashes involved either a bicyclist or pedestrian.

The majority of crashes occurred along corridors (49%) or at four-way intersections (36%). Most crashes occurred on two-way roads (62%), in addition, many also happened on locally owned roads (67%).

Relative to the MPO, the city experienced a greater proportion of KSI, bicycle, pedestrian, motorcycle, youth, senior, speed, and DUI crashes.

■ Municipal - MPO: Relative Share of All Crashes

	Sev	erity		Mo	ode		A	ge	Viola	ation
	KSI	Fatal	~	%	序		Youth	Senior	Speed	DUI
City of Appleton	2.0%	0.1%	95.7%	1.5%	1.1%	1.7%	17.8%	19.5%	15.0%	5.8%
Appleton (FC) MPO	2.0%	0.2%	96.8%	0.9%	0.8%	1.5%	16.5%	17.2%	14.5%	5.3%

Total Crashes 6,425 2018-2022

> Killed or Seriously 128 **Injured Crashes**


> > **Fatal Crashes**

Crash Type by Mode: Ratios of All Crashes

		%	序	
Head-On	3%			0%
Sideswipe	11%			8%
Broadside	32%			24%
Rear End	31%			20%
Hit Object	21%			47%
Other/Unkn	1%	13%	24%	1%
MV - straight		44%	43%	
MV - right turn		32%	10%	
MV - left turn		10%	24%	
	100%	100%	100%	100%

CITY OF APPLETON | CRASH INVENTORY 2018 - 2022

■ Crash Severity by Mode: All Crashes 75% 100% 0% 25% 50% No Apparent Possible Minor Serious Fatal 24 No Apparent 4816 Possible 726 26 13 14 Minor 527 38 71 15 22 Serious 11 Fatal




Intersection Type Roundabout Five-Point/Other 4% 4% T, Y, or L 4% Not at Intersection Four-Way 44% 44% Entrance/Exit Ramp Unkn/Private 3% 2% Type One-Way 3% Road Two-Way Divided Hwy 64% 28% Interstate Highway Jurisdiction 4% Local Road State Highway

35%


Crash Location Attributes: KSI Crashes

61%

CITY OF APPLETON I CRASH INVENTORY 2018 - 2022



CITY OF APPLETON I CRASH ANALYSIS



Municipal Boundary

Justice40 Tracts


High

Low


USDOT ETC Tracts

MPO Boundary

CITY OF APPLETON I HIGH-INJURY NETWORK



CITY OF APPLETON I PRIORITY PROJECTS



CITY OF APPLETON I PRIORITY PROJECTS

							**	Mode	•	Inju	
ID	Potential Project	Туре	From	То	Miles	Total	•••^^	्रं	齐	Serious	Fatal
A-1	French Rd & CTH JJ	Intersection	-	-	-	7	7	0	0	1	0
A-2	Northland Ave & Richmond St	Intersection	-	-	-	325	323	1	1	2	0
A-3	Richmond St & Wisconsin Ave	Intersection	-	-	-	48	48	0	0	0	0
A-4	French Rd	Corridor	CTH JJ	Evergreen Dr	1.01	19	19	0	0	1	0
A-5	Midway Rd	Corridor	Coop Rd	CTH LP	1.00	13	13	0	0	1	0
A-6	STH 47 / Memorial Dr	Corridor	Calumet St	Valley Rd	0.63	100	97	2	1	1	0
A-7	СТН КК	Corridor	S Oneida St	E City Limits	2.87	597	581	13	3	5	1
A-8	STH 125	Corridor	STH 47	W City Limits	0.98	301	296	2	3	5	1
A -9	CTH JJ	Corridor	W City Limits	E City Limits	3.11	97	94	0	1	2	0

Project listing in no specific order

denotes project recommended by relevant County Highway Department and/or ECWRPC

includes all motor vehicle and motorcycle crashes

CITY OF KAUKAUNA I CRASH INVENTORY 2018 - 2022

The City of Kaukauna had an estimated population of 16,929 in 2021, accounting for approximately 7% of the Appleton (Fox Cities) MPO total population.

A total of 1,321 crashes involving motor vehicles, bicyclists, or pedestrians occurred in the city between 2018 and 2022, representing 5% of total MPO crashes.

There were 19 crashes which resulted in a person being killed or seriously injured (KSI), 4 crashes were fatal. 15% of KSI crashes involved either a bicyclist or pedestrian.

The majority of crashes occurred along corridors (63%) or at four-way intersections (19%). Most crashes occurred on two-way roads (57%), in addition, many happened on locally owned roads (57%).

Relative to the MPO, the city experienced a greater proportion of fatal, pedestrian, motorcycle, youth, senior, and DUI crashes.

■ Municipal - MPO: Relative Share of All Crashes

	Sev	erity		Mo	ode		A	ge	Viola	ntion
	KSI	Fatal	~	%	序	÷	Youth	Senior	Speed	DUI
City of Kaukauna	1.4%	0.3%	96.5%	0.8%	0.9%	1.8%	20.2%	17.4%	12.6%	6.2%
Appleton/FC MPO	2.0%	0.2%	96.8%	0.9%	0.8%	1.5%	16.5%	17.2%	14.5%	5.3%

Total Crashes 1,321 2018-2022

> Killed or Seriously **Injured Crashes**


Fatal Crashes

■ Crash Type by Mode: Ratios of All Crashes


	~	%	序	
Head-On	3%			0%
Sideswipe	14%			0%
Broadside	29%			13%
Rear End	20%			13%
Hit Object	33%			75%
Other/Unkn	2%	30%	45%	0%
MV - straight		40%	27%	
MV - right turn		20%	18%	
MV - left turn		10%	9%	
	100%	100%	100%	100%

CITY OF KAUKAUNA I CRASH INVENTORY 2018 - 2022

■ Crash Severity by Mode: All Crashes 50% 75% 100% 25% No Apparent Possible Minor Serious Fatal No Apparent Possible 72 4 3 2 Minor 80 Serious 9 2 0 4 Fatal




■ Crash Location Attributes: All Crashes



Crash Location Attributes: KSI Crashes

CITY OF KAUKAUNA I CRASH INVENTORY 2018 - 2022



Other Crashes


Serious Injury

Fatal Injury

Justice 40 Tracts


USDOT ETC Tracts

CITY OF KAUKAUNA I CRASH ANALYSIS



Intersections

CITY OF KAUKAUNA I HIGH-INJURY NETWORK




Municipal Boundary

Justice40 Tracts

Corridors

USDOT ETC Tracts

CITY OF KAUKAUNA I PRIORITY PROJECTS



70

70


Intersections

Corridors

Justice40 Tracts



USDOT ETC Tracts



Municipal Boundary

CITY OF KAUKAUNA I PRIORITY PROJECTS

							Mode **		Inju	ıry	
ID	Potential Project	Туре	From	To	Miles	Total	~~~~~	્	序	Serious	Fatal
B-1	Fieldcrest Dr & CTH CE	Intersection	-	-	-	9	9	0	0	0	0
B-2	STH 55	Corridor	CTH CE	STH 96	1.92	301	293	5	3	1	0
B-3	3rd St/Kenneth St	Corridor	13th St	STH 55	1.23	36	35	0	1	0	0
B-4	Haas Rd Trail Extension	Corridor	CTH Z	CTH ZZ	1.14	6	6	0	0	0	0
B-5	Hillcrest Dr	Corridor	CTH Z	CTH CE	1.29	20	20	0	0	0	1

Project listing in no specific order

denotes project recommended by relevant County Highway Department and/or ECWRPC

includes all motor vehicle and motorcycle crashes

CITY OF MENASHA | CRASH INVENTORY 2018 - 2022

The City of Menasha had an estimated population of 18,157 in 2021, accounting for approximately 7% of the Appleton (Fox Cities) MPO total population.

A total of 1,653 crashes involving motor vehicles, bicyclists, or pedestrians occurred in the city between 2018 and 2022, representing 7% of total MPO crashes.

There were 33 crashes which resulted in a person being killed or seriously injured (KSI), 1 crash was fatal, 21% of KSI crashes involved either a bicyclist or pedestrian.

The majority of crashes occurred along corridors (64%) or at four-way intersections (25%). Most crashes occurred on two-way roads (65%), in addition, many also happened on locally owned roads (57%).

Relative to the MPO, the city experienced a greater proportion of KSI, bicycle, pedestrian, motorcycle, and DUI crashes.

■ Municipal - MPO: Relative Share of All Crashes

	Severity		Mode				Age		Violation	
	KSI	Fatal	~	%	序	**	Youth	Senior	Speed	DUI
City of Menasha	2.0%	0.1%	95.7%	1.1%	1.6%	1.6%	13.9%	17.1%	10.6%	6.1%
Appleton/FC MPO	2.0%	0.2%	96.8%	0.9%	0.8%	1.5%	16.5%	17.2%	14.5%	5.3%

Total Crashes 1,653 2018-2022

> Killed or Seriously 33 **Injured Crashes**


Fatal Crashes


■ Crash Type by Mode: Ratios of All Crashes

	~	%	序	
Head-On	2%			0%
Sideswipe	10%			12%
Broadside	21%			31%
Rear End	24%			27%
Hit Object	42%			31%
Other/Unkn	1%	11%	44%	0%
MV - straight		44%	32%	
MV - right turn		33%	4%	
MV - left turn		11%	20%	
	100%	100%	100%	100%

CITY OF MENASHA | CRASH INVENTORY 2018 - 2022

■ Crash Severity by Mode: All Crashes 50% 75% 100% 25% No Apparent Possible Minor Serious Fatal No Apparent 1295 Possible 160 4 3 Minor 110 14 Serious 16 3 4 9 Fatal






Crash Location Attributes: KSI Crashes

Fatal Injury

CITY OF MENASHA I CRASH INVENTORY 2018 - 2022



Municipal Boundary

Serious Injury


Other Crashes

USDOT ETC Tracts

CITY OF MENASHA I CRASH ANALYSIS

75

Low



Justice40 Tracts

High


USDOT ETC Tracts

MPO Boundary

Municipal Boundary

Intersections

CITY OF MENASHA I HIGH-INJURY NETWORK




Municipal Boundary

Justice40 Tracts

Corridors

CITY OF MENASHA I PRIORITY PROJECTS



CITY OF MENASHA I PRIORITY PROJECTS

							Mode			Injury	
ID	Potential Project	Type	From	То	Miles	Total	**	્રે ં	序	Serious	Fatal
C-1	STH 47 & CTH AP	Intersection	-	-	-	71	70	1	0	1	0
C-2	Third St & Racine St	Intersection	-	-	-	67	64	1	2	1	0
C-3	Broad St & Tayco St	Intersection	-	-	-	9	9	0	0	0	0
C-4	Midway Rd	Corridor	STH 441	USH 10	1.79	160	157	2	1	3	0
C-5	STH 47	Corridor	STH 441	9th St	1.40	150	146	4	0	5	0

Project listing in no specific order

denotes project recommended by relevant County Highway Department and/or ECWRPC

includes all motor vehicle and motorcycle crashes

CITY OF NEENAH | CRASH INVENTORY 2018 - 2022

The City of Neenah had an estimated population of 27,197 in 2021, accounting for approximately 11% of the Appleton (Fox Cities) MPO total population.

A total of 2,626 crashes involving motor vehicles, bicyclists, or pedestrians occurred in the city between 2018 and 2022, representing 10% of total MPO crashes.

There were 52 crashes which resulted in a person being killed or seriously injured (KSI), 2 crashes were fatal. 23% of KSI crashes involved either a bicyclist or pedestrian.

The majority of crashes occurred along corridors (61%) or at four-way intersections (19%). Most occurred on two-way roads (48%) or divided highways (17%), in addition, many also happened on locally owned roads (64%)

Relative to the MPO, the city experienced a greater proportion of bicycle, youth, senior, and DUI crashes.

■ Municipal - MPO: Relative Share of All Crashes

	Severity		Mode				A	ge	Violation	
	KSI	Fatal	~	્	广	÷	Youth	Senior	Speed	DUI
City of Neenah	2.0%	0.1%	96.2%	1.7%	0.6%	1.5%	17.8%	19.1%	11.8%	5.8%
Appleton/FC MPO	2.0%	0.2%	96.8%	0.9%	0.8%	1.5%	16.5%	17.2%	14.5%	5.3%

Total Crashes 2,626 2018-2022

> Killed or Seriously **Injured Crashes**


Fatal Crashes

Crash Type by Mode: Ratios of All Crashes

		%	序	
Head-On	3%			8%
Sideswipe	14%			10%
Broadside	32%			33%
Rear End	24%			5%
Hit Object	25%			44%
Other/Unkn	2%	19%	19%	0%
MV - straight		36%	31%	
MV - right turn		31%	0%	
MV - left turn		14%	50%	
	100%	100%	100%	100%

CITY OF NEENAH | CRASH INVENTORY 2018 - 2022

■ Crash Severity by Mode: All Crashes 75% 100% 25% 50% No Apparent Possible Minor Serious Fatal No Apparent 2073 Possible 245 10 3 6 Minor 179 26 Serious 29 6 5 10 Fatal



Intersection Type Roundabout T, Y, or L 2% 13% Four-Way Not at Intersection 27% 58% Unkn/Private Entrance/Exit Ramp 6% Road Type 2% Divided Hwy Two-Way 25% 67% Interstate Highway 14% Jurisdiction

State Highway


15%

Crash Location Attributes: KSI Crashes


Local Road

71%

CITY OF NEENAH | CRASH INVENTORY 2018 - 2022



CITY OF NEENAH I CRASH ANALYSIS



Municipal Boundary


Justice40 Tracts

High

Low

USDOT ETC Tracts

CITY OF NEENAH I HIGH-INJURY NETWORK



Justice40 Tracts




USDOT ETC Tracts





CITY OF NEENAH I PRIORITY PROJECTS

Intersections



Municipal Boundary

Justice40 Tracts

Corridors

USDOT ETC Tracts

CITY OF NEENAH I PRIORITY PROJECTS

								Mode		Inju	ıry
ID	Potential Project	Туре	From	То	Miles	Total	**	્	序	Serious	Fatal
D-1	Winneconne Ave & Commercial St	Intersection	-	-	-	42	41	1	0	1	0
D-2	Winneconne Ave & Forest Ave	Intersection	-	-	-	17	16	0	1	0	0
D-3	Main Street & Green Bay Rd	Intersection	-	-	-	34	34	0	0	1	0
D-4	Winneconne Ave & Green Bay Rd	Intersection	-	-	-	269	267	2	0	1	0
D-5	Wisconsin Ave	Corridor	Main St	Oak St	0.44	91	87	1	3	2	1
D-6	Main St	Corridor	Wisconsin Ave	Green Bay Rd	1.10	63	59	2	2	3	0
D-7	CTH G	Corridor	CTH A	W City Limits	3.00	66	66	0	0	2	0
D-8	S Park Ave	Corridor	Wisconsin Ave	Bell St	1.69	12	12	0	0	1	0
D-9	Green Bay Rd	Corridor	Winneconne Ave	North St	1.08	327	325	2	0	2	0
D-10	Gillingham Rd	Corridor	Gay Dr	Breezewood Ln	0.68	50	49	1	0	1	0

Project listing in no specific order

denotes project recommended by relevant County Highway Department and/or ECWRPC

includes all motor vehicle and motorcycle crashes

TOWN OF BUCHANAN I CRASH INVENTORY 2018 - 2022

The Town of Buchanan had an estimated population of 6,890 in 2021, accounting for approximately 3% of the Appleton (Fox Cities) MPO total population.

A total of 1,071 crashes involving motor vehicles, bicyclists, or pedestrians occurred in the town between 2018 and 2022, representing 4% of total MPO crashes.

There were 17 crashes which resulted in a person being killed or seriously injured (KSI), 3 crashes were fatal. 12% of KSI crashes involved either a bicyclist or pedestrian.

The majority of crashes occurred along corridors (56%) or at roundabouts (32%). Most crashes occurred on either two-way roads (34%) or divided highways (22%), in addition, many also happened on locally owned (51%) or county owned (47%) roads

Relative to the MPO, the town experienced a greater proportion of fatal, automobile, motorcycle, youth, and senior crashes.

■ Municipal - MPO: Relative Share of All Crashes

	Sev	erity		Mode				ge	Violation	
	KSI	Fatal	~	%	序	÷	Youth	Senior	Speed	DUI
Town of Buchanan	1.6%	0.3%	97.8%	0.5%	0.2%	1.6%	23.2%	21.9%	8.3%	3.5%
Appleton/FC MPO	2.0%	0.2%	96.8%	0.9%	0.8%	1.5%	16.5%	17.2%	14.5%	5.3%

1,071 Total Crashes 2018-2022

17 Killed or Seriously Injured Crashes


3 Fatal Crashes

■ Crash Type by Mode: Ratios of All Crashes

		%	序	
Head-On	2%			0%
Sideswipe	11%			12%
Broadside	36%			12%
Rear End	26%			18%
Hit Object	23%			59%
Other/Unkn	2%	40%	0%	0%
MV - straight		40%	100%	
MV - right turn		20%	0%	
MV - left turn		0%	0%	
	100%	100%	100%	100%

TOWN OF BUCHANAN I CRASH INVENTORY 2018 - 2022

■ Crash Severity by Mode: All Crashes 50% 75% 100% 25% No Apparent Possible Minor Serious Fatal No Apparent Possible 75 0 2 Minor 37 Serious 10 4 Fatal




■ Crash Location Attributes: All Crashes

Intersection Type Roundabout 12% T, Y, or L Not at Intersection 23% One-Way Road Type 6% Divided Hwy Two-Way 35% 59% Jurisdiction Local Road 35% **County Trunk** 65%

Crash Location Attributes: KSI Crashes

TOWN OF BUCHANAN I CRASH INVENTORY 2018 - 2022



Justice40 Tracts

Path: 0:\13xxTranportation\2022\CSAP\2023 CSAP Final Maps\CSAP Maps Final 2023.aprx

USDOT ETC Tracts

MPO Boundary


Municipal Boundary

Other Crashes

Serious Injury

Fatal Injury

TOWN OF BUCHANAN I CRASH ANALYSIS



Municipal Boundary

Justice40 Tracts

High


Low


USDOT ETC Tracts

MPO Boundary


Political Boundaries

TOWN OF BUCHANAN I HIGH-INJURY NETWORK












TOWN OF BUCHANAN I PRIORITY PROJECTS



MCD-Selected Projects

Intersections

Corridors

Equity Considerations

Justice 40 Tracts



USDOT ETC Tracts

Political Boundaries

| _ _] MPO Boundary

Municipal Boundary

TOWN OF BUCHANAN I PRIORITY PROJECTS

							Mode			Inju	ıry
ID	Potential Project	Туре	From	То	Miles	Total	**	%	序	Serious	Fatal
*F-1	CTH N	Corridor	N Town Limits	S Town Limits	1.07	99	97	2	0	2	1
*F-2	CTH CE	Corridor	W Town Limits	E Town Limits	1.42	87	87	0	0	1	0

Project listing in no specific order

denotes project recommended by relevant County Highway Department and/or ECWRPC

includes all motor vehicle and motorcycle crashes

TOWN OF CENTER | CRASH INVENTORY 2018 - 2022

The Town of Center had an estimated population of 3,634 in 2021, accounting for approximately 1% of the Appleton (Fox Cities) MPO total population.

A total of 204 crashes occurred in the town between 2018 and 2022, representing less than 1% of total MPO crashes. Only crashes within the MPO planning boundary are included in the inventory and analysis.

There were 6 crashes which resulted in a person being killed or seriously injured (KSI), no crashes were fatal. 17% of KSI crashes involved either a bicyclist or pedestrian.

The majority of crashes occurred along corridors (86%) or at four-way intersections (10%). Most crashes occurred on either two-way roads (41%) or were on unknown or private property (57%), in addition, many also happened on county owned roads (49%).

Relative to the MPO, the town experienced a greater proportion of KSI, automobile, and DUI crashes.

■ Municipal - MPO: Relative Share of All Crashes

	Sev	erity	Mode				A	ge	Violation	
	KSI	Fatal	~	્	序	÷	Youth	Senior	Speed	DUI
Town of Center	2.9%	0.0%	99.0%	0.0%	0.5%	0.5%	12.3%	10.8%	12.3%	7.8%
Appleton/FC MPO	2.0%	0.2%	96.8%	0.9%	0.8%	1.5%	16.5%	17.2%	14.5%	5.3%

Total Crashes 204 2018-2022

> Killed or Seriously **Injured Crashes**


Fatal Crashes

■ Crash Type by Mode: Ratios of All Crashes


	-	%	序	÷
Head-On	1%			100%
Sideswipe	1%			0%
Broadside	10%			0%
Rear End	7%			0%
Hit Object	80%			0%
Other/Unkn	0%	0%	0%	0%
MV - straight		0%	100%	
MV - right turn		0%	0%	
MV - left turn		0%	0%	
	100%	0%	100%	100%

TOWN OF CENTER | CRASH INVENTORY 2018 - 2022

■ Crash Severity by Mode: All Crashes 50% 75% 100% 25% No Apparent Possible Minor Serious Fatal No Apparent Possible 11 0 0 0 Minor 19 Serious 5 0 0




■ Crash Location Attributes: All Crashes




Crash Location Attributes: KSI Crashes

Fatal

TOWN OF CENTER I CRASH INVENTORY 2018 - 2022



TOWN OF CENTER I CRASH ANALYSIS



Low

High


Justice40 Tracts



Municipal Boundary

Intersections

TOWN OF CENTER I HIGH-INJURY NETWORK




Municipal Boundary

Justice40 Tracts

Corridors

USDOT ETC Tracts

TOWN OF CENTER I PRIORITY PROJECTS



Corridors

Justice40 Tracts









Municipal Boundary

TOWN OF CENTER I PRIORITY PROJECTS

							Mode			Injury	
ID	Potential Project	Туре	From	То	Miles	Total	**	%	序	Serious	Fatal
H-1	CTH O & CTH A	Intersection	-	-	-	6	6	0	0	1	0
H-2	Meade St & Broadway Dr	Intersection	-	-	-	4	4	0	0	1	0
H-3	STH 47	Corridor	CTH O	Broadway Dr	1.00	42	42	0	0	0	0

Project listing in no specific order

denotes project recommended by relevant County Highway Department and/or ECWRPC

includes all motor vehicle and motorcycle crashes

TOWN OF CLAYTON | CRASH INVENTORY 2018 - 2022

The Town of Clayton had an estimated population of 4,286 in 2021, accounting for approximately 2% of the Appleton (Fox Cities) MPO total population.

A total of 408 crashes occurred in the town between 2018 and 2022, representing 1% of total MPO crashes. Only crashes within the MPO planning boundary are included in the inventory and analysis.

There were 14 crashes which resulted in a person being killed or seriously injured (KSI), 4 crashes were fatal. 7% of KSI crashes involved either a bicyclist or pedestrian.

The majority of crashes occurred along corridors (76%) or at four-way intersections (17%). Most crashes occurred on either two-way roads (43%) or were on unknown or private property (40%), in addition, many also happened on state owned roads (57%).

Relative to the MPO, the town experienced a greater proportion of KSI, bicycle, pedestrian, motorcycle, youth, senior, speed, and DUI crashes.

■ Municipal - MPO: Relative Share of All Crashes

	Sev	erity	Mode				A	ge	Violation	
	KSI	Fatal	~	%	序	÷	Youth	Senior	Speed	DUI
Town of Clayton	3.4%	0.1%	95.7%	1.5%	1.1%	1.7%	17.8%	19.5%	15.0%	5.8%
Appleton/FC MPO	2.0%	0.2%	96.8%	0.9%	0.8%	1.5%	16.5%	17.2%	14.5%	5.3%

408 Total Crashes 2018-2022

Killed or Seriously Injured Crashes

4 Fatal Crashes


■ Crash Type by Mode: Ratios of All Crashes


	•••	%	序	÷.
Head-On	2%			13%
Sideswipe	7%			0%
Broadside	14%			0%
Rear End	13%			13%
Hit Object	64%			75%
Other/Unkn	1%	0%	0%	0%
MV - straight		100%	100%	
MV - right turn		0%	0%	
MV - left turn		0%	0%	
	100%	100%	100%	100%

TOWN OF CLAYTON | CRASH INVENTORY 2018 - 2022

■ Crash Severity by Mode: All Crashes 50% 75% 100% 25% No Apparent Possible Minor Serious Fatal No Apparent 314 Possible 31 0 Minor 43 8 0 0 Serious


Fatal






Crash Location Attributes: KSI Crashes

TOWN OF CLAYTON | CRASH INVENTORY 2018 - 2022



TOWN OF CLAYTON I CRASH ANALYSIS



Municipal Boundary


Justice40 Tracts

High


Low

USDOT ETC Tracts

TOWN OF CLAYTON I HIGH-INJURY NETWORK



TOWN OF CLAYTON I PRIORITY PROJECTS



Intersections

Corridors

Justice40 Tracts

USDOT ETC Tracts

MPO Boundary

Municipal Boundary

TOWN OF CLAYTON I PRIORITY PROJECTS

							Mode			Injury	
ID	Potential Project	Туре	From	То	Miles	Total	**	્	序	Serious	Fatal
*I-1	STH 76	Corridor	Fairview Rd	CTH JJ	4.01	111	111	0	0	2	1
*I-2	СТН II	Corridor	W MPO Limits	E Town Limits	4.04	40	40	0	0	2	0

Project listing in no specific order

^{*} denotes project recommended by relevant County Highway Department and/or ECWRPC

^{**} includes all motor vehicle and motorcycle crashes

TOWN OF ELLINGTON I CRASH INVENTORY 2018 - 2022

The Town of Ellington had an estimated population of 3,156 in 2021, accounting for approximately 1% of the Appleton (Fox Cities) MPO total population.

A total of 81 crashes occurred in the town between 2018 and 2022, representing less than 1% of total MPO crashes. Only crashes within the MPO planning boundary are included in the inventory and analysis.

There were 8 crashes which resulted in a person being killed or seriously injured (KSI), 2 crashes were fatal.

The majority of crashes occurred along corridors (72%) or at four-way intersections (12%). Most crashes occurred on either two-way roads (59%) or were on unknown or private property (35%), in addition, many also happened on county (38%) or state (36%) owned roads.

Relative to the MPO, the town experienced a greater proportion of KSI, fatal, motorcycle, speed, and DUI crashes.

■ Municipal - MPO: Relative Share of All Crashes

	Sev	erity	Mode			A	ge	Violation		
	KSI	Fatal	~	%	序	÷	Youth	Senior	Speed	DUI
Town of Ellington	9.9%	2.5%	96.3%	0.0%	0.0%	3.7%	13.6%	9.9%	19.8%	11.1%
Appleton/FC MPO	2.0%	0.2%	96.8%	0.9%	0.8%	1.5%	16.5%	17.2%	14.5%	5.3%

Total Crashes 2018-2022


- Killed or Seriously **Injured Crashes**
- **Fatal Crashes**


■ Crash Type by Mode: Ratios of All Crashes

	~	%	序	÷
Head-On	0%			0%
Sideswipe	8%			33%
Broadside	12%			0%
Rear End	8%			33%
Hit Object	73%			33%
Other/Unkn	0%	0%	0%	0%
MV - straight		0%	0%	
MV - right turn		0%	0%	
MV - left turn		0%	0%	
	100%	0%	0%	100%

TOWN OF ELLINGTON I CRASH INVENTORY 2018 - 2022


■ Crash Severity by Mode: All Crashes 75% 100% 50% 25% No Apparent Possible Minor Serious Fatal No Apparent Possible 3 0 0 0 Minor 6 Serious 0 Fatal






Crash Location Attributes: KSI Crashes

TOWN OF ELLINGTON I CRASH INVENTORY 2018 - 2022



TOWN OF ELLINGTON I CRASH ANALYSIS



Intersections

TOWN OF ELLINGTON I HIGH-INJURY NETWORK




Municipal Boundary

Corridors

USDOT ETC Tracts

Justice40 Tracts

TOWN OF ELLINGTON I PRIORITY PROJECTS



TOWN OF ELLINGTON I PRIORITY PROJECTS

								Mode		Inju	ıry
ID	Potential Project	Туре	From	То	Miles	Total	**	્	序	Serious	Fatal
J-1	CTH JJ & CTH 76	Intersection	-	-	-	12	12	0	0	0	0
J-2	STH 76	Corridor	Wege Rd	CTH JJ	1.99	21	21	0	0	2	0
J-3	СТН ЈЈ	Corridor	W MPO Limits	E Town Limits	8.08	54	54	0	0	1	0

Project listing in no specific order

denotes project recommended by relevant County Highway Department and/or ECWRPC

includes all motor vehicle and motorcycle crashes

TOWN OF FREEDOM | CRASH INVENTORY 2018 - 2022

The Town of Freedom had an estimated population of 6,199 in 2021, accounting for approximately 2% of the Appleton (Fox Cities) MPO total population.

A total of 134 crashes occurred in the town between 2018 and 2022, representing less than 1% of total MPO crashes. Only crashes within the MPO planning boundary are included in the inventory and analysis.

There were 9 crashes which resulted in a person being killed or seriously injured (KSI), 1 crash was fatal. 22% of KSI crashes involved either a bicyclist or pedestrian.

The majority of crashes occurred along corridors (73%) or at four-way intersections (18%). Most crashes occurred on two-way roads (65%), in addition, many also happened on county owned roads (63%).

Relative to the MPO, the town experienced a greater proportion of KSI, fatal, automobile, pedestrian, speed, and DUI crashes.

■ Municipal - MPO: Relative Share of All Crashes

	Sev	erity	Mode			A	ge	Violation		
	KSI	Fatal	~	્	序	÷	Youth	Senior	Speed	DUI
Town of Freedom	6.7%	0.7%	97.0%	0.0%	1.5%	1.5%	15.7%	11.9%	17.2%	8.2%
Appleton/FC MPO	2.0%	0.2%	96.8%	0.9%	0.8%	1.5%	16.5%	17.2%	14.5%	5.3%

134 Total Crashes 2018-2022


- 9 Killed or Seriously Injured Crashes
- 1 Fatal Crashes


■ Crash Type by Mode: Ratios of All Crashes

	~	%	广	÷
Head-On	0%			0%
Sideswipe	3%			0%
Broadside	15%			0%
Rear End	10%			0%
Hit Object	71%			100%
Other/Unkn	2%	0%	50%	0%
MV - straight		0%	0%	
MV - right turn		0%	0%	
MV - left turn		0%	50%	
	100%	0%	100%	100%

TOWN OF FREEDOM | CRASH INVENTORY 2018 - 2022


■ Crash Severity by Mode: All Crashes 50% 75% 100% 25% No Apparent Possible Minor Serious Fatal No Apparent Possible 11 0 0 0 Minor 12 Serious 5 0 2 Fatal






Crash Location Attributes: KSI Crashes

TOWN OF FREEDOM I CRASH INVENTORY 2018 - 2022



TOWN OF FREEDOM I CRASH ANALYSIS



Municipal Boundary

Justice40 Tracts


High

Low


USDOT ETC Tracts

MPO Boundary

TOWN OF FREEDOM I HIGH-INJURY NETWORK



TOWN OF FREEDOM I PRIORITY PROJECTS



TOWN OF FREEDOM | PRIORITY PROJECTS

								Mode		Inju	ıry
ID	Potential Project	Туре	From	То	Miles	Total	**	%	序	Serious	Fatal
K-1	CTH O & CTH E	Intersection	-	-	-	2	2	0	0	0	0
K-2	CTH E & CTH C	Intersection	-	-	-	8	8	0	0	1	0
K-3	CTH E & CTH N	Intersection	-	-	-	8	7	0	1	1	0
K-4	CTH N & CTH UU	Intersection	-	-	-	1	0	0	1	0	0
K-5	CTH E	Corridor	French Rd	СТН С	1.44	33	33	0	0	1	0

Project listing in no specific order

^{*} denotes project recommended by relevant County Highway Department and/or ECWRPC

^{**} includes all motor vehicle and motorcycle crashes

TOWN OF GRAND CHUTE I CRASH INVENTORY 2018 - 2022

The Town of Grand Chute had an estimated population of 23,583 in 2021, accounting for approximately 9% of the Appleton (Fox Cities) MPO total population.

A total of 4,765 crashes occurred in the town between 2018 and 2022, representing 19% of total MPO crashes.

There were 64 crashes which resulted in a person being killed or seriously injured (KSI), 3 crashes were fatal. 11% of KSI crashes involved either a bicyclist or pedestrian.

The majority of crashes occurred along corridors (66%) or at four-way intersections (29%). Most crashes occurred on divided roadways (48%), in addition, many also happened on local (33%) or state (35%) owned roads.

Relative to the MPO, the town experienced a greater proportion of automobile, and senior crashes.

■ Municipal - MPO: Relative Share of All Crashes

	Sev	erity		Mo	/lode		Age		Violation	
	KSI	Fatal	~	%	序	÷	Youth	Senior	Speed	DUI
Town of Grand Chute	1.3%	0.1%	98.1%	0.3%	0.6%	1.0%	14.9%	18.6%	13.0%	3.5%
Appleton/FC MPO	2.0%	0.2%	96.8%	0.9%	0.8%	1.5%	16.5%	17.2%	14.5%	5.3%

Total Crashes 4,765 2018-2022

> Killed or Seriously **Injured Crashes**


Fatal Crashes

■ Crash Type by Mode: Ratios of All Crashes


		%	序	, Č
Head-On	3%			0%
Sideswipe	9%			4%
Broadside	23%			27%
Rear End	38%			20%
Hit Object	26%			45%
Other/Unkn	1%	14%	43%	4%
MV - straight		43%	43%	
MV - right turn		29%	0%	
MV - left turn		14%	13%	
	100%	100%	100%	100%

TOWN OF GRAND CHUTE | CRASH INVENTORY 2018 - 2022


■ Crash Severity by Mode: All Crashes




■ Crash Location Attributes: All Crashes



Crash Location Attributes: KSI Crashes




TOWN OF GRAND CHUTE I CRASH INVENTORY 2018 - 2022



124

Low

TOWN OF GRAND CHUTE I CRASH ANALYSIS



Justice40 Tracts


High

USDOT ETC Tracts

MPO Boundary

Municipal Boundary

TOWN OF GRAND CHUTE I HIGH-INJURY NETWORK



Justice40 Tracts

Corridors


Intersections

USDOT ETC Tracts

MPO Boundary

126 | East Central WI Comprehensive Safety Action Plan
Intersections Corridors

TOWN OF GRAND CHUTE I PRIORITY PROJECTS



Justice40 Tracts

USDOT ETC Tracts

MPO Boundary

Municipal Boundary

TOWN OF GRAND CHUTE I PRIORITY PROJECTS

								Mode		Inju	ıry
ID	Potential Project	Туре	From	То	Miles	Total	**	્	序	Serious	Fatal
L-1	Spencer St	Corridor	Nicolet Rd	E Town Limits	1.59	67	64	1	2	2	0
L-2	Bluemound Dr	Corridor	Spencer St	STH 96	1.00	161	160	1	0	5	0
L-3	Casaloma Dr	Corridor	CTH CA	CTH GV	0.96	190	189	1	0	2	0
L-4	Westhill Blvd/Kools St	Corridor	Spencer St	STH 96	1.01	227	226	1	0	2	0
L-5	McCarthy Rd	Corridor	CTH CA	Brookview Dr	1.04	135	135	0	0	5	0
L-6	CTH JJ	Corridor	CTH A	STH 47	1.54	83	83	0	0	1	0

Project listing in no specific order

denotes project recommended by relevant County Highway Department and/or ECWRPC

includes all motor vehicle and motorcycle crashes

TOWN OF KAUKAUNA I CRASH INVENTORY 2018 - 2022

The Town of Kaukauna had an estimated population of 1,444 in 2021, accounting for approximately less than 1% of the Appleton (Fox Cities) MPO total population.

A total of 413 crashes occurred in the town between 2018 and 2022, representing 2% of total MPO crashes. Only crashes within the MPO planning boundary are included in the inventory and analysis.

There were 10 crashes which resulted in a person being killed or seriously injured (KSI), 1 crash was fatal.

The majority of crashes occurred along corridors (90%) or at four-way intersections (9%). Most crashes occurred on divided roadways (48%), in addition, many also happened on federally owned roads (40%) or state owned roads (33%).

Relative to the MPO, the town experienced a greater proportion of KSI, fatal, automobile, and speed crashes.

■ Municipal - MPO: Relative Share of All Crashes

	Sev	erity	Mode				A	ge	Violation	
	KSI	Fatal	~	%	广	À	Youth	Senior	Speed	DUI
Town of Kaukauna	2.4%	0.2%	98.8%	0.0%	0.0%	1.2%	6.8%	5.8%	20.8%	5.1%
Appleton/FC MPO	2.0%	0.2%	96.8%	0.9%	0.8%	1.5%	16.5%	17.2%	14.5%	5.3%

Total Crashes 2018-2022

Killed or Seriously 10 **Injured Crashes**


Fatal Crashes


Crash Type by Mode: Ratios of All Crashes

		્	斉	÷.
Head-On	1%			0%
Sideswipe	9%			0%
Broadside	9%			40%
Rear End	20%			0%
Hit Object	62%			60%
Other/Unkn	0%	0%	0%	0%
MV - straight		0%	0%	
MV - right turn		0%	0%	
MV - left turn		0%	0%	
	100%	0%	0%	100%

TOWN OF KAUKAUNA I CRASH INVENTORY 2018 - 2022


■ Crash Severity by Mode: All Crashes 75% 100% 25% 50% No Apparent Possible Minor Serious Fatal No Apparent 353 Possible 20 2 0 0 Minor 27 Serious 0 0 Fatal






Crash Location Attributes: KSI Crashes

TOWN OF KAUKAUNA I CRASH INVENTORY 2018 - 2022



TOWN OF KAUKAUNA I CRASH ANALYSIS



Municipal Boundary


Justice40 Tracts

High


Low

MPO Boundary

TOWN OF KAUKAUNA I HIGH-INJURY NETWORK



TOWN OF KAUKAUNA I PRIORITY PROJECTS



Municipal Boundary

Justice40 Tracts

Corridors

Intersections

USDOT ETC Tracts

MPO Boundary

TOWN OF KAUKAUNA I PRIORITY PROJECTS

								Mode		Inju	ıry
ID	Potential Project	Туре	From	То	Miles	Total	**	%	序	Serious	Fatal
M-1	CTH J & CTH JJ	Intersection	-	-	-	2	2	0	0	0	0
M-2	CTH J & E Frontage Rd	Intersection	-	-	-	18	18	0	0	1	0
M-3	CTH J & W Frontage Rd	Intersection	-	-	-	1	1	0	0	0	0
M-4	STH 96	Corridor	E Town Limits	W Town Limits	2.90	34	34	0	0	2	1

Project listing in no specific order

^{*} denotes project recommended by relevant County Highway Department and/or ECWRPC

^{**} includes all motor vehicle and motorcycle crashes

TOWN OF NEENAH | CRASH INVENTORY 2018 - 2022

The Town of Neenah had an estimated population of 3,651 in 2021, accounting for approximately 1% of the Appleton (Fox Cities) MPO total population.

A total of 407 crashes occurred in the town between 2018 and 2022, representing 1% of total MPO crashes.

There were 12 crashes which resulted in a person being killed or seriously injured (KSI), 2 crashes were fatal. 17% of KSI crashes involved either a bicyclist or pedestrian.

The majority of crashes occurred along corridors (76%) or at T, Y, or L intersections (11%). Most crashes occurred on two-way (39%) or divided (34%) roads, in addition, many also happened on locally owned roads (32%) or county owned roads (37%).

Relative to the MPO, the town experienced a greater proportion of KSI, fatal, automobile, speed, and DUI crashes.

■ Municipal - MPO: Relative Share of All Crashes

	Sev	erity	Mode			A	ge	Violation		
	KSI	Fatal	~	્	序	÷	Youth	Senior	Speed	DUI
Town of Neenah	2.9%	0.5%	98.8%	0.2%	0.7%	0.2%	11.3%	12.5%	22.1%	8.6%
Appleton/FC MPO	2.0%	0.2%	96.8%	0.9%	0.8%	1.5%	16.5%	17.2%	14.5%	5.3%

Total Crashes 407 2018-2022

> Killed or Seriously **Injured Crashes**


Fatal Crashes

■ Crash Type by Mode: Ratios of All Crashes


		%	序	
Head-On	2%			0%
Sideswipe	7%			0%
Broadside	15%			0%
Rear End	14%			0%
Hit Object	61%			100%
Other/Unkn	1%	0%	67%	0%
MV - straight		100%	33%	
MV - right turn		0%	0%	
MV - left turn		0%	0%	
	100%	100%	100%	100%

TOWN OF NEENAH | CRASH INVENTORY 2018 - 2022


■ Crash Severity by Mode: All Crashes



■ Crash Location Attributes: All Crashes




Crash Location Attributes: KSI Crashes




Fatal Injury


TOWN OF NEENAH I CRASH INVENTORY 2018 - 2022




Serious Injury

TOWN OF NEENAH I CRASH ANALYSIS










MPO Boundary



Intersections

TOWN OF NEENAH I HIGH-INJURY NETWORK




Municipal Boundary

Justice40 Tracts

Corridors

USDOT ETC Tracts

TOWN OF NEENAH I PRIORITY PROJECTS



140

0

Intersections


___ Co

Corridors

Justice40 Tracts



USDOT ETC Tracts





Municipal Boundary

TOWN OF NEENAH I PRIORITY PROJECTS

								Mode		Inju	ıry
ID	Potential Project	Туре	From	То	Miles	Total	**	્	序	Serious	Fatal
N-1	CTH CB & CTH O	Intersection	-	-	-	18	18	0	0	1	0
N-2	CTH II & CTH O	Intersection	-	-	-	0	0	0	0	0	0
N-3	Larsen Rd	Corridor	СТН СВ	Clayton Ave	0.93	38	38	0	0	1	0
N-4	Oakridge Rd	Corridor	CTH CB	Green Bay Rd	1.08	45	44	1	0	3	0

Project listing in no specific order

denotes project recommended by relevant County Highway Department and/or ECWRPC

includes all motor vehicle and motorcycle crashes

TOWN OF VANDENBROEK | CRASH INVENTORY 2018 - 2022

The Town of Vandenbroek had an estimated population of 1,741 in 2021, accounting for approximately less than 1% of the Appleton (Fox Cities) MPO total population.

A total of 130 crashes occurred in the town between 2018 and 2022, representing less than 1% of total MPO crashes.

There were 3 crashes which resulted in a person being killed or seriously injured (KSI), 2 crashes were fatal.

The majority of crashes occurred along corridors (70%) or at four-way intersections (25%). Most crashes occurred on two-way roads (47%), in addition, many also happened on county owned roads (34%) or state owned roads (31%).

Relative to the MPO, the town experienced a greater proportion of KSI, fatal, automobile, speed, and DUI crashes.

■ Municipal - MPO: Relative Share of All Crashes

	Sev	erity	Mode				A	ge	Violation	
	KSI	Fatal	~	%	序	÷	Youth	Senior	Speed	DUI
Town of Vandenbroek	2.3%	1.5%	99.2%	0.0%	0.0%	0.8%	13.1%	16.2%	16.9%	7.7%
Appleton/FC MPO	2.0%	0.2%	96.8%	0.9%	0.8%	1.5%	16.5%	17.2%	14.5%	5.3%


Total Crashes 130 2018-2022


- Killed or Seriously **Injured Crashes**
- **Fatal Crashes**

Crash Type by Mode: Ratios of All Crashes


		્	斉	÷
Head-On	5%			0%
Sideswipe	5%			100%
Broadside	21%			0%
Rear End	9%			0%
Hit Object	59%			0%
Other/Unkn	1%	0%	0%	0%
MV - straight		0%	0%	
MV - right turn		0%	0%	
MV - left turn		0%	0%	
	100%	0%	0%	100%

TOWN OF VANDENBROEK | CRASH INVENTORY 2018 - 2022






■ Crash Location Attributes: All Crashes



TOWN OF VANDENBROEK | CRASH INVENTORY 2018 - 2022




Justice40 Tracts

USDOT ETC Tracts




- MPO Boundary

TOWN OF VANDENBROEK I CRASH ANALYSIS




145

TOWN OF VANDENBROEK I HIGH-INJURY NETWORK




Justice40 Tracts







TOWN OF VANDENBROEK I PRIORITY PROJECTS



MCD-Selected Projects

Intersections

— Corridors

Equity Considerations

Justice 40 Tracts



USDOT ETC Tracts

Political Boundaries

| _ _] MPO Boundary

Municipal Boundary

147

TOWN OF VANDENBROEK | PRIORITY PROJECTS

							Mode			Injury		
ID	Potential Project	Туре	From	То	Miles	Total	**	%	序	Serious	Fatal	
0-1	CTH JJ & Holland Rd	Intersection	-	-	-	5	5	0	0	0	1	
0-2	CTH JJ	Corridor	W Town Limits	E Town LImits	4.50	44	44	0	0	0	2	

Project listing in no specific order

^{*} denotes project recommended by relevant County Highway Department and/or ECWRPC

^{**} includes all motor vehicle and motorcycle crashes

TOWN OF VINLAND | CRASH INVENTORY 2018 - 2022

The Town of Vinland had an estimated population of 2,229 in 2021, accounting for approximately less than 1% of the Appleton (Fox Cities) MPO total population.

A total of 422 crashes occurred in the town between 2018 and 2022, representing 2% of total MPO crashes. Only crashes within the MPO planning boundary are included in the inventory and analysis.

There were 12 crashes which resulted in a person being killed or seriously injured (KSI), 3 crashes were fatal. 17% of KSI crashes involved either a bicyclist or pedestrian.

The majority of crashes occurred along corridors (91%) or at four-way intersections (6%). Most crashes occurred on divided (38%) or two-way (29%) roads, in addition, many also happened on state owned (29%) or county owned (28%) roads.

Relative to the MPO, the town experienced a greater proportion of KSI, fatal, automobile, motorcycle, speed, and DUI crashes.

■ Municipal - MPO: Relative Share of All Crashes

	Sev	erity	Mode				A	ge	Violation	
	KSI	Fatal	~	%	序	÷	Youth	Senior	Speed	DUI
Town of Vinland	2.8%	0.7%	97.6%	0.5%	0.2%	1.7%	7.3%	8.8%	23.2%	7.1%
Appleton/FC MPO	2.0%	0.2%	96.8%	0.9%	0.8%	1.5%	16.5%	17.2%	14.5%	5.3%

Total Crashes 422 2018-2022

> Killed or Seriously **Injured Crashes**


Fatal Crashes

Crash Type by Mode: Ratios of All Crashes


	~	%	序	÷
Head-On	1%			0%
Sideswipe	9%			0%
Broadside	10%			0%
Rear End	11%			29%
Hit Object	68%			71%
Other/Unkn	0%	100%	0%	0%
MV - straight		0%	100%	
MV - right turn		0%	0%	
MV - left turn		0%	0%	
	100%	100%	100%	100%

TOWN OF VINLAND | CRASH INVENTORY 2018 - 2022


■ Crash Severity by Mode: All Crashes




■ Crash Location Attributes: All Crashes




Crash Location Attributes: KSI Crashes




TOWN OF VINLAND | CRASH INVENTORY 2018 - 2022




TOWN OF VINLAND I CRASH ANALYSIS



TOWN OF VINLAND I HIGH-INJURY NETWORK



TOWN OF VINLAND I PRIORITY PROJECTS



TOWN OF VINLAND I PRIORITY PROJECTS

								Mode		Injur		
ID	Potential Project	Туре	From	То	Miles	Total	**	%	序	Serious	Fatal	
P-1	CTH GG	Corridor	CTH A	СТН Т	5.25	56	55	1	0	1	1	
P-2	CTH G	Corridor	Woodshoe Rd	STH 76	1.01	13	13	0	0	0	0	

Project listing in no specific order

denotes project recommended by relevant County Highway Department and/or ECWRPC

includes all motor vehicle and motorcycle crashes

TOWN OF WOODVILLE | CRASH INVENTORY 2018 - 2022

The Town of Vinland had an estimated population of 941 in 2021, accounting for approximately less than 1% of the Appleton (Fox Cities) MPO total population.

A total of 31 crashes occurred in the town between 2018 and 2022, representing less than 1% of total MPO crashes. Only crashes within the MPO planning boundary are included in the inventory and analysis.

There were 2 crashes which resulted in a person being killed or seriously injured (KSI), no crashes were fatal.

The majority of crashes occurred along corridors (74%) or at four-way intersections (26%). Most crashes occurred on two-way roads (65%), in addition, many also happened on county owned roads (52%).

Relative to the MPO, the town experienced a greater proportion of KSI, motorcycle, speed, and DUI crashes.

■ Municipal - MPO: Relative Share of All Crashes

	Sev	erity	Mode				A	ge	Violation	
	KSI	Fatal	~	%	序	÷	Youth	Senior	Speed	DUI
Town of Woodville	6.5%	0.0%	96.8%	0.0%	0.0%	3.2%	12.9%	9.7%	16.1%	6.5%
Appleton/FC MPO	2.0%	0.2%	96.8%	0.9%	0.8%	1.5%	16.5%	17.2%	14.5%	5.3%


31 Total Crashes 2018-2022

- 2 Killed or Seriously Injured Crashes
- Fatal Crashes


Crash Type by Mode: Ratios of All Crashes

		્	序	å
Head-On	0%			0%
Sideswipe	7%			0%
Broadside	10%			0%
Rear End	20%			0%
Hit Object	63%			100%
Other/Unkn	0%	0%	0%	0%
MV - straight		0%	0%	
MV - right turn		0%	0%	
MV - left turn		0%	0%	
	100%	0%	0%	100%


TOWN OF WOODVILLE I CRASH INVENTORY 2018 - 2022



TOWN OF WOODVILLE I CRASH INVENTORY 2018 - 2022



TOWN OF WOODVILLE I CRASH ANALYSIS



Municipal Boundary

Justice40 Tracts


High

Low

USDOT ETC Tracts

MPO Boundary

TOWN OF WOODVILLE I HIGH-INJURY NETWORK



Justice40 Tracts

Corridors

Intersections

MPO Boundary

Municipal Boundary

TOWN OF WOODVILLE I PRIORITY PROJECTS



Municipal Boundary

Justice40 Tracts

Corridors

Intersections

USDOT ETC Tracts

MPO Boundary

TOWN OF WOODVILLE I PRIORITY PROJECTS

							Mode			Inju	Injury		
ID	Potential Project	Туре	From	То	Miles	Total	**	્ર	序	Serious	Fatal		
*Q-1	USH 10	Corridor	Harwood Rd	Military Rd	0.97	16	16	0	0	1	0		

Project listing in no specific order

^{*} denotes project recommended by relevant County Highway Department and/or ECWRPC

^{**} includes all motor vehicle and motorcycle crashes

VILLAGE OF COMBINED LOCKS | CRASH INVENTORY 2018 - 2022

The Village of Combined Locks had an estimated population of 3,614 in 2021, accounting for approximately 1% of the Appleton (Fox Cities) MPO total population.

A total of 172 crashes occurred in the village between 2018 and 2022, representing less than 1% of total MPO crashes.

There was one crash which resulted in a person being killed or seriously injured (KSI), this crash was fatal.

The majority of crashes occurred along corridors (69%) or at roundabouts (18%). Most crashes occurred on two-way roads (65%), in addition, according to TOPs data, all crashes happened on locally owned roads.

Relative to the MPO, the village experienced a greater proportion of fatal, bicycle, motorcycle, youth, speed, and DUI crashes.

■ Municipal - MPO: Relative Share of All Crashes

	Sev	erity	Mode			A	ge	Violation		
	KSI	Fatal	Fatal 🖚 🕉 🏃 🚓			÷	Youth	Senior	Speed	DUI
Village of Combined Locks	0.6%	0.6%	95.3%	1.2%	0.6%	2.9%	22.7%	13.4%	22.1%	7.6%
Appleton/FC MPO	2.0%	0.2%	96.8%	0.9%	0.8%	1.5%	16.5%	17.2%	14.5%	5.3%


Total Crashes 172 2018-2022

- Killed or Seriously **Injured Crashes**
- **Fatal Crashes**


■ Crash Type by Mode: Ratios of All Crashes

	~	%	序	÷
Head-On	0%			0%
Sideswipe	7%			0%
Broadside	18%			40%
Rear End	15%			0%
Hit Object	55%			60%
Other/Unkn	4%	100%	0%	0%
MV - straight		0%	100%	
MV - right turn		0%	0%	
MV - left turn		0%	0%	
	100%	100%	100%	100%

VILLAGE OF COMBINED LOCKS | CRASH INVENTORY 2018 - 2022



VILLAGE OF COMBINED LOCKS | CRASH INVENTORY 2018 - 2022



Other Crashes

Serious Injury

Fatal Injury


Justice40 Tracts

USDOT ETC Tracts

166

Low

VILLAGE OF COMBINED LOCKS I CRASH ANALYSIS



Justice40 Tracts


High

USDOT ETC Tracts

MPO Boundary

Municipal Boundary

VILLAGE OF COMBINED LOCKS | HIGH-INJURY NETWORK



Municipal Boundary

Justice40 Tracts


Corridors

Intersections

USDOT ETC Tracts

MPO Boundary

VILLAGE OF COMBINED LOCKS I PRIORITY PROJECTS



168

Intersections

Corridors

Equity Considerations

Justice40 Tracts



USDOT ETC Tracts



Municipal Boundary

VILLAGE OF COMBINED LOCKS | PRIORITY PROJECTS

								Mode		Injury		
ID	Potential Project	Туре	From	То	Miles	Total	**	%	序	Serious	Fatal	
R-1	CTH CE (South Side Trail)	Corridor	W Town Limits	E Town Limits	0.44	4	4	0	0	0	0	
R-2	CTH CE	Corridor	W Town Limits	E Town Limits	0.47	87	86	1	0	0	0	

Project listing in no specific order

denotes project recommended by relevant County Highway Department and/or ECWRPC

includes all motor vehicle and motorcycle crashes

VILLAGE OF FOX CROSSING | CRASH INVENTORY 2018 - 2022

The Village of Fox Crossing had an estimated population of 18,907 in 2021, accounting for approximately 8% of the Appleton (Fox Cities) MPO total population.

A total of 2,140 crashes occurred in the village between 2018 and 2022, representing less than 8% of total MPO crashes.

There were 40 crashes resulted which in a person being killed or seriously injured (KSI), 4 crashes were fatal. 10% of KSI crashes involved either a bicyclist or pedestrian.

The majority of crashes occurred along corridors (82%) or at four-way intersections (5%). Most crashes occurred on divided (44%) or two-way (27%) roads, in addition, many also happened on federally owned roads (50%).

Relative to the MPO, the village experienced a greater proportion of automobile, motorcycle, and speed crashes.

■ Municipal - MPO: Relative Share of All Crashes

	Sev	erity	Mode				A	ge	Violation	
	KSI	Fatal	~	્	序	÷	Youth	Senior	Speed	DUI
Village of Fox Crossing	1.9%	0.2%	97.2%	0.5%	0.6%	1.8%	10.8%	11.9%	22.6%	5.0%
Appleton/FC MPO	2.0%	0.2%	96.8%	0.9%	0.8%	1.5%	16.5%	17.2%	14.5%	5.3%

2,140 Total Crashes 2018-2022

40 Killed or Seriously Injured Crashes

4 Fatal Crashes


■ Crash Type by Mode: Ratios of All Crashes


	~	%	序	
Head-On	1%			0%
Sideswipe	12%			5%
Broadside	16%			18%
Rear End	20%			13%
Hit Object	50%			61%
Other/Unkn	1%	8%	31%	3%
MV - straight		67%	31%	
MV - right turn		17%	8%	
MV - left turn		8%	31%	
	100%	100%	100%	100%

VILLAGE OF FOX CROSSING | CRASH INVENTORY 2018 - 2022

■ Crash Severity by Mode: All Crashes 25% 50% 75% 100% No Apparent Possible Minor Serious Fatal No Apparent 1657 Possible 224 3 Minor 175 20 2 12 Serious


Fatal






Crash Location Attributes: KSI Crashes

VILLAGE OF FOX CROSSING | CRASH INVENTORY 2018 - 2022



VILLAGE OF FOX CROSSING I CRASH ANALYSIS



Municipal Boundary

Justice40 Tracts


High

Low


USDOT ETC Tracts

MPO Boundary

VILLAGE OF FOX CROSSING I HIGH-INJURY NETWORK



VILLAGE OF FOX CROSSING I PRIORITY PROJECTS



Municipal Boundary

Justice40 Tracts

Corridors

Intersections

USDOT ETC Tracts

MPO Boundary

VILLAGE OF FOX CROSSING I PRIORITY PROJECTS

							**	Mode		Injury	
ID	Potential Project	Туре	From	То	Miles	Total	~~~~~	્	齐	Serious	Fatal
S-1	Shady Ln & Cold Spring Rd	Intersection	-	-	-	13	12	0	1	1	0
S-2	Irish Rd & E Shady Ln	Intersection	-	-	-	6	6	0	0	1	0
S-3	W Calumet St & Maplecrest Dr	Intersection	-	-	-	0	0	0	0	0	0
S-4	Winchester Rd & N Green Bay Rd	Intersection	-	-	-	32	32	0	0	0	0
S-5	Irish Rd	Corridor	W American Dr	E Shady Ln	0.45	12	12	0	0	1	0
S-6	STH 47	Corridor	All Fox Crossing Portions	All Fox Crossing Portions	1.36	114	111	3	0	4	0

Project listing in no specific order

^{*} denotes project recommended by relevant County Highway Department and/or ECWRPC

^{**} includes all motor vehicle and motorcycle crashes

VILLAGE OF GREENVILLE | CRASH INVENTORY 2018 - 2022

The Village of Greenville had an estimated population of 12,548 in 2021, accounting for approximately 5% of the Appleton (Fox Cities) MPO total population.

A total of 866 crashes occurred in the village between 2018 and 2022, representing 3% of total MPO crashes. Only crashes within the MPO planning boundary are included in the inventory and analysis.

There were 17 crashes which resulted in a person being killed or seriously injured (KSI), 1 crash was fatal, 6% of KSI crashes involved either a bicyclist or pedestrian.

The majority of crashes occurred along corridors (58%) or at four-way intersections (24%). Most crashes occurred on two-way roads (49%), in addition, many also happened on state owned roads (53%).

Relative to the MPO, the village experienced a greater proportion of automobile, youth, and DUI crashes.

■ Municipal - MPO: Relative Share of All Crashes

	Sev	erity	Mode			A	ge	Violation		
	KSI	Fatal	~	%	序	÷	Youth	Senior	Speed	DUI
Village of Greenville	2.0%	0.1%	97.9%	0.5%	0.5%	1.2%	17.8%	16.6%	14.2%	5.4%
Appleton/FC MPO	2.0%	0.2%	96.8%	0.9%	0.8%	1.5%	16.5%	17.2%	14.5%	5.3%


Total Crashes 866 2018-2022


- Killed or Seriously **Injured Crashes**
 - **Fatal Crashes**

■ Crash Type by Mode: Ratios of All Crashes


	~	%	序	÷
Head-On	3%			0%
Sideswipe	10%			10%
Broadside	21%			20%
Rear End	28%			30%
Hit Object	37%			40%
Other/Unkn	1%	25%	50%	0%
MV - straight		25%	50%	
MV - right turn		0%	0%	
MV - left turn		50%	0%	
	100%	100%	100%	100%

VILLAGE OF GREENVILLE | CRASH INVENTORY 2018 - 2022






■ Crash Location Attributes: All Crashes



Fatal Injury

VILLAGE OF GREENVILLE | CRASH INVENTORY 2018 - 2022



Other Crashes

Serious Injury


Justice40 Tracts

MPO Boundary

Municipal Boundary

USDOT ETC Tracts

VILLAGE OF GREENVILLE I CRASH ANALYSIS



Justice40 Tracts

High

Low

USDOT ETC Tracts

MPO Boundary

Municipal Boundary

Intersections

VILLAGE OF GREENVILLE I HIGH-INJURY NETWORK




Justice40 Tracts

Corridors

USDOT ETC Tracts


VILLAGE OF GREENVILLE I PRIORITY PROJECTS



Justice40 Tracts



USDOT ETC Tracts





VILLAGE OF GREENVILLE I PRIORITY PROJECTS

								Mode		Inju	ıry
ID	Potential Project	Туре	From	То	Miles	Total	**	્	序	Serious	Fatal
T-1	STH 76 & STH 96	Intersection	-	-	-	25	25	0	0	1	0
T-2	STH 76 & STH 15	Intersection	-	-	-	41	41	0	0	1	0
T-3	STH 96 & CTH CB	Intersection	-	-	-	25	25	0	0	0	0
T-4	STH 76	Corridor	CTH JJ	СТН ВВ	5.98	164	164	0	0	6	0
T-5	STH 15	Corridor	Manley Rd	СТН СВ	5.37	250	249	0	1	3	1
T-6	СТН СВ	Corridor	STH 96	STH 15	0.96	95	95	0	0	0	0

Project listing in no specific order

denotes project recommended by relevant County Highway Department and/or ECWRPC

includes all motor vehicle and motorcycle crashes

VILLAGE OF HARRISON | CRASH INVENTORY 2018 - 2022

The Village of Harrison had an estimated population of 12,418 in 2021, accounting for approximately 5% of the Appleton (Fox Cities) MPO total population.

A total of 866 crashes occurred in the village between 2018 and 2022, representing 3% of total MPO crashes. Only crashes within the MPO planning boundary are included in the inventory and analysis.

There were 30 crashes which resulted in a person being killed or seriously injured (KSI), 6 crashes were fatal. 17% of KSI crashes involved either a bicyclist or pedestrian.

The majority of crashes occurred along corridors (68%) or at four-way intersections (14%). Most crashes occurred on two-way roads (59%), in addition, many also happened on state owned roads (40%).

Relative to the MPO, the village experienced a greater proportion of KSI, fatal, motorcycle, youth, speed and DUI crashes.

■ Municipal - MPO: Relative Share of All Crashes

	Sev	erity	Mode				A	ge	Violation	
	KSI	Fatal	~	So A A			Youth	Senior	Speed	DUI
Village of Harrison	4.2%	0.8%	96.8%	0.7%	0.4%	2.1%	20.4%	13.9%	20.4%	7.0%
Appleton/FC MPO	2.0%	0.2%	96.8%	0.9%	0.8%	1.5%	16.5%	17.2%	14.5%	5.3%

717 Total Crashes 2018-2022

30 Killed or Seriously Injured Crashes


6 Fatal Crashes


■ Crash Type by Mode: Ratios of All Crashes

	←	્	序	*
Head-On	2%			7%
Sideswipe	6%			13%
Broadside	13%			0%
Rear End	22%			7%
Hit Object	57%			73%
Other/Unkn	1%	0%	0%	0%
MV - straight		80%	67%	
MV - right turn		0%	33%	
MV - left turn		20%	0%	
	100%	100%	100%	100%

VILLAGE OF HARRISON | CRASH INVENTORY 2018 - 2022

■ Crash Severity by Mode: All Crashes 75% 100% 25% 50% No Apparent Possible Minor Serious Fatal No Apparent 576 Possible 53 Minor 46 Serious 15 2 6 Fatal







Crash Location Attributes: KSI Crashes

27%

VILLAGE OF HARRISON I CRASH INVENTORY 2018 - 2022



VILLAGE OF HARRISON I CRASH ANALYSIS



Municipal Boundary

Justice40 Tracts


High

Low

USDOT ETC Tracts


MPO Boundary

VILLAGE OF HARRISON I HIGH-INJURY NETWORK



Intersections

VILLAGE OF HARRISON I PRIORITY PROJECTS



Municipal Boundary

Justice40 Tracts

Corridors

USDOT ETC Tracts

MPO Boundary

VILLAGE OF HARRISON I PRIORITY PROJECTS

								Mode		Inju	ıry
ID	Potential Project	Туре	From	То	Miles	Total	**	૾ૢૼ	序	Serious	Fatal
U-1	Manitowoc Rd & North Coop Rd	Intersection	-	-	-	1	1	0	0	0	0
U-2	State Park Rd & CTH KK	Intersection	-	-	-	10	9	1	0	0	1
U-3	Manitowoc Rd & CTH N	Intersection	-	-	-	10	10	0	0	1	0
U-4	Manitowoc Rd	Corridor	Plank Rd	CTH N	3.67	25	25	0	0	1	0
U-5	Midway Rd	Corridor	Plank Rd	State Park Rd	3.58	31	29	2	0	5	1

Project listing in no specific order

^{*} denotes project recommended by relevant County Highway Department and/or ECWRPC

^{**} includes all motor vehicle and motorcycle crashes

VILLAGE OF KIMBERLY I CRASH INVENTORY 2018 - 2022

The Village of Kimberly had an estimated population of 7,286 in 2021, accounting for approximately 3% of the Appleton (Fox Cities) MPO total population.

A total of 472 crashes occurred in the village between 2018 and 2022, representing 2% of total MPO crashes.

There were 7 crashes which resulted in a person being killed or seriously injured (KSI), No crashes were fatal.

The majority of crashes occurred along corridors (68%) or at four-way intersections (14%). Most crashes occurred on two-way roads (64%), in addition, according to TOPS data, all crashes happened on locally owned roads.

Relative to the MPO, the village experienced a greater proportion of bicycle, pedestrian, youth, and senior crashes.

■ Municipal - MPO: Relative Share of All Crashes

	Sev	erity	Mode				A	ge	Violation	
	KSI	Fatal	~	%	序	÷	Youth	Senior	Speed	DUI
Village of Kimberly	1.5%	0.0%	96.6%	1.9%	0.8%	0.6%	38.6%	17.8%	11.0%	5.1%
Appleton/FC MPO	2.0%	0.2%	96.8%	0.9%	0.8%	1.5%	16.5%	17.2%	14.5%	5.3%

Total Crashes 2018-2022


> Killed or Seriously **Injured Crashes**


Fatal Crashes

■ Crash Type by Mode: Ratios of All Crashes

	~	%	序	
Head-On	5%			0%
Sideswipe	10%			0%
Broadside	35%			33%
Rear End	28%			33%
Hit Object	19%			33%
Other/Unkn	3%	13%	25%	0%
MV - straight		38%	25%	
MV - right turn		38%	25%	
MV - left turn		13%	25%	
	100%	100%	100%	100%

VILLAGE OF KIMBERLY I CRASH INVENTORY 2018 - 2022






ocal Road

100%

■ Crash Location Attributes: All Crashes



Crash Location Attributes: KSI Crashes

VILLAGE OF KIMBERLY I CRASH INVENTORY 2018 - 2022



Other Crashes


Serious Injury

Fatal Injury

194

Low

VILLAGE OF KIMBERLY I CRASH ANALYSIS



Justice40 Tracts

High

USDOT ETC Tracts

MPO Boundary

Municipal Boundary

VILLAGE OF KIMBERLY I HIGH-INJURY NETWORK



Municipal Boundary


Justice40 Tracts

Corridors

Intersections

MPO Boundary

VILLAGE OF KIMBERLY I PRIORITY PROJECTS



Justice40 Tracts

Corridors

196

Intersections

USDOT ETC Tracts

MPO Boundary

Municipal Boundary

VILLAGE OF KIMBERLY I PRIORITY PROJECTS

							**	Mode		Inju	ıry
ID	Potential Project	Туре	From	То	Miles	Total	**	્	序	Serious	Fatal
V-1	Eisenhower Dr & Kennedy Ave	Intersection	-	-	-	5	5	0	0	0	0
V-2	Lincoln St and Maes Ave	Intersection	-	-	-	3	3	0	0	0	0
V-3	Kimberly Ave & Railroad St	Intersection	-	-	-	0	0	0	0	0	0
V-4	Clark St and Kimberly Ave	Intersection	-	-	-	1	0	1	0	0	0
V-5	John St & Kennedy Ave	Intersection	-	-	-	3	3	0	0	0	0
V-6	Third St and Railroad St	Intersection	-	-	-	7	7	0	0	0	0
V-7	Wilbur St & Kimberly Ave	Intersection	-	-	-	1	1	0	0	0	0
V-8	CTH N & Maes Ave	Intersection	-	-	-	18	17	0	1	0	0
V-9	Kimberly Ave & CTH N	Intersection	-	-	-	14	14	0	0	0	0
V-10	CTH N and Kennedy Ave	Intersection	-	-	-	22	19	3	0	0	0

Project listing in no specific order

denotes project recommended by relevant County Highway Department and/or ECWRPC

includes all motor vehicle and motorcycle crashes

VILLAGE OF LITTLE CHUTE | CRASH INVENTORY 2018 - 2022

The Village of Little Chute had an estimated population of 11,652 in 2021, accounting for approximately 5% of the Appleton (Fox Cities) MPO total population.

A total of 1,076 crashes occurred in the village between 2018 and 2022, representing 4% of total MPO crashes.

There were 24 crashes which resulted in a person being killed or seriously injured (KSI), 3 crashes were fatal. 17% of KSI crashes involved either a bicyclist or pedestrian.

The majority of crashes occurred along corridors (72%) or at four-way intersections (20%). Most crashes occurred on two-way (46%) or divided (28%) roads, in addition, many crashes happened on locally owned roads (59%).

Relative to the MPO, the village experienced a greater proportion of KSI, fatal, and automobile crashes.

■ Municipal - MPO: Relative Share of All Crashes

	Sev	erity	Mode			A	ge	Violation		
	KSI	Fatal	~	%	序		Youth	Senior	Speed	DUI
Village of Little Chute	2.2%	0.3%	97.2%	0.7%	0.7%	1.4%	14.7%	16.5%	10.8%	3.5%
Appleton/FC MPO	2.0%	0.2%	96.8%	0.9%	0.8%	1.5%	16.5%	17.2%	14.5%	5.3%

1,076 Total Crashes 2018-2022


24 Killed or Seriously Injured Crashes


3 Fatal Crashes

■ Crash Type by Mode: Ratios of All Crashes


		્	秀	÷.
Head-On	3%			0%
Sideswipe	10%			7%
Broadside	25%			33%
Rear End	28%			13%
Hit Object	32%			47%
Other/Unkn	1%	13%	29%	0%
MV - straight		50%	71%	
MV - right turn		38%	0%	
MV - left turn		0%	0%	
	100%	100%	100%	100%

VILLAGE OF LITTLE CHUTE | CRASH INVENTORY 2018 - 2022






■ Crash Location Attributes: All Crashes




Crash Location Attributes: KSI Crashes

VILLAGE OF LITTLE CHUTE | CRASH INVENTORY 2018 - 2022



VILLAGE OF LITTLE CHUTE I CRASH ANALYSIS



Municipal Boundary

Justice40 Tracts


USDOT ETC Tracts

MPO Boundary

High

Low

VILLAGE OF LITTLE CHUTE I HIGH-INJURY NETWORK



Justice40 Tracts

Corridors


Intersections

USDOT ETC Tracts

MPO Boundary

Municipal Boundary

VILLAGE OF LITTLE CHUTE I PRIORITY PROJECTS



MCD-Selected Projects

Intersections

Corridors

Justice40 Tracts



USDOT ETC Tracts

MPO Boundary

Municipal Boundary

VILLAGE OF LITTLE CHUTE I PRIORITY PROJECTS

							Mode			Injury	
ID	Potential Project	Туре	From	То	Miles	Total	**	%	序	Serious	Fatal
*W-1	STH 96 & CTH N	Intersection	-	-	-	28	28	0	0	2	0
*W-2	CTH 00	Corridor	W Village Limits	E Village Limits	3.51	194	190	4	0	3	2
*W-3	Grand Ave	Corridor	Hans Parkway	Mckinley Ave	0.19	6	6	0	0	0	0

Project listing in no specific order

^{*} denotes project recommended by relevant County Highway Department and/or ECWRPC

^{**} includes all motor vehicle and motorcycle crashes

VILLAGE OF SHERWOOD I CRASH INVENTORY 2018 - 2022

The Village of Sherwood had an estimated population of 3,202 in 2021, accounting for approximately 1% of the Appleton (Fox Cities) MPO total population.

A total of 91 crashes occurred in the village between 2018 and 2022, representing less than 1% of total MPO crashes.

There was one crash which resulted in a person being killed or seriously injured (KSI), this crash was not fatal.

The majority of crashes occurred along corridors (67%) or at T, Y, or L intersections (28%). Most crashes occurred on two-way roads (70%), in addition, many crashes happened on locally owned (46%) or state owned (54%) roads.

Relative to the MPO, the village experienced a greater proportion of pedestrian, motorcycle, and DUI crashes.

■ Municipal - MPO: Relative Share of All Crashes

	Sev	erity	Mode				A	ge	Violation	
	KSI	Fatal	~	%	序	÷	Youth	Senior	Speed	DUI
Village of Sherwood	1.1%	0.0%	95.6%	0.0%	1.1%	3.3%	12.1%	14.3%	13.2%	5.5%
Appleton/FC MPO	2.0%	0.2%	96.8%	0.9%	0.8%	1.5%	16.5%	17.2%	14.5%	5.3%


Total Crashes 2018-2022

- Killed or Seriously **Injured Crashes**
- **Fatal Crashes**

■ Crash Type by Mode: Ratios of All Crashes


	~	%	序	÷
Head-On	5%			0%
Sideswipe	5%			0%
Broadside	14%			0%
Rear End	29%			100%
Hit Object	47%			0%
Other/Unkn	1%	0%	0%	0%
MV - straight		0%	100%	
MV - right turn		0%	0%	
MV - left turn		0%	0%	
	100%	0%	100%	100%

VILLAGE OF SHERWOOD | CRASH INVENTORY 2018 - 2022




Fatal Injury

VILLAGE OF SHERWOOD | CRASH INVENTORY 2018 - 2022




Serious Injury

VILLAGE OF SHERWOOD I CRASH ANALYSIS



Intersections

VILLAGE OF SHERWOOD I HIGH-INJURY NETWORK




Municipal Boundary

Justice40 Tracts

Corridors

MPO Boundary

VILLAGE OF SHERWOOD I PRIORITY PROJECTS



Intersections

Corridors

Justice40 Tracts



USDOT ETC Tracts



Municipal Boundary

VILLAGE OF SHERWOOD I PRIORITY PROJECTS

							Mode			Injury	
ID	Potential Project	Туре	From	То	Miles	Total	**	%	序	Serious	Fatal
*X-1	STH 55	Corridor	N Village Limits	S Village Limits	1.95	51	51	0	0	1	0
*X-2	CTH N	Corridor	Robinhood Dr	Leslie Rd	0.29	2	2	0	0	0	0

Project listing in no specific order

denotes project recommended by relevant County Highway Department and/or ECWRPC

includes all motor vehicle and motorcycle crashes

VILLAGE OF WRIGHTSTOWN | CRASH INVENTORY 2018 - 2022

The Village of Wrightstown (Outagamie County) had an estimated population of 259 in 2021, accounting for less than 1% of the Appleton (Fox Cities) MPO total population.

A total of 10 crashes occurred in the village between 2018 and 2022, representing less than 1% of total MPO crashes. Only crashes within the MPO planning boundary are included in the inventory and analysis.

No crashes resulted in a person being killed or seriously injured (KSI).

The majority of crashes occurred along corridors (80%) or at a four-way (10%) or roundabout (10%) intersections. Most crashes occurred on two-way roads (70%), in addition, according to TOPS data, all crashes happened on locally owned roads.

Relative to the MPO, the village experienced a greater proportion of automobile and speed crashes.

■ Municipal - MPO: Relative Share of All Crashes

	Sev	erity		Mode				ge	Violation	
	KSI	Fatal	~	%	序	÷	Youth	Senior	Speed	DUI
Village of Wrightstown	0.0%	0.0%	100%	0.0%	0.0%	0.0%	10.0%	0.0%	20.0%	0.0%
Appleton/FC MPO	2.0%	0.2%	96.8%	0.9%	0.8%	1.5%	16.5%	17.2%	14.5%	5.3%


10 Total Crashes 2018-2022

- Killed or Seriously Injured Crashes
- Fatal Crashes


Crash Type by Mode: Ratios of All Crashes

	~	%	序	÷
Head-On	0%			0%
Sideswipe	10%			0%
Broadside	10%			0%
Rear End	20%			0%
Hit Object	60%			0%
Other/Unkn	0%	0%	0%	0%
MV - straight		0%	0%	
MV - right turn		0%	0%	
MV - left turn		0%	0%	
	100%	0%	0%	0%


VILLAGE OF WRIGHTSTOWN | CRASH INVENTORY 2018 - 2022



VILLAGE OF WRIGHTSTOWN | CRASH INVENTORY 2018 - 2022



VILLAGE OF WRIGHTSTOWN I CRASH ANALYSIS



Municipal Boundary

Justice40 Tracts


High

Low

USDOT ETC Tracts

MPO Boundary

VILLAGE OF WRIGHTSTOWN I HIGH-INJURY NETWORK




Justice40 Tracts



USDOT ETC Tracts



MPO Boundary



APPLETON (FOX CITIES) MPO

VILLAGE OF WRIGHTSTOWN I PRIORITY PROJECTS



APPLETON (FOX CITIES) MPO

VILLAGE OF WRIGHTSTOWN I PRIORITY PROJECTS

									Mode		lnjι	ıry
ı	D	Potential Project	Туре	From	То	Miles	Total	**	%	序	Serious	Fatal
*Y	/-1	Golf Course Dr	Corridor	W Village Limits	E Village Limits	0.82	4	4	0	0	0	0

Project listing in no specific order

^{*} denotes project recommended by relevant County Highway Department and/or ECWRPC

^{**} includes all motor vehicle and motorcycle crashes

COMPREHENSIVE SAFETY ACTION PLAN

CHAPTER 4

OSHKOSH METROPOLITAN PLANNING ORGANIZATION

220 OSHKOSH MPO 233 CITY OF OSHKOSH 240 TOWN OF ALGOMA 247 TOWN OF BLACK WOLF 254 TOWN OF NEKIMI TOWN OF OMRO 261 268 TOWN OF OSHKOSH 275 TOWN OF UTICA

OSHKOSH MPO I CHAPTER OVERVIEW AND EQUITY CONSIDERATIONS

Introduction

This chapter is divided into sections that provide crash inventories, crash analyses, High-Injury Networks (HIN), and project listings for the Oshkosh MPO and the municipalities that are both fully and partially within it. Inventories of all crashes which occurred between 2018 and 2022 are provided to give context to the crash types, locations, factors, modes, and severities that occurred within the given boundaries. Each inventory is followed with the results of the crash analysis, the extent of the High-Injury Network, and the priority projects identified for the MPO and each municipality. Priority projects are not listed in a specific order. Although some municipalities did not identify any projects, crash inventory and analysis results are provided for each jurisdiction.

The chapter begins with the MPO and is followed by municipalities both fully and partially within the MPO according to alphabetical order first by cities followed by towns and villages. An array of maps, figures, and tables illustrate the dynamics of crashes throughout the MPO and highlight the locations of dangerous corridors and intersections where SS4A Demonstration and/or Implementation funding would enhance safety for all road users. Disadvantaged census tracts according to the Equitable Transportation Community (ETC) tool and the Climate and Economic Justice Screening Tool (CEJST) are identified in all crash inventory, crash analysis, HIN, and priority project maps.

Equity

The Oshkosh MPO is entirely within Winnebago County and is comprised of eight municipalities that are either fully or partially within the MPO planning boundaries.

In 2023 the Oshkosh MPO had an estimated population of 79,300. According to the Equitable Transportation Community (ETC) toll, approximately 3.28% of residents in the Oshkosh MPO were underserved, as 2,500 residents were within a disadvantaged census tract. This tract was within the City of Oshkosh.

According to the Climate and Economic Justice Screening Tool (CEJST), approximately 5,600 residents lived in two disadvantaged census tracts. or 7.02% of the total Oshkosh MPO population. One tract was entirely within the City of Oshkosh while another was within portions of the Town of Oshkosh and City of Oshkosh.

Total Crashes by Severity and Mode

A total of 7,843 crashes occurred in the MPO between 2018 and 2022. During this period, 117 crashes resulted in a person being killed or seriously injured (KSI), and 19 crashes were fatal. 22% of KSI crashes involved either a bicyclist or a pedestrian. Ten motor vehicle, five motorcycle, one bicyclist, and three pedestrian crashes resulted in fatalities. Over the five-year period, the average annual fatality rate per 100,000 population for all modes of transportation was 4.79.

7,843 Total Crashes	117 Killed or Seriously Injured Crashes	19 Fatal Crashes
7,572 94 86 91	68 11 15 23	10 1 3 5
e si k	~ ∱ ∱ ♣	

Crash Factors

Age and violation crash factors played a role in many motorist (motor vehicles and motorcycles) and non-motorist (bicyclists and pedestrians) crashes (Figures 4.1, 4.2, and 4.3). Many non-motorist crashes in the Oshkosh MPO involved either youth (25.6%) or seniors (28.3%), and 25% of fatal non-motorist crashes involved a youth while 75% involved a senior. For motorists, speed played a role in many crashes (13%) and a significant role in KSI and fatal crashes, contributing to 27.5% and 33.3% of these crashes, respectively.

Figure 4.3 Crash Factors: Fatal Crashes

Figure 4.2 Crash Factors: KSI Crashes

	Bare 112 eraen raeterer retail eraetree				- Iguite - III e i uoti i uotoi oi ittori e i uotoi o					i iguito i i o o i u o	garo no orden ractorer ratar ordenes				
	Age		Viola	ation		A	ge	Viola	ation		A	ge	Viola	ation	
	Youth	Senior	Speed	DUI		Youth	Senior	Speed	DUI		Youth	Senior	Speed	DUI	
Motorist	13.0%	18.5%	13.0%	4.8%	Motorist	14.3%	15.4%	27.5%	28.6%	Motorist	0.0%	20.0%	33.3%	33.3%	
Non-Motorist	25.6%	28.3%	1.7%	10.0%	Non-Motorist	26.9%	23.1%	3.8%	23.1%	Non-Motorist	25.0%	75.0%	0.0%	25.0%	

Figure 4.1 Crash Factors: Total Crashes

Crashes Per Year by Mode

Trends for total, killed or seriously injured (KSI), and fatal crashes per year between 2018 and 2022 varied considerably by mode (Figures 4.4, 4.5, and 4.6). Total motor vehicle crashes, not including motorcycles, peaked in 2019, and, although declining in 2020, increased each year in 2021 and 2022. Motor vehicle KSI crashes per year varied depending on year, with the highest amount recorded in 2019 and remaining consistent throughout the following years. Fatal crashes involving motor vehicles increased between 2018 and 2019, peaked in both 2019 and 2020, and then decreased in 2021. 2022 would record another increase in fatal motor vehicles crashes compare to the year before.

Total motorcycle crashes declined between 2018 and 2019 and increased in the following years until 2022. KSI motorcycle crashes remained largely consistent each year during the period, averaging about five per year. Motorcycle fatal crashes were highest in 2021 and 2022, with a total of two fatal crashes in each year.

The total number of pedestrian crashes per year during the period peaked in 2019 and gradually declined each year until 2022. Pedestrian killed or seriously injured (KSI) crashes remained consistent each year, averaging about three per year. Three pedestrian crashes were fatal, with one occurring in 2019 and two in 2020. Total crashes involving bicyclists declined between 2018 and 2020, increased in 2021, and decreased again in 2022. Bicycle KSI crashes remained consistent throughout the five-year period averaging about two per year. A fatal bicycle crash occurred in 2018.

Figure 4.4 Total Crashes Per Year by Mode




Figure 4.5 KSI Crashes Per Year by Mode





Figure 4.6 Fatal Crashes Per Year by Mode



Crash Types by Mode

Motorist and non-motorist crash types are recorded by TOPs according to the controlled maneuver of the motor vehicle prior to the beginning of the sequence of events. Consisting of 20 maneuvers that can be recorded at the scene of the crash, the dataset was condensed where appropriate to nine maneuvers and are expressed as ratios of total crashes according to mode and severity in Figures 4.7, 4.8, and 4.9.

For motor vehicle crashes, excluding motorcycles, the most common crash types for all crashes were broadsides (33%) hitting objects (28%), rear ends (23%). Hitting objects and broadsides were the most common KSI crash types for motor vehicles, contributing to 38% and 35% of KSI crashes for motor vehicles, respectively. 40% of all fatal motor vehicle crashes were due to hitting an object, while 30% were due to broadsides.

The most common motorcycle crash type for all motorcycle crashes was hitting an object (44%). Broadsides were the most common crash in motorcycle KSI crashes (52%) and fatal crashes (60%).

The most common crash types for all bicycle crashes involved motor vehicles going straight (55%). Crashes involving motor vehicles going straight were also the most common crash type for killed or seriously injured (KSI) and fatal bicycle crashes, contributing to 80% and 100% of total crashes in these severity categories, respectively. For all pedestrian crashes, the most frequent crash type involved a motor vehicle going straight (45%) or making a left turn (27%). The most common KSI pedestrian crash type resulted from a motor vehicle going straight (73%). Of the three fatal pedestrian crashes that occurred during the period, all of them involved a motor vehicle going straight.

Figure 4.7 Crash Type by Mode: Total Crashes

	~	%	序	÷
Head-On	3%			1%
Sideswipe	11%			4%
Broadside	33%			33%
Rear End	23%			15%
Hit Object	28%			44%
Other/Unkn	1%	19%	20%	2%
MV - straight		55%	45%	
MV - right turn		18%	7%	
MV - left turn		8%	27%	
	100%	100%	100%	100%

Figure 4.8 Crash Type by Mode: KSI Crashes

		50	广	
Head-On	10%			4%
Sideswipe	6%			0%
Broadside	35%			52%
Rear End	10%			9%
Hit Object	38%			35%
Other/Unkn	0%	20%	13%	0%
MV - straight		80%	73%	
MV - right turn		0%	0%	
MV - left turn		0%	13%	
	100%	100%	100%	100%

Figure 4.9 Crash Type by Mode: Fatal Crashes

			广	6
Head-On	10%			0%
Sideswipe	10%			0%
Broadside	30%			60%
Rear End	10%			20%
Hit Object	40%			20%
Other/Unkn	0%	0%	0%	0%
MV - straight		100%	100%	
MV - right turn		0%	0%	
MV - left turn		0%	0%	
	100%	100%	100%	100%

Crash Locations

Crashes across the MPO occurred at various types of intersections and road cross-sections owned by either local, state, or federal entities according to TOPs crash reports. For all crashes and all modes of transportation, many occurred along corridors (59%) (labeled in figure as Not at Intersection) or at four-way intersections (24%), on two-way roads (56%), and on locally owned roads (58%) (Figure 4.10).

For all roadway users, about 55% of KSI crashes occurred along corridors while 33% occurred at four-way intersections (Figure 4.11). Also displayed in Figure 4.11, a significant amount of KSI crashes occurred on two-way roads (69%) and many took place on locally owned roads (56%).

The majority of fatal crashes for all modes happened along corridors (68%), on two-way roads (79%), and primarily on locally owned roads (47%) and state highways (37%) (Figure 4.12).

Figure 4.10 Crash Locations: Total Crashes




Figure 4.11 Crash Locations: KSI Crashes







Figure 4.12 Crash Locations: Fatal Crashes




OSHKOSH MPO I MAP 4.1 OSHKOSH MPO KILLED AND SERIOUS INJURY CRASHES 2018 - 2022




OSHKOSH MPO I MAP 4.2 OSHKOSH MPO CRASH ANALYSIS



OSHKOSH MPO I MAP 4.3 OSHKOSH MPO HIGH-INJURY NETWORK



OSHKOSH MPO I MAP 4.4 OSHKOSH MPO PRIORITY PROJECTS



OSHKOSH MPO I PRIORITY PROJECTS

Oshkosh MPO Priority Projects

The following projects were identified as priorities for the Oshkosh MPO by the Oshkosh MPO Project Selection Advisory Group based on quantitative analysis and objective experience. The following pages provide more detailed maps and crash statistics for these projects. Projects are not listed in a specific order. Symbology for the maps is identified below:

KSI Crashes


- Pedestrian Serious Injury
- Pedestrian Fatal Injury
- Bicyclist Serious Injury
- ▲ Bicyclist Fatal Injury
- Motorist Serious Injury *
- Motorist Fatal Injury

MPO-Selected Projects



Corridors

Areas



OSHKOSH MPO I PRIORITY PROJECTS

■ Project C: I-41 Corridor Pedestrian Bridge


12 Serious

2 Fatal

To

9th Ave

Project D: STH 45



Project listing in no specific order
* includes all motor vehicle and motorcycle crashes

17 **%** 4 **济** To
Koelpin Rd

3 Serious 0 50

0 **Fatal** 1 **片**

OSHKOSH MPO I TABLE 4.1 OSHKOSH MPO PRIORITY PROJECTS

								Mode		Inju	ıry
ID	Potential Project	Туре	From	То	Miles	Total	*	્	序	Serious	Fatal
A	STH 76	Corridor	CTH Y	Bacon Ave	2.53	105	105	0	0	2	0
В	Oshkosh Ave & Sawyer St	Intersection	-	-	-	32	32	0	0	1	0
С	I41 Corridor Pedestrian Bridge	Corridor/Area	STH 21	9th Ave	-	1095	1074	17	4	12	2
D	STH 45	Corridor	Waukau Ave	Koelpin Rd	3.57	64	63	0	1	3	0

COMPREHENSIVE SAFETY ACTION PLAN

OSHKOSH MPO

MUNICIPAL PROFILES: CRASH INVENTORY, ANALYSIS, HIGH-INJURY NETWORK, AND PRIORITY PROJECTS

CITY OF OSHKOSH I CRASH INVENTORY 2018 - 2022

The City of Oshkosh had an estimated population of 66,594 in 2021, accounting for approximately 84% of the Oshkosh MPO total population. A total of 6,311 crashes occurred in the city between 2018 and 2022, representing 80% of total MPO crashes.

There were 86 crashes which resulted in a person being killed or seriously injured (KSI), 12 crashes were fatal, 27% of KSI crashes involved either a bicyclist or pedestrian.

The majority of crashes occurred along corridors (54%) or at four-way intersections (27%). Most crashes occurred on two-way roads (60%), in addition, many also happened on locally owned roads (66%).

Relative to the MPO, the city experienced a greater proportion of bicycle, pedestrian, motorcycle, youth, and senior crashes.

■ Municipal - MPO: Relative Share of All Crashes

	Sev	verity		Mode			A	ge	Violation	
	KSI	Fatal	~	્ર	序	÷	Youth	Senior	Speed	DUI
City of Oshkosh	1.4%	0.2%	96.1%	1.4%	1.3%	1.2%	14.3%	19.6%	10.9%	4.8%
Oshkosh MPO	1.5%	0.2%	96.5%	1.2%	1.1%	1.2%	13.3%	18.7%	12.8%	4.9%

Total Crashes 6,311 2018-2022

> Killed or Seriously **Injured Crashes**

12 Fatal Crashes


■ Crash Type by Mode: Ratios of All Crashes


		્	∱	÷
Head-On	4%			1%
Sideswipe	12%			5%
Broadside	38%			37%
Rear End	24%			15%
Hit Object	21%			38%
Other/Unkn	1%	20%	19%	3%
MV - straight		53%	45%	
MV - right turn		19%	7%	
MV - left turn		9%	29%	
	100%	100%	100%	100%

Fatal

CITY OF OSHKOSH | CRASH INVENTORY 2018 - 2022


■ Crash Severity by Mode: All Crashes 25% 50% 75% 100% 0% No Apparent Possible Minor Serious Fatal <u>~</u> No Apparent 4599 Possible 883 25 15 12 Minor 536 49 50 36 39 10 15 Serious 10






Crash Location Attributes: KSI Crashes

CITY OF OSHKOSH I CRASH INVENTORY 2018 - 2022




CITY OF OSHKOSH I CRASH ANALYSIS



Intersections

CITY OF OSHKOSH I HIGH-INJURY NETWORK



Municipal Boundary


Justice40 Tracts

Corridors

USDOT ETC Tracts

MPO Boundary

CITY OF OSHKOSH I PRIORITY PROJECTS



CITY OF OSHKOSH I PRIORITY PROJECTS

								Mode		Inju	ıry
ID	Potential Project	Туре	From	То	Miles	Total	**	્	序	Serious	Fatal
A-1	Westowne Ave & STH 21	Intersection	-	-	-	32	31	1	0	1	0
A-2	STH 21 & Sawyer St	Intersection	-	-	-	32	32	0	0	1	0
A-3	STH 44 & CTH K	Intersection	-	-	-	29	29	0	0	0	0
A-4	STH 76	Corridor	CTH Y	Murdock Ave	3.01	227	224	1	2	2	0

Project listing in no specific order

denotes project recommended by relevant County Highway Department and/or ECWRPC

includes all motor vehicle and motorcycle crashes

TOWN OF ALGOMA | CRASH INVENTORY 2018 - 2022

The Town of Algoma had an estimated population of 6,867 in 2021, accounting for approximately 9% of the Oshkosh MPO total population. A total of 337 crashes occurred in the town between 2018 and 2022, representing 4% of total MPO crashes.

There were five crashes which resulted in a person being killed or seriously injured (KSI), two crashes were fatal. 20% of KSI crashes involved either a bicyclist or pedestrian.

The majority of crashes occurred along corridors (64%) or at four-way intersections (24%). Most crashes occurred on two-way roads (55%), in addition, many also happened on either locally owned (46%) or state owned (42%) roads.

Relative to the MPO, the town experienced a greater proportion of fatal, automobile, youth, senior, speed, and DUI crashes.

■ Municipal - MPO: Relative Share of All Crashes

	Sev	verity		Mode			A	ge	Violation	
	KSI	Fatal	←	%	序		Youth	Senior	Speed	DUI
Town of Algoma	1.5%	0.6%	98.8%	0.6%	0.3%	0.3%	15.7%	24.0%	14.2%	6.8%
Oshkosh MPO	1.5%	0.2%	96.5%	1.2%	1.1%	1.2%	13.3%	18.7%	12.8%	4.9%

Total Crashes 337 2018-2022

> Killed or Seriously **Injured Crashes**

Fatal Crashes


Crash Type by Mode: Ratios of All Crashes


		્ર	序	÷.
Head-On	2%			0%
Sideswipe	6%			0%
Broadside	23%			0%
Rear End	20%			0%
Hit Object	48%			100%
Other/Unkn	0%	0%	0%	0%
MV - straight		100%	100%	
MV - right turn		0%	0%	
MV - left turn		0%	0%	
	100%	100%	100%	100%

Fatal

TOWN OF ALGOMA | CRASH INVENTORY 2018 - 2022


■ Crash Severity by Mode: All Crashes 25% 50% 75% 100% 0% No Apparent Possible Minor Serious Fatal 广 00 No Apparent 265 Possible 33 0 0 0 Minor 31 Serious 3 0 0 0






Crash Location Attributes: KSI Crashes

TOWN OF ALGOMA | CRASH INVENTORY 2018 - 2022



Low

TOWN OF ALGOMA I CRASH ANALYSIS



Municipal Boundary


Justice40 Tracts

High


USDOT ETC Tracts

MPO Boundary

TOWN OF ALGOMA I HIGH-INJURY NETWORK



TOWN OF ALGOMA I PRIORITY PROJECTS



TOWN OF ALGOMA I PRIORITY PROJECTS

							Mode			Injury	
ID	Potential Project	Туре	From	То	Miles	Total	**	્	序	Serious	Fatal
B-1	Leonard Point Rd & STH 21	Intersection	-	-	-	30	30	0	0	0	0
B-2	Oakwood Rd & CTH E	Intersection	-	-	-	24	24	0	0	0	0
B-3	Oakwood Rd	Corridor	STH 21	Oakwood Cir	0.58	45	43	2	0	1	0

Project listing in no specific order

^{*} denotes project recommended by relevant County Highway Department and/or ECWRPC

^{**} includes all motor vehicle and motorcycle crashes

TOWN OF BLACK WOLF | CRASH INVENTORY 2018 - 2022

The Town of Black Wolf had an estimated population of 2,325 in 2021, accounting for approximately 3% of the Oshkosh MPO total population. A total of 134 crashes occurred in the town between 2018 and 2022, representing 2% of total MPO crashes. Only crashes within the MPO planning boundary are included in the inventory and analysis.

There were five crashes which resulted in a person being killed or seriously injured (KSI), no crashes were fatal, 20% of KSI crashes involved either a bicyclist or pedestrian.

The majority of crashes occurred along corridors (83%) or at T, Y, or L intersections (9%). Most crashes occurred on two-way roads (58%), in addition, many also happened on state owned roads (63%).

Relative to the MPO, the town experienced a greater proportion of KSI, automobile, pedestrian, speed, and DUI crashes.

■ Municipal - MPO: Relative Share of All Crashes

	Sev	erity	Mode				A	ge	Violation	
	KSI	Fatal	~	%	序	, Č	Youth	Senior	Speed	DUI
Town of Black Wolf	3.7%	0.0%	98.5%	0.0%	1.5%	0.0%	6.0%	9.0%	24.6%	13.4%
Oshkosh MPO	1.5%	0.2%	96.5%	1.2%	1.1%	1.2%	13.3%	18.7%	12.8%	4.9%

Total Crashes 134 2018-2022

> Killed or Seriously **Injured Crashes**


Fatal Crashes


■ Crash Type by Mode: Ratios of All Crashes

		્	秀	
Head-On	2%			0%
Sideswipe	7%			0%
Broadside	11%			0%
Rear End	3%			0%
Hit Object	77%			0%
Other/Unkn	1%	0%	100%	0%
MV - straight		0%	0%	
MV - right turn		0%	0%	
MV - left turn		0%	0%	
	100%	0%	100%	0%

TOWN OF BLACK WOLF | CRASH INVENTORY 2018 - 2022

■ Crash Severity by Mode: All Crashes 25% 50% 75% 100% 0% No Apparent Possible Minor Serious Fatal No Apparent Possible 9 0 0 Minor 14 Serious 4 0 0 Fatal






Crash Location Attributes: KSI Crashes


Fatal Injury

TOWN OF BLACK WOLF | CRASH INVENTORY 2018 - 2022



Serious Injury

TOWN OF BLACK WOLF I CRASH ANALYSIS



High

Justice40 Tracts

250

Low


USDOT ETC Tracts

MPO Boundary

Municipal Boundary

Intersections

TOWN OF BLACK WOLF I HIGH-INJURY NETWORK



251

Municipal Boundary

Justice40 Tracts

Corridors

MPO Boundary

TOWN OF BLACK WOLF I PRIORITY PROJECTS



252


Intersections

Corridors

Justice40 Tracts



USDOT ETC Tracts





TOWN OF BLACK WOLF I PRIORITY PROJECTS

								Mode	Injury			
ID	Potential Project	Туре	From	То	Miles	Total	**	% 0	序	Serious	Fatal	
*C-1	USH 45	Corridor	N Town Limits	S Town Limits	6.89	115	114	0	1	7	0	

Project listing in no specific order

^{*} denotes project recommended by relevant County Highway Department and/or ECWRPC

^{**} includes all motor vehicle and motorcycle crashes

TOWN OF NEKIMI I CRASH INVENTORY 2018 - 2022

The Town of Nekimi had an estimated population of 1,095 in 2021, accounting for approximately 1% of the Oshkosh MPO total population. A total of 312 crashes occurred in the town between 2018 and 2022, representing 4% of total MPO crashes. Only crashes within the MPO planning boundary are included in the inventory and analysis.

There were six crashes which resulted in a person being killed or seriously injured (KSI), three crashes were fatal.

The majority of crashes occurred along corridors (81%) or at four-way intersections (15%). Most crashes occurred on divided (41%) or two-way (33%) roads, in addition, many also happened on state owned roads (47%).

Relative to the MPO, the town experienced a greater proportion of KSI, fatal, automobile, and speed crashes.

■ Municipal - MPO: Relative Share of All Crashes

	Sev	verity	Mode				A	ge	Violation	
	KSI	Fatal	~	%	序		Youth	Senior	Speed	DUI
Town of Nekimi	1.9%	1.0%	99.0%	0.0%	0.6%	0.3%	4.8%	16.0%	22.4%	3.2%
Oshkosh MPO	1.5%	0.2%	96.5%	1.2%	1.1%	1.2%	13.3%	18.7%	12.8%	4.9%

Total Crashes 312 2018-2022

- Killed or Seriously **Injured Crashes**
- **Fatal Crashes**


Crash Type by Mode: Ratios of All Crashes


	←	~	∱	÷
Head-On	3%			0%
Sideswipe	13%			0%
Broadside	16%			0%
Rear End	13%			0%
Hit Object	54%			100%
Other/Unkn	1%	0%	0%	0%
MV - straight		0%	100%	
MV - right turn		0%	0%	
MV - left turn		0%	0%	
	100%	0%	100%	100%

Fatal

TOWN OF NEKIMI I CRASH INVENTORY 2018 - 2022


■ Crash Severity by Mode: All Crashes 25% 50% 75% 100% 0% No Apparent Possible Minor Serious Fatal **્** No Apparent 246 Possible 24 ()Minor 33 Serious 3 0 0 0






Crash Location Attributes: KSI Crashes

TOWN OF NEKIMI I CRASH INVENTORY 2018 - 2022



Low

TOWN OF NEKIMI I CRASH ANALYSIS



Municipal Boundary


Justice40 Tracts

High

USDOT ETC Tracts

MPO Boundary

TOWN OF NEKIMI I HIGH-INJURY NETWORK



Corridors

Intersections

258


Justice40 Tracts

USDOT ETC Tracts

MPO Boundary

Municipal Boundary

TOWN OF NEKIMI I PRIORITY PROJECTS



MCD-Selected Projects
Intersections

Corridors

Equity Considerations

Justice 40 Tracts

USDOT ETC Tracts

MPO Boundary

Municipal Boundary

TOWN OF NEKIMI I PRIORITY PROJECTS

								Mode		Inju	
ID	Potential Project	Туре	From	То	Miles	Total	**	્ર	序	Serious	Fatal
	No projects provided/recommended at this time										

Project listing in no specific order

^{*} denotes project recommended by relevant County Highway Department and/or ECWRPC

^{**} includes all motor vehicle and motorcycle crashes

TOWN OF OMRO | CRASH INVENTORY 2018 - 2022

The Town of Omro had an estimated population of 2,188 in 2021, accounting for approximately 3% of the Oshkosh MPO total population. A total of 102 crashes occurred in the town between 2018 and 2022, representing 1% of total MPO crashes. Only crashes within the MPO planning boundary are included in the inventory and analysis.

There were five crashes which resulted in a person being killed or seriously injured (KSI), two crashes were fatal.

The majority of crashes occurred along corridors (71%) or at four-way intersections (25%). Most crashes occurred on two-way roads (64%), in addition, many also happened on state owned (47%) or locally owned (39%) roads.

Relative to the MPO, the town experienced a greater proportion of KSI, fatal, motorcycle, senior, speed, and DUI crashes.

■ Municipal - MPO: Relative Share of All Crashes

	Ser	verity	Mode				A	ge	Violation	
	KSI	Fatal	←	્	序		Youth	Senior	Speed	DUI
Town of Omro	4.9%	2.0%	95.1%	1.0%	0.0%	3.9%	9.8%	19.6%	15.7%	7.8%
Oshkosh MPO	1.5%	0.2%	96.5%	1.2%	1.1%	1.2%	13.3%	18.7%	12.8%	4.9%


Total Crashes 102 2018-2022


- Killed or Seriously **Injured Crashes**
- **Fatal Crashes**

Crash Type by Mode: Ratios of All Crashes


	~	્	序	÷
Head-On	2%			0%
Sideswipe	3%			0%
Broadside	11%			0%
Rear End	22%			25%
Hit Object	62%			75%
Other/Unkn	0%	0%	0%	0%
MV - straight		100%	0%	
MV - right turn		0%	0%	
MV - left turn		0%	0%	
	100%	100%	0%	100%

TOWN OF OMRO I CRASH INVENTORY 2018 - 2022






■ Crash Location Attributes: All Crashes




Crash Location Attributes: KSI Crashes


TOWN OF OMRO I CRASH INVENTORY 2018 - 2022




TOWN OF OMRO I CRASH ANALYSIS



TOWN OF OMRO I HIGH-INJURY NETWORK



TOWN OF OMRO I PRIORITY PROJECTS



TOWN OF OMRO I PRIORITY PROJECTS

								Mode		Injury		
ID	Potential Project	Туре	From	То	Miles	Total	**	%	序	Serious	Fatal	
D-1	STH 21	Corridor	W MPO Limits	E Town Limits	1.56	50	50	0	0	0	2	

Project listing in no specific order

denotes project recommended by relevant County Highway Department and/or ECWRPC

includes all motor vehicle and motorcycle crashes

TOWN OF OSHKOSH I CRASH INVENTORY 2018 - 2022

The Town of Oshkosh had an estimated population of 2,075 in 2021, accounting for approximately 3% of the Oshkosh MPO total population. A total of 608 crashes occurred in the town between 2018 and 2022, representing 8% of total MPO crashes. Only crashes within the MPO planning boundary are included in the inventory and analysis.

There were 10 crashes which resulted in a person being killed or seriously injured (KSI), no crashes were fatal. 10% of KSI crashes involved either a bicyclist or pedestrian.

The majority of crashes occurred along corridors (86%) or at four-way intersections (9%). Most crashes occurred on divided roads (49%), in addition, many also happened on state owned (42%) or federally owned (28%) roads.

Relative to the MPO, the town experienced a greater proportion of KSI, automobile, and speed crashes.

■ Municipal - MPO: Relative Share of All Crashes

	Sev	verity	Mode				A	ge	Violation	
	KSI	Fatal	~	%	序		Youth	Senior	Speed	DUI
Town of Oshkosh	1.6%	0.0%	98.5%	0.2%	0.2%	1.2%	8.1%	10.0%	22.9%	3.6%
Oshkosh MPO	1.5%	0.2%	96.5%	1.2%	1.1%	1.2%	13.3%	18.7%	12.8%	4.9%

608 Total Crashes 2018-2022

10 Killed or Seriously Injured Crashes

Fatal Crashes

■ Crash Type by Mode: Ratios of All Crashes

	•••	્	∱	÷
Head-On	1%			0%
Sideswipe	8%			0%
Broadside	10%			14%
Rear End	21%			14%
Hit Object	59%			71%
Other/Unkn	1%	0%	100%	0%
MV - straight		100%	0%	
MV - right turn		0%	0%	
MV - left turn		0%	0%	
	100%	100%	100%	100%


Serious


Fatal

TOWN OF OSHKOSH I CRASH INVENTORY 2018 - 2022

■ Crash Severity by Mode: All Crashes 50% 75% 100% 0% 25% No Apparent Possible Minor Serious Fatal No Apparent 474 Possible 63 0 0 Minor 55 7 2


0





Crash Location Attributes: KSI Crashes


TOWN OF OSHKOSH I CRASH INVENTORY 2018 - 2022



Date Exported: 1/17/2024 10:19 AM

Low

TOWN OF OSHKOSH I CRASH ANALYSIS



Municipal Boundary

Justice40 Tracts

High


USDOT ETC Tracts

MPO Boundary

272

Intersections

TOWN OF OSHKOSH I HIGH-INJURY NETWORK




Justice40 Tracts

Corridors

USDOT ETC Tracts

Intersections

TOWN OF OSHKOSH I PRIORITY PROJECTS



Municipal Boundary

Justice40 Tracts

Corridors

USDOT ETC Tracts

MPO Boundary

TOWN OF OSHKOSH I PRIORITY PROJECTS

							Mode			Injury		
ID	Potential Project	Туре	From	То	Miles	Total	**	%	序	Serious	Fatal	
E-1	Indian Point Rd & STH 76	Intersection	-	-	-	2	2	0	0	0	0	
E-2	STH 76	Corridor	CTH Y	USH 41	0.96	98	98	0	0	1	0	

Project listing in no specific order

^{*} denotes project recommended by relevant County Highway Department and/or ECWRPC

^{**} includes all motor vehicle and motorcycle crashes

TOWN OF UTICA | CRASH INVENTORY 2018 - 2022

The Town of Utica had an estimated population of 1,648 in 2021, accounting for approximately 2% of the Oshkosh MPO total population. A total of 4 crashes occurred in the town between 2018 and 2022, representing less than 1% of total MPO crashes. Only crashes within the MPO planning boundary are included in the inventory and analysis.

No crashes resulted in a person being killed or seriously injured (KSI).

All crashes occurred on a corridor. Three crashes occurred on a two-way road, while one occurred either on private property or an unknown classification. Three crashes happened on a state owned road while one was on a local road.

Relative to the MPO, the town experienced a greater proportion of automobile, senior, and DUI crashes.

■ Municipal - MPO: Relative Share of All Crashes

	Ser	verity	Mode				A	ge	Violation	
	KSI	Fatal	←	્	序	÷	Youth	Senior	Speed	DUI
Town of Utica	0.0%	0.0%	100%	0.0%	0.0%	0.0%	0.0%	25.0%	0.0%	25.0%
Oshkosh MPO	1.5%	0.2%	96.5%	1.2%	1.1%	1.2%	13.3%	18.7%	12.8%	4.9%


Total Crashes 2018-2022

- Killed or Seriously **Injured Crashes**
- **Fatal Crashes**


■ Crash Type by Mode: Ratios of All Crashes

		્	秀	÷.
Head-On	0%			0%
Sideswipe	0%			0%
Broadside	25%			0%
Rear End	25%			0%
Hit Object	50%			0%
Other/Unkn	0%	0%	0%	0%
MV - straight		0%	0%	
MV - right turn		0%	0%	
MV - left turn		0%	0%	
	100%	0%	0%	0%


TOWN OF UTICA | CRASH INVENTORY 2018 - 2022



TOWN OF UTICA | CRASH INVENTORY 2018 - 2022




TOWN OF UTICA I CRASH ANALYSIS



Intersections

TOWN OF UTICA I HIGH-INJURY NETWORK




Municipal Boundary

Justice40 Tracts

Corridors

TOWN OF UTICA I PRIORITY PROJECTS



TOWN OF UTICA I PRIORITY PROJECTS

								Mode		Inju	
ID	Potential Project	Туре	From	То	Miles	Total	**	્ર	序	Serious	Fatal
No projects provided/recommended at this time											

Project listing in no specific order

denotes project recommended by relevant County Highway Department and/or ECWRPC

includes all motor vehicle and motorcycle crashes

COMPREHENSIVE SAFETY ACTION PLAN

CHAPTER 5

RECOMMENDATIONS AND EVALUATION

RECOMMENDATIONS AND EVALUATION

Chapter Overview

The following chapter identifies the goals of the Comprehensive Safety Action Plan and recommends actions that, when implemented, will enhance infrastructure, behavioral, and operational safety of the roadway network in the Appleton (Fox Cities) and Oshkosh MPOs. Potential partners, timeframes, and evaluation indicators are also identified for each of the recommended actions. The chapter concludes by establishing system-wide performance measures for the Appleton (Fox Cities) and Oshkosh MPOs to monitor future progress towards the improvement of roadway safety and crash outcomes, as well as commitments to monitoring by ECWRPC.

Goals

The five goals of the Comprehensive Safety Action Plan: Safer Roads. Safer People, Safer Speeds, Post-Crash Care, and Collaboration, address a range of roadway safety priorities in the Appleton (Fox Cities) and Oshkosh MPOs. Four of these goals are directly related to four of the USDOT Safe System Approach objectives, with the fifth CSAP goal – Collaboration – distinct as it serves to support one or more of the other CSAP goals. As the Safe Systems Approach builds redundancy into roadway safety through multiple layers of protection, their inclusion as the goals of the CSAP ensures that actions identified under each goal will enhance infrastructure, behavioral, and operational safety of the roadway system for all users.

Proven Safety Countermeasures

Federal Highway Administration (FHWA) proven safety countermeasures are key to enhancing infrastructural, behavioral, and operational safety. A toolbox of these countermeasures is provided and recommended for implementation system-wide, where feasible, across both MPOs whether on priority projects, High-Injury Networks, or frequent crash corridors and intersections. As countermeasures are implemented in a project on a case-by-case basis depending on the unique characteristics of that project, specific countermeasures are not prescribed to the MPO and municipal priority projects identified earlier in the document. Rather, the usage of one or many countermeasures is highly encouraged in the recommended actions related to improving safety whether on specific priority projects or across High-Injury Networks.

Recommended Actions, Partners, Timeframes, and Evaluation Indicators To realize the goals of the CSAP, recommended actions and related potential partners, timeframes for implementation, and evaluation

indicators are provided. Actions are intended to guide the implementation of the CSAP goals and were developed from feedback ascertained throughout the planning process, stakeholder and public engagement, and activities identified in other ECWRPC transportation plans, including the Appleton (Fox Cities) MPO Long Range Transportation Plan, Oshkosh Long Range Transportation Plan, ECWRPC Safety Action Plan for Implementing Pedestrian Crossing Countermeasures, and the Appleton (Fox Cities) TMA and Oshkosh MPO Bicycle and Pedestrian Plan.

RECOMMENDATIONS AND EVALUATION

Recommended actions include an array of infrastructural, behavioral, and operational activities eligible for support from SS4A Supplemental, Demonstration, and/or Implementation Grant funding to address individual or system-wide roadway safety problems for all users. These recommended actions outline methods that either individual municipalities or each MPO should take to improve crash outcomes for all users across the MPOs.

Recommended actions are implementable activities meant to achieve one or more of the CSAP goals. Recommended actions encompass an array of activities intended to bring about infrastructure, behavioral, and/ or operational change through the evaluation and/or implementation of countermeasures, policy changes, educational campaigns, engagement activities, further planning and analysis, collaboration, and many other activities. Regardless whether actions are applied to individual projects or are instituted system-wide, their implementation will enhance safety for all roadway users in the Appleton (Fox Cities) MPO and Oshkosh MPO.

Key to the implementation of the plan, recommended partnerships of agencies that may lead, implement, or support each action are identified next to each action item. The listing of partner agencies is not intended to be exclusive, and partners should be engaged and added as necessary. In addition, timeframes are provided for each action item to provide context to the priority and feasibility of the action while evaluation indicators identify how progress on individual actions will be measured.

The Action Plan elements identified in this chapter are formatted as follows:

- Goal: The Comprehensive Safety Action Goal intended to improve infrastructure, behavioral, and operational safety of the roadway network for all users.
- Action: Recommendations of infrastructural, behavioral, and/ or operational activities intended for implementation on individual projects and/or system-wide to achieve the goals of the CSAP.
- Partners: Recommend agencies to lead, implement, and/or support the action.
- **Timeframes**: The estimated timeframe recommended to complete the action.

Short-term: 1-3 years. Mid-term: 3-5 years.

Long-term: more than 5 years

• Evaluation Indicators: Measure progress towards implementing each action

Performance Measures and Monitoring

In addition to evaluation indicators tied to the performance of recommended action items, system-wide performance measures for the Appleton (Fox Cities) and Oshkosh MPOs are identified in the CSAP to monitor overall progress towards network safety, condition, and reliability. ECWRPC will also perform activities related to the monitoring and reporting of CSAP progress.

RECOMMENDED PROVEN SAFETY COUNTERMEASURES

Recommended Proven Safety Countermeasures

Federal Highway Administration (FHWA) Proven Safety Countermeasures are a toolbox of 28 infrastructural improvements and operational changes that are effective in addressing the causes of crashes and reducing roadway serious injuries and fatalities. 10 Identified in Table 5.1, these countermeasures are recommended by the CSAP for implementation on a case-by-case basis on MPO and municipal High-Injury Networks, and especially on priority projects, to address the causes of serious injury and fatal crashes. For MPO and municipal priority projects, it is recommended that one or more proven safety countermeasures be implemented to address the unique safety issues of each project.

Given the unique characteristics of the priority projects identified by the CSAP, countermeasures are not prescribed for individual projects, however, one or more of these countermeasures should be included when implementing a project. ECWRPC encourages local agencies to follow the guidance included in FHWA and other national, State, and local guidelines when making the final selection of countermeasures.

Table 5.1 FHWA Proven Safety Countermeasures

Speed Management
Appropriate Speed Limits for All Road Users
Speed Safety Cameras
Variable Speed Limits
Pedestrian/Bicyclist
Bicycle Lanes
Crosswalk Visibility Enhancements
Leading Pedestrian Interval
Medians and Pedestrian Refuge Islands
Pedestrian Hybrid Beacons
Rectangular Rapid Flashing Beacons (RRFB)
Road Diets
Walkways
Roadway Departure
Enhanced Delineation for Horizontal Curves
Longitudinal Rumble Strips and Stripes on Two-Lane Roads
Median Barriers
Roadside Design Improvements at Curve
Safety Edge
Wider Edge Lines
Intersections
Backplates with Retroreflective Borders
Corridor Access Management
Dedicated Left-and-Right-Turn Lanes at Intersections
Reduced Let-Turn Conflict Intersections
Roundabouts
Systemic Application of Multiple Low-Cost Countermeasures at Stop-Controlled
Intersections
Yellow Change Intervals
Crosscutting
Lighting
Local Road Safety Plans
Pavement Friction Management
Road Safety Audit

¹⁰ United States Department of Transportation Federal Highway Administration. 2023. "Proven Safety Countermeasures." United States Department of Transportation https://highways.dot.gov/safety/proven-safety-countermeasures

GOAL 1: SAFER ROADS

Roadway design influences how people use roadways and shapes how safety risks are borne by the various modes of transportation. The implementation of proven safety countermeasures and other innovative transportation infrastructure is key to reducing serious injuries and roadway fatalities by preventing conflict between modes. All users deserve safe passage and dedicated infrastructure.

Table 5.2 Goal 1: Safer Roads - Recommended Actions, Partners, Timeframe, and Evaluation Indicators

	Potential Partners	Timeframe	Evaluation Indicator
Safer Roads			
Redesign and reconstruct corridor and intersection priority projects to address their chronic safety issues. Implement and incorporate innovative design changes and proven safety countermeasures in projects when appropriate.	MPO, jurisdiction, WisDOT	Varies by Project	# of projects completed
Improve unsafe corridors and intersections system-wide, particularly on High-Injury Networks, by implementing proven safety countermeasures and other innovative roadway safety infrastructure to ensure all roadway users are considered in the planning, design, and construction of existing and new roadways	MPO, jurisdiction, WisDOT	Varies by Project	# of countermeasures installed
Maintain, update, and expand existing proven safety countermeasures system-wide	MPO, jurisdiction, WisDOT	Short-term	# of countermeasures installed
Apply low-cost roadway safety treatments system-wide including but not limited to left- and right-turn lanes at intersections, centerline and shoulder rumble strips, wider edge lines, high-friction surface treatments, road diets, and better signage along corridors	MPO, jurisdiction, WisDOT	Short-term	# of safety treatments deployed
Close pedestrian network gaps by installing infrastructure and safety enhancements such as sidewalks, rectangular rapid-flashing beacons, signal improvements, and audible pedestrian signals for people walking, rolling, or using mobility assisted devices, system-wide	MPO, jurisdiction, WisDOT	Short-term	Miles of sidewalk added
Maintain, update, and expand the bicycle network by installing bicycle infrastructure cognizant of different roadway volumes and speeds	MPO, jurisdiction, WisDOT	Short-term	Miles of bike lanes/trails added
Correct common risks for transit users at transit stops, in designated neighborhoods, or along a busy public transportation routes through the installation of street lighting, clearer signage, high-visibility pavement markings, and rumble strips	MPO, jurisdiction, Transit Agencies, WisDOT	Short-term	# of interventions installed
Implement Complete Street pilot projects and/or retrofits, especially on priority projects and High- Injury Networks, to improve safety for all users	MPO, jurisdiction, WisDOT	Short-term	# of Complete Street pilot projects/retrofits installed
Use quick-build demonstration projects to allow public agencies; community partners; and people walking, bicycling, taking transit, and driving to evaluate potential infrastructure improvements prior to investing in permanent changes, when appropriate	MPO, jurisdiction, WisDOT	Mid-term	# of demonstration projects deployed

GOAL 2: SAFER SPEEDS

Speeding is one of the leading causes of injury in motor-vehicle related accidents, increasing both the frequency and severity of crashes. Higher vehicle speeds leave less time for both motorists and non-motorists to read and react, and disproportionately impact safety and injury outcomes for non-motorist modes. Modifying infrastructure and encouraging responsible behaviors plays a significant role in creating a safer system.

Table 5.3 Goal 2: Safer Speeds - Recommended Actions, Partners, Timeframe, and Evaluation Indicators

F	Potential Partners	Timeframe	Evaluation Indicator
Safer Speeds			
Develop, implement, expand, and improve enforcement programs designed to enhance community health, deescalate situations, and to be proactive advocates for community Enformembers.	Jurisdiction, Law orcement, Community Orgs	Long-term	Actions supported
I TRATTIC CAIMING YOAG GOCIGN CHANGOC AGGRECING CHOOG AIGHG VOV CORRIGORS THYOUGH	PO, Jurisdiction, Law forcement, Community Orgs, WisDOT	Mid-term	Actions supported, # of speed limit reductions

GOAL 3: SAFER PEOPLE

The safety of people is a foundational component of a safe system. Operations and infrastructure can be modified and improved to mitigate costly lapses in judgment and encourage safe and responsible behaviors among all road users. Education, outreach, engineering solutions, and enforcement are all actions that can address both persistent behavioral and operational safety issues and ensure that people are safer on MPO roadways.

Table 5.4 Goal 3: Safer People - Recommended Actions, Partners, Timeframe, and Evaluation Indicators

	Potential Partners	Timeframe	Evaluation Indicator
Safer People			
Develop, implement, and/or evaluate public education traffic safety awareness campaigns and trainings to improve public understanding of highway safety, safe driving practices, and/or bicyclist/pedestrian visibility and awareness	MPO, Jurisdiction, Law Enforcement, Community Orgs, Transit Agencies, WisDOT	Short-term	# of campaigns conducted
Educate and engage the public through education campaigns that accompany new or innovative transportation infrastructure, policies, and/or practices	MPO, Jurisdiction, Law Enforcement, Community Orgs, Transit Agencies, WisDOT	Mid-term	# of campaigns conducted
Ensure investment in underserved communities by conducting targeted equity assessments and thorough public engagement	MPO, Jurisdiction, Community Orgs, Transit Agencies, WisDOT	Short-term	# of equity assessments conducted
Implement and/or expand programming that ensures safe routes to school and public transit services through multiple activities that lead to safety, especially in underserved communities.	MPO, Jurisdiction, Community Orgs, Transit Agencies, WisDOT	Short-term	# of programs created
Engage community members/residents of areas impacted in the design and construction process of transportation infrastructure utilizing ECWRPC's Equitable Engagement Toolkit and Guidebook	MPO, Jurisdiction, Community Orgs, WisDOT	Short-term	Actions supported
Create and implement policies that address year-round maintenance of all roadway facilities, including bicycle and pedestrian facilities	MPO, Jurisdiction, WisDOT	Long-term	Actions supported
Evaluate current policies, plans, guidelines, and/or standards to identify opportunities to improve how processes prioritize transportation safety for all roadway users	MPO, Jurisdiction, Transit Agencies, WisDOT	Mid-term	Policies evaluated
Develop and implement pilot programs that demonstrate the benefits of commercially available yet uncommon technologies including but not limited to variable speed limits, technology for adaptive signal timing, adaptive lighting, Intelligent Transportation Systems, and vehicle-to-infrastructure technology	MPO, Jurisdiction, Transit Agencies, WisDOT	Long-term	Actions supported

GOAL 4: POST-CRASH CARE

Timely access to medical care post-crash is key to preventing injuries from becoming fatal. First responders must have a safe working environment to properly administer care; prevention of secondary incidents from traffic disruptions is crucial. Enhancing operational systems and improving collaboration between multiple agencies can improve post-crash care outcomes for all roadway users.

Table 5.5 Goal 4: Post-Crash Care - Recommended Actions, Partners, Timeframe, and Evaluation Indicators

	Potential Partners	Timeframe	Evaluation Indicator
Post-Crash Care			
Enhance the existing processes of multiple partners to detect, respond to, and clear traffic incidents so that traffic flow may be restored as safely and quickly as possible by improving existing processes and implementing new technologies	MPO, Jurisdiction, Law Enforcement, Emergency Services, WisDOT	Mid-term	Actions supported
Develop and implement pilot programs that test, evaluate, and improve Emergency Medical Service operational processes and responses to crashes	MPO, Jurisdiction, Law Enforcement, Emergency Services, WisDOT	Long-term	Pilot programs launched

GOAL 5: COLLABORATION

Road safety is not a singular mission, and collaboration between Federal, State, and Local partners – both public and private sector - is imperative to bring about infrastructural, behavioral, and operational change to improve roadway safety. Partnership opportunities between entities is multifaceted, ranging from data-sharing and analysis to traffic safety campaigns, and from developing training materials to new technology. Partnerships and collaboration help local organizations stay up-to-date with the latest methods and technology, and local data helps Federal and State partners gain in-depth understanding of the system.

Table 5.6 Goal 5: Collaboration - Recommended Actions, Partners, Timeframe, and Evaluation Indicators

	Potential Partners	Timeframe	Evaluation Indicator
Collaboration			
Establish or delegate a committee to annually evaluate, measure, and report on the progress of the Comprehensive Safety Action Plan	MPO, Jurisdiction, Transit Agencies, WisDOT	Short-term	Committee established/delegated
Reference and implement recommendations found in the following plans: Appleton (Fox Cities) MPO Long Range Transportation Plan, Oshkosh Long Range Transportation Plan, ECWRPC Safety Action Plan for Implementing Pedestrian Crossing Countermeasures, Appleton (Fox Cities) MPO Bike/Ped Plan, Oshkosh MPO Bike/Ped Plan	MPO, Jurisdiction, Transit Agencies, WisDOT	Mid-term	Actions supported
Establish and maintain partnerships with state agencies, local jurisdictions, and other stakeholders interested in mobility, equity, and transportation safety issues	MPO, Jurisdiction, Community Orgs, Transit Agencies, WisDOT	Short-term	Partnerships established/maintained
Work with community leaders/staff, schools, community-based organizations, and community members to conduct walk/roll audits to better understand safety concerns	MPO, Jurisdiction, Schools, Community Orgs, WisDOT	Short-term	# walk/roll audits conducted
Regularly conduct, update, and expand crash data collection, evaluation of crash data trends, and analysis activities such as updating the High-Injury Network	MPO, Jurisdiction, TOPS Lab, Law Enforcement, Transit Agencies, Traffic Safety Cmsn, WisDOT	Short-term	Actions supported
Develop additional safety sub-plans focused on topics including but not limited to: speed management, vulnerable road users, accessibility for individuals with disabilities, Americans with Disabilities Act of 1990 (ADA) transition plans, health equity, safety-focused Intelligent Transportation System implementation, lighting, or other relevant safety topics	MPO, Jurisdiction, Transit Agencies, WisDOT	Mid-term	# new plans developed
Coordinate and develop feasibility studies that evaluate quick-build strategies to inform permanent projects in the future	t MPO, Jurisdiction, WisDOT	Short-term	# studies conducted
Continually evaluate the need for future roadway safety planning activities that enhance or further the implementation of the CSAP	MPO, Jurisdiction, WisDOT	Short-term	# studies conducted
Develop training materials and provide technical assistance for agencies to maximize accuracy and efficiency for both input and analysis of crash data	MPO, Jurisdiction, Transit Agencies, WisDOT	Long-term	Materials developed

PERFORMANCE MEASURES AND MONITORING

Performance Measures

Transportation performance measures are quantitative metrics that give valuable insight into the effectiveness of the transportation system. Data is collected and tracked over time to discern trends. Targets are developed by looking at prior years' actual observed values and setting plausibly attainable goals to achieve desired trends in the metrics. By selecting projects to implement that correspond to the performance measures, progress can be made to achieve the targets.

The Federal Highway Administration (FHWA) outlines three different performance measure categories: PM1: Safety, PM2: Infrastructure Condition, and PM3: System/ Time Reliability. The Wisconsin Department of Transportation tracks the actual observed values on each metric and sets statewide targets. Both the Appleton (Fox Cities) and Oshkosh MPOs adopt the state performance measure targets. These adopted measures and targets are displayed in Figures 5.7, 5.8, and 5.9.

Table 5.7 Performance Measure 1: Safety

	2018-2022 Baseline Averages	2024 Safety Targets
PM1: Safety		
Number of Fatalities	600.8	588.8
Rate of Fatalities per 100 million VMT	0.934	0.915
Number of Serious Injuries	3095.6	3033.7
Rate of Serious Injuries per 100 million VMT	4.822	4.726
Number of Non-Motorized Fatalities and Serious Injuries	379.4	371.8

Table 5.8 Performance Measure 2: Infrastructure Condition

	Baseline	2-Year Targets	4-Year Targets
PM2: Infrastructure Condition			
Interstate – Percentage pavements in "Good" condition	65.90%	> 60.0%	> 60.0%
Interstate – Percentage pavements in "Poor" condition	0.30%	< 4.0%	< 4.0%
Non-Interstate NHS – Percentage pavements in "Good" condition	36.30%	> 30.0%	> 30.0%
Non-Interstate NHS – Percentage pavements in "Poor" condition	4.20%	< 10.0%	< 10.0%
National Highway System (NHS) Bridges in "Good" condition	51.30%	> 49.0%	> 48.0%
National Highway System (NHS) Bridges in "Poor" condition	2.60%	< 10.0%	< 3.0%

PERFORMANCE MEASURES AND MONITORING

Implementing the goals and recommended actions of the Comprehensive Safety Action Plan will contribute towards meeting the targets. In addition, implementing improvements on MPO and municipal projects and High-Injury Networks will directly contribute to positive outcomes in PM1: Safety.

While much of the CSAP is related to the safety performance measure. implementation of actions will also improve performance measures in PM2: Infrastructure Condition and PM3: System/ Time Reliability. By implementing the recommended actions identified in the CSAP and improving network conditions through implementation of safer infrastructure on priority projects and across the High-Injury Networks, it is the expectation that the Appleton (Fox Cities) and Oshkosh MPOs will help reach the targets established in PM1, PM2, and PM3.

Monitoring

ECWRPC will regularly evaluate and report CSAP progress in the Appleton (Fox Cities) MPO and Oshkosh MPO. An Annual Comprehensive Safety Action Plan Report will review available crash data to monitor crash trends, modify High-Injury Networks as necessary, review priority project statuses, and evaluate progress made toward advancing the goals and recommended actions. The CSAP may be amended to add, remove, or edit priority projects and/or recommended actions. Progress will be monitored in concert with the other Appleton (Fox Cities) MPO and Oshkosh MPO planning processes such as the Long Range Transportation Plan (LRTP) and the Transportation Improvement Program (TIP). Additionally, State of the System reports, which are done annually, track the progress of each MPO's defined performance measures through datasets and maps. This report will assist in understanding trends and will assist in monitoring the overall progress of CSAP, especially as projects are implemented.

Table 5.9 Performance Measure 3: System/Time Reliability

	Baseline	2-Year Targets	4-Year Targets
PM3: System/Time Reliability			
Travel Reliability: % of person – miles traveled that are reliable on the Interstate System	96.4%	92.5%	93.0%
Travel Reliability: % of person – miles traveled that are reliable on Non- Interstate NHS	93.9%	91.0%	89.5%
Freight Reliability: Truck Travel Time Reliability Index on the Interstate	1.20	1.30	1.30

COMPREHENSIVE SAFETY ACTION PLAN

APPENDIX A:

SS4A SELF-CERTIFICATION ELIGIBILITY WORKSHEET

Safe Streets and Roads for All

Self-Certification Eligibility Worksheet

Applicants should follow the instructions in the NOFO to correctly apply for a grant. See the SS4A website for more information.

Instructions: The purpose of this worksheet is to determine whether an applicant's existing plan(s) is substantially similar to an Action Plan for purposes of applying for an Implementation Grant or to conduct Supplemental Planning/Demonstration Activities only. Use of this worksheet is required. Applicants should not adjust the formatting or headings of the worksheet.

For each question below, answer "yes" or "no." If "yes," cite the specific page in your existing Action Plan or other plan(s) that corroborate your response, or cite and provide other supporting documentation separately.

An applicant is eligible to apply for an Action Plan Grant that funds supplemental action plan activities, or an Implementation Grant, only if the following two conditions are met:

- Answer "yes" to Questions

• Analysis of systemic and specific safety needs is also performed, as needed (e.g., high risk road features, specific safety needs of relevant

A geospatial identification (geographic or locational data using maps)

Answer "yes" to at least four of the six remaining Questions
 1
 2
 4
 5
 6
 8



If both conditions are not met, an applicant is still eligible to apply for an Action Plan Grant that funds creation of a new Action Plan.

Lead Applicant: UEI: Are both of the following true? NO YFS • Did a high-ranking official and/or governing body in the jurisdiction If yes, provide documentation: publicly commit to an eventual goal of zero roadway fatalities and serious injuries? • Did the commitment include either setting a target date to reach zero, OR setting one or more targets to achieve significant declines in roadway fatalities and serious injuries by a specific date? To develop the Action Plan, was a committee, task force, implementation YES NO group, or similar body established and charged with the plan's If yes, provide documentation: development, implementation, and monitoring? 3 Does the Action Plan include all of the following? NO YES Analysis of existing conditions and historical trends to baseline the level If yes, provide documentation: of crashes involving fatalities and serious injuries across a jurisdiction, locality, Tribe, or region; • Analysis of the location where there are crashes, the severity, as well as contributing factors and crash types;



of higher risk locations.

road users; and,

 $\frac{S \mid S}{4 \mid A}$

Safe Streets and Roads for All

Self-Certification Eligibility Worksheet

 Did the Action Plan development include all of the following activities? Engagement with the public and relevant stakeholders, including the private sector and community groups; Incorporation of information received from the engagement and collaboration into the plan; and Coordination that included inter- and intra-governmental cooperation and collaboration, as appropriate. 	YES NO If yes, provide documentation:
 Did the Action Plan development include all of the following? Considerations of equity using inclusive and representative processes; The identification of underserved communities through data; and Equity analysis, in collaboration with appropriate partners, focused on initial equity impact assessments of the proposed projects and strategies, and population characteristics. 	YES NO If yes, provide documentation:
 Are both of the following true? The plan development included an assessment of current policies, plans, guidelines, and/or standards to identify opportunities to improve how processes prioritize safety; and The plan discusses implementation through the adoption of revised or new policies, guidelines, and/or standards. 	YES NO If yes, provide documentation:
Does the plan identify a comprehensive set of projects and strategies to address the safety problems in the Action Plan, time ranges when projects and strategies will be deployed, and explain project prioritization criteria?	YES NO If yes, provide documentation:
 Does the plan include all of the following? A description of how progress will be measured over time that includes, at a minimum, outcome data. The plan is posted publicly online. 	YES NO If yes, provide documentation:
Was the plan finalized and/or last updated between 2018 and June 2023?	YES NO If yes, provide documentation:



COMPREHENSIVE SAFETY ACTION PLAN

APPENDIX B:

PUBLIC ENGAGEMENT SURVEY RESULTS

Figure B.1 Damaged or Missing Sidewalks

Figure B.2 Distracted Driving (Caused by Electronic Devices)




Figure B.3 Drug, alcohol, or other Impaired Driving




Figure B.4 Motorists Not Following the Law




Figure B.5 Non-motorists Not Following the Law




Figure B.6 Insufficient Roadway Lighting




Figure B.7 Speeding

10 (Most Important) 9 8 6 Ranked Importance 1 (Least Important) 0 20 30 40 10 50 % of Respondents

Figure B.8 Lack of Safe Street Crossing for Pedestrians




Figure B.9 Vehicle Maintenance/Malfunction




Figure B.10 Lack of Accommodations for Bicyclists




Figure B.11 Frequency of Riding a Bike Recreationally




Figure B.12 Frequency of Riding a Bike to a Destination (Work, Store, etc.)




Figure B.13 Frequency of Walking Recreationally




Figure B.14 Frequency of Walking to a Destination




Figure B.15 Frequency of Driving a Car, SUV, or Truck




Figure B.16 Frequency of Using Public Transportation




Figure B.17 Frequency of Operating a Motorcycle or Moped






Figure B.18 Frequency of Operating an E-Scooter or E-Bike




SAFETY PERCEPTION OF ROADWAY FEATURES BY USER GROUP RESULTS

Figure B.19 Safety Perception of Roadway Features by Car Users

Figure B.20 Safety Perception of Roadway Features by Bike Users





their perception of safety for different roadway attributes, features, and behaviors according to car, bike, and pedestrian/transit user groups

SAFETY PERCEPTION OF ROADWAY FEATURES BY USER **GROUP RESULTS**

FAMILIARITY WITH SAFE SYSTEMS APPROACH

Figure B.21 Safety Perception of Roadway Features by Pedestrians





Figure B.22 Familiarity with the Safe Systems Approach



RESPONDENT DEMOGRAPHIC RESULTS

Figure B.23 Respondent Age






Figure B.24 Respondent Race



RESPONDENT DEMOGRAPHIC RESULTS

Figure B.25 Respondent Income



COMPREHENSIVE SAFETY ACTION PLAN

APPENDIX C:

SRF CSAP MPO PROJECT PRIORITIZATION MEMO



Draft Memorandum

SRF No. 16840.00

To: Melissa A. Kraemer Badtke, Executive Director

Casey Peters, GIS Analyst I Colin Kafka, Associate Planner

From: Priyam Saxena, PhD, Civil Design Lead

Paul Chellevold, AICP, Project Manager

Date: September 21, 2023

Comprehensive Safety Action Plan: Project Funding Eligibility and Prioritization

Subject: Analysis

Introduction

This document reports the findings of project prioritization analysis for the Comprehensive Safety Action Plan (CSAP) currently being developed by East Central Wisconsin Regional Planning Commission (ECWRPC) to fulfill the requirements of the Safe Streets and Roads for All (SS4A) Action Plan issued by the U.S. Department of Transportation (USDOT). The priority projects identified in the CSAP may be eligible to apply for SS4A Implementation Grants, including supplemental planning and demonstration activities. A list of 17 projects (13 within the Appleton (Fox Cities) Transportation Management Area (TMA) boundaries and four within Oshkosh Metropolitan Planning Organization (MPO) boundaries) was curated, based on the inventory and analysis of municipal and MPO-level crash data and identification of priority projects, by ECWRPC staff in collaboration with municipalities within the Appleton (Fox Cities) TMA and Oshkosh MPO.

Safe Streets and Roads for All (SS4A) Grants

The Safe Streets and Roads for All (SS4A) Grants fund regional, local, and tribal initiatives which significantly reduce or eliminate roadway fatalities and serious injuries through two main types of grants:

- Planning and Demonstration Grants for the development of comprehensive safety action plans, and
- 2) Implementation Grants to implement strategies or projects that are consistent with an existing Action Plan.

Additionally, both types of SS4A grants allow for bundling of funding requests for supplemental planning and demonstration activities. These can include feasibility studies using quick-build strategies, pilot programs for behavioral or operational activities, or any activity that informs an Action Plan "by testing proposed project and strategy approaches to determine their potential benefits and future scope."

Implementation Grants provide funding for communities to implement strategies and projects that will significantly reduce or eliminate transportation-related fatalities and serious injuries. These projects can be corridor specific, systemwide projects, spot/intersection improvements, or a combination thereof. However, USDOT recommends identifying similarly scoped projects to address a significant problem within the applicant's jurisdiction. The proposed strategies and projects should contain interventions focused on infrastructure, behavioral, and/or operational safety.

In FY 2023, additional award considerations would be made for projects that have a high percentage of funds that benefit underserved communities, are in rural areas, request less than \$10 million in Federal funds, and/or support geographic diversity amongst the Implementation Grant award recipients. Among well-rated applicants, the Secretary may prioritize applicants and jurisdictions that did not receive an SS4A grant in FY 2022 over applicants that did receive an FY 2022 award. The Secretary may also prioritize applications that will use demonstration activities or supplemental planning as part of the development of, or update to, an Action Plan.

Prioritization Methodology

Selected projects based on the highest priority areas for ECWRPC were analyzed using the five-year crash data (2018 to 2022) from University of Wisconsin-Madison - Traffic Operations and Safety (TOPS) Laboratory. In alignment with the SS4A Implementation Grant criteria, this dataset was examined for crash types and contributing factors that are highly represented in fatal and serious injury crashes. As individual crashes potentially result from several contributing causal factors relating to the roadway or environmental conditions, the vehicle, and ultimately the decisions made by drivers, the crash characteristics were organized under the following six categories:

- 1. Geographic area of crash road classification, rural/urban
- 2. Geometric type of crash intersection/segment/ramp entry/exit/lane departures
- 3. Person type involved in crash teen/senior/pedestrian/bicyclist
- 4. Behavioral characteristics associated with the crash Aggressive/reckless/distracted driving, driving under the influence of alcohol or drugs, speeding
- 5. Vehicle type involved motor vehicle/motorcycle/moped/bicycle
- 6. Environmental conditions dry/wet, cloudy/clear/snow, daylight/dark-unlit/dawn/dusk

Further, equity considerations were superimposed on the shortlisted projects such that benefits going towards the underserved communities can be maximized.

The projects that did not have fatal or serious injury crashes along the project location and were deemed significant due to the upcoming planned development, were also analyzed for existing and projected conditions to proactively mitigate the safety challenges in these locations.

The approach helps identify not only a priority list of candidate projects for SS4A Implementation Grants, but also specific, achievable improvement strategies for each project. The next step would involve estimating a planning-level cost estimate for each project, so that a distinct set of projects can be recommended for the SS4A Implementation grant and the appropriate award request can be assessed.

Prioritization Analysis

Rural/Urban Designation

FY 2023 SS4A NOFO defines jurisdictions outside an Urban Area (UA) or located within Urban Areas with populations fewer than 200,000 as rural. Based on this definition, Appleton (Fox Cities) TMA will be designated as an urban location while Oshkosh MPO will be designated as a rural location.

Underserved Community Considerations

The NOFO defines underserved communities based on census tracts identified as disadvantages using the following two tools. However, only one option may be selected to identify the underserved communities.

- 1. Justice 40 Initiative's <u>Climate and Economic Justice Screening Tool (CEJST)</u>
- 2. USDOT's Equitable Transportation Community (ETC) Explorer

Total Jurisdiction Average Annual Fatality Rate (per 100,000 population)

The average annual fatality rate is calculated using the five-year annual average of the total count of fatalities based on FARS data (or comparable dataset), divided by the population of the applicant's jurisdiction based on 2020 U.S. Census ACS population data. Table 1 shows the average annual fatality rate for Appleton (Fox Cities) TMA and Oshkosh MPO. This statistic is a required application input and is used to compare the fatality rate in similar sized communities to assess the appropriateness of requested SS4A funds.

Table 1. Average Annual Fatality Rate

Jurisdiction	Total Fatal Crashes	Population	Average Annual Fatality Rate (per 100,000 population)
Appleton TMA	52	230,967	4.50
Oshkosh MPO	19	76,190	4.99

Percentage of Underserved Community Population

The percentage of underserved community population within the project census tracts was obtained by dividing the population living in Underserved Community designated census tracts¹ along the project corridors by the total population living in the jurisdiction. SS4A Implementation grants make additional award considerations for projects that have a high percentage of funds benefitting the underserved communities.

3

¹ Based on USDOT's Equitable Transportation Community (ETC) Explorer tool.

Table 2. Percentage of Underserved Community Population

Jurisdiction	Total Underserved Population	Population	Percent Underserved Population (%)		
Appleton MPO	23,600	230,967	10.22		
Oshkosh MPO	2,500	76,190	3.28		

Project Analysis

The evaluated projects were numbered as shown in Table 1.

Table 3. Project data

Project No.	Location	Crashes		Total (K+A)	Unders Comm		TMA/MPO
		K ²	A ³		CEJST	ETC	
1	CTH AP / Midway Road	1	9	10	No	No	Appleton
2	CTH KKs	3	10	13	Partially	Partially	Appleton
3	College Avenue	1	13	14	Partially	Yes	Appleton
4	СТН ЈЈ	2	4	6	Partially	No	Appleton
5	CTH OO & Holland Road Intersection	0	0	0	No	No	Appleton
6	CTH BB & CTH CB Intersection	0	0	0	No	No	Appleton
7	CTH E & CTH EE Intersection	0	0	0	No	No	Appleton
8	CTH N	1	3	4	No	No	Appleton
9	CTH CE & Fieldcrest Drive	0	0	0	No	No	Appleton
10	Bluemound Drive	0	4	4	No	Yes	Appleton
11	Jacobsen Road	0	0	0	No	No	Appleton
12	Larsen Road/Oakridge Road	0	5	5	Partially	No	Appleton
13	STH 47 (Appleton Road)	0	10	10	Partially	Partially	Appleton
14	Jackson Street / STH 76	0	2	2	Partially	No	Oshkosh
15	Pedestrian Bridge Access across I-41	1	8	9	Partially	No	Oshkosh
16	STH 45	0	3	3	No	No	Oshkosh

² Fatal crashes

³ Suspected serious injury crashes

17	Oshkosh Avenue & Sawyer	0	1	1	No	No	Oshkosh	
	Street Intersection							

Figures 1 and 2 show the fatal and serious injury crashes mapped along each project location for Appleton (Fox Cities) TMA and Oshkosh MPO, respectively. Figures 3 and 4 show the underserved communities in the entire region using the CEJST and ETC tools, respectively. Since additional award considerations are made for projects that have a high percentage of funds that benefit underserved communities or are in rural areas, it is crucial to prioritize projects meeting those criteria.




Figure 1. Fatal and suspected serious injury crash locations within Appleton TMA boundary for selected projects.



Figure 2. Fatal and suspected serious injury crash locations within Oshkosh MPO boundary for selected projects.




Figure 3. Underserved communities using CEJST tool.




Figure 4. Underserved communities using ETC tool.

The following section documents the evaluation of each of the 17 projects (13 in Appleton TMA and four in Oshkosh MPO). The analysis includes an inventory of crash location, crash type and severity, average annual daily traffic (AADT), speed, and other relevant crash characteristics discussed under prioritization methodology. The underserved community census tracts, if present, are also mapped using both CEJST and ETC tools, for each project.

Appleton (Fox Cities) Transportation Management Area

Project # 1 - CTH AP / Midway Road project from Schmidt Road to I-441

County Highway (CTH) AP experienced one fatal and nine suspected serious injury crashes from 2018 to 2022. The project corridor has an annual average daily traffic (AADT) of 9,100 vehicles per day (vpd) and a posted speed limit of 35 mph. Of the ten fatal and serious injury crashes, eight occurred at various intersections along CTH AP. The fatality occurred at the roundabout (RAB) at S. Lake Park Road intersection and involved a speeding motorcyclist. Three of the crashes involved teen drivers. The project limits are not within a designated underserved community, according to the CEJST or ETC tools.




Figure 5. Project #1 – CTH AP / Midway Road from Schmidt Road to I-441

Project #2 - CTH KK (entire corridor)

County Highway (CTH) KK documents a high number of fatal and suspected severe injury crashes, largely stemming from congestion due to I-441 and considerable development along the corridor. The corridor experiences high traffic volumes of up to 34,800 vpd. Between 2018 and 2022, three fatal and ten suspected severe injury crashes occurred at ten intersections and three non-intersection locations along CTH KK. Nine crashes occurred at four-way intersections while one crash (fatal) occurred at a T-intersection. Five of the crashes involved teenage drivers while one involved a pedestrian. The pedestrian crash occurred in the segment between CTH KK/Noe Road and CTH KK/Darby Drive T-intersections, near the Holy Spirit Elementary school during the early morning hours. It is expected that congestion will worsen with the upcoming planned development in the area which will exacerbate the existing problems due to high traffic volumes.




Figure 6. Project #2 – County Highway (CTH) KK (entire corridor)

The project limits are partially within a designated underserved community, according to the CEJST or ETC tools. Project benefits going towards the underserved community will depend on the final project limits and the proposed improvements; and can potentially lead to "additional award considerations".

Project # 3 - College Avenue from S Memorial Drive to S Casaloma Drive

College Avenue from S Memorial Drive to S Casaloma Drive project documents a high number of fatal and severe injury crashes coupled with extremely high traffic volumes along this corridor. The corridor experiences up to 30,100 vpd due to its location in the dense commercial district in Outagamie County. Between 2018 and 2022, one fatal and 13 suspected severe injury crashes occurred at seven intersections along College Avenue. All 14 crashes were reported to have occurred at four-way

intersections, resulting in a total of 28 injuries and one fatality. Two of the crashes involved teenage drivers. The project limits are partially within a designated underserved community, according to the CEJST or ETC tools. Project benefits going towards the underserved community will depend on the final project limits and the proposed improvements; and can potentially lead to "additional award considerations".




Figure 7. Project #3 – College Avenue from S Memorial Drive to S Casaloma Drive

Project # 4 - CTH JJ from CTH J to CTH A

The County Highway (CTH) JJ from CTH J to CTH A project experienced two fatal and four suspected serious injury crashes from 2018 to 2022. The project corridor has an AADT of 7,900 vpd and a posted speed limit ranging between 45 and 55 mph. Of the fatal and suspected serious injury crashes, five occurred at various intersections along CTH JJ including four-way intersections (3), T-intersections (1), and RAB (1). Three of the crashes involved senior drivers (65 and older). The project limits are partially within a census tract containing one percent or less of Federally Recognized Tribal lands that are designated as disadvantaged, according to the CEJST tool. However, this designation may not be sufficient to qualify the project for "additional award considerations".




Figure 8. Project #4 – County Highway (CTH) JJ from CTH J to CTH A

The County is anticipating immediate needs for safety improvements along the project corridor due to the rapid development on the north side of Appleton, including facilities such as rapidly developing housing units, Appleton North High School, and the proposed elementary school.

Project #5 - CTH 00 & Holland Road Intersection

County Highway (CTH) OO and Holland Road Intersection project did not experience any fatal or suspected severe injury crash between 2018 and 2022, however there are numerous property damage crashes. The T-intersection has a one-way stop-control at Holland Road. CTH OO records up to 9,300 vpd due to the cross traffic off the nearby I-441 intersection. This leads to making the left turn from CTH OO to Holland Road, and vice versa, extremely dangerous. The project limits are not within a designated underserved community, according to the CEJST or ETC tools.



Figure 9. Project #5 – County Highway (CTH) OO and Holland Road Intersection
This project can apply for Demonstration funds to test low-cost, high-impact safety countermeasures and strategies that would lead to safety improvements at the intersection.

Project # 6 - CTH BB & CTH CB Intersection

County Highway (CTH) BB and CTH CB Intersection project did not experience any fatal or suspected severe injury crash between 2018 and 2022, however there are numerous suspected minor injury, possible injury, and property damage only crashes. The signalized four-way intersection borders Outagamie and Winnebago Counties and is rapidly expanding due to new developments occurring in the area. CTH BB and CTH CB records up to 8,500 vpd and 9,100 vpd, respectively. The project limits are not within a designated underserved community, according to the CEJST or ETC tools.



Figure 10. Project #6 – County Highway (CTH) BB and CTH CB Intersection

This project can apply for Demonstration funds to test low-cost, high-impact safety countermeasures and strategies that would lead to safety improvements at the intersection.

Project #7 - CTH E & CTH EE Intersection

County Highway (CTH) E and CTH EE Intersection project did not experience any fatal or suspected severe injury crash between 2018 and 2022, however there are numerous suspected minor injury, possible injury, and property damage only crashes. CTH E records up to 9,600 vpd. The T-intersection has a one-way stop-control at westbound CTH E, making the left turn dangerous from westbound CTH E to southbound CTH E. The area is rapidly expanding due to upcoming developments. The project limits are not within a designated underserved community, according to the CEJST or ETC tools.




Figure 11. Project #7 – County Highway (CTH) E and CTH EE Intersection

This project can apply for Demonstration funds to test low-cost, high-impact safety countermeasures and strategies that would lead to safety improvements at the intersection.

Project #8 - CTH N project from STH 96 to CTH CE

County Highway (CTH) N from STH 96 to CTH CE project experienced one fatal and three suspected serious injury crashes from 2018 to 2022. The project corridor has traffic volumes of 15,300 vpd and a posted speed limit of 25 mph. Of the four fatal and suspected serious injury crashes, three are non-intersection crashes along CTH N. Additionally, there are numerous suspected minor injury, possible injury, and property damage only crashes along CTH N. Aggressive as well as distracted driving has been documented as a known problem in the area. The corridor experiences high traffic funneling from Kimberly High School. The community recognizes that safety improvements along the corridor are necessary and fully supports the project.




Figure 12. Project #8 – CTH N project from STH 96 to CTH CE

The project limits are not within a designated underserved community, according to the CEJST or ETC tools.

Project #9 - CTH CE & Fieldcrest Drive Intersection

County Highway (CTH) CE and Fieldcrest Drive Intersection project did not experience any fatal or suspected severe injury crash between 2018 and 2022, however there are numerous suspected minor injury, possible injury, and property damage only crashes. CTH CE has an AADT of 17,000 vpd and a posted speed limit of 45 mph. Fieldcrest Drive has an AADT of 2,500 vpd and a posted speed limit of 25 mph. The intersection has a two-way stop-control at Fieldcrest Drive. This intersection has been identified due to the dangerous crossing conditions as drivers crossing CTH CE must cross through four lanes of traffic. The area is also rapidly expanding due to upcoming developments, including a new middle school. The project limits are not within a designated underserved community, according to the CEJST or ETC tools.




Figure 13. Project #9 - CTH CE & Fieldcrest Drive Intersection

This project can apply for Demonstration funds to test low-cost, high-impact safety countermeasures and strategies that would lead to safety improvements at the intersection.

Project # 10 - Bluemound Drive from Wisconsin Avenue to Spencer Street

The Bluemound Drive from Wisconsin Avenue to Spencer Street project experienced four suspected serious injury crashes from 2018 to 2022. The project corridor has a traffic volume of 5,900 vpd and a posted speed limit of 30 mph. All four crashes are at four-way intersection. Additionally, there are numerous suspected minor injury, possible injury, and property damage only crashes along Bluemound Drive.

The project limits are partially within a designated underserved community, according to the ETC tool. Project benefits going towards the underserved community will depend on the final project limits and the proposed improvements.




Figure 14. Project #10 – Bluemound Drive from Wisconsin Avenue to Spencer Street

Project # 11 - Jacobsen Road from Irish Road to CTH CB

The Jacobsen Road from Irish Road to CTH CB project did not experience any fatal or suspected severe injury crash between 2018 and 2022, however there are numerous suspected minor injury, possible injury, and property damage only crashes. The project corridor has a traffic volume of 2,000 vpd which is projected to increase with the opening of Neenah High School. The project limits are not within a designated underserved community, according to the CEJST and ETC tools.



Figure 15. Project #11 – Jacobsen Road from Irish Road to CTH CB

This project can apply for Demonstration funds to test low-cost, high-impact safety countermeasures and strategies that would lead to safety improvements at the intersection.

Project # 12 - Larsen Road/Oakridge Road from Clayton Avenue to Green Bay Road

Larsen Road/Oakridge Road from Clayton Avenue to Green Bay Road project experienced five suspected serious injury crashes from 2018 to 2022. The project corridor has a traffic volume of 8,000 vpd and a posted speed limit of 30 mph. Three of the five suspected serious injury crashes are intersection crashes with one each at a four-way intersection, T-intersection, and RAB. Aggressive, distracted, driving under the influence of alcohol has been flagged as a critical factor in 40 percent of the crashes Additionally, there are numerous suspected minor injury, possible injury, and property damage only crashes along Larsen Road/Oakridge Road.




Figure 16. Project #12 - Larsen Road/Oakridge Road from Clayton Ave to Green Bay Road

The project limits are partially within a designated underserved community, according to the CEJST tool. Project benefits going towards the underserved community will depend on the final project limits and the proposed improvements; and can potentially lead to "additional award considerations".

Project # 13 - STH 47 (Appleton Road) from 9th Street to CTH AP

STH 47 (Appleton Road) from 9th Street to CTH AP project experienced ten suspected serious injury crashes from 2018 to 2022. The project corridor has traffic volumes of 20,600 vpd and a posted speed limit of 35 mph. Five of the crashes involved bicyclists. Seven of the ten suspected serious injury crashes are non-intersection crashes. Aggressive, distracted, driving under the influence of alcohol has been flagged as a critical factor in 20 percent of the crashes. Additionally, there are numerous suspected minor injury, possible injury, and property damage only crashes along STH 47 (Appleton Road).




Figure 17. Project #13 – STH 47 (Appleton Road) from 9th Street to CTH AP

The project limits are partially within a designated underserved community, according to the CEJST and ETC tools. Project benefits going towards the underserved community will depend on the final project limits and the proposed improvements.

Oshkosh Metropolitan Planning Organization

Project # 14 - Jackson Street/STH 76 from I-41 or CTH Y (North extent) to Undecided (South extent)

Jackson Street/STH 76 from I-41 or CTH Y (north extent) to undecided (south extent) project experienced two suspected serious injury crashes from 2018 to 2022. The project corridor has traffic volumes of 16,200 vpd and a posted speed limit of 45 mph. Additionally, there are gaps in multimodal sidewalk infrastructure due to which pedestrians and bicyclists have to use the existing shoulders to walk/bike. Census tract 55139000400, at the southern limits of the project, is a designated underserved community according to the CEJST tool and should be considered as the project limits are finalized. In addition to the two suspected serious injury crashes, there are numerous suspected minor injury, possible injury, and property damage only crashes along Jackson Street/STH 76.




Figure 18. Project #14 – Jackson Street/STH 76 project limits.

Project # 15 - Pedestrian Bridge Access Across I-41 from STH 21 to 9th Avenue

Pedestrian Bridge Access across I-41 from STH 21 to 9th Avenue project corridor experienced two fatal and eleven suspected serious injury crashes from 2018 to 2022. However, one fatal and three suspected serious injury crashes were removed from this dataset as those were along I-41 and did not contribute to type of crashes being considered for this project, i.e., bike/ped crashes due to unsafe crossing of I-41. The project corridor has traffic volumes ranging from 12,400 vpd to 18,500 vpd along the east-west connections crossing over I-41. Five of the nine fatal and suspected serious injury crashes involved bicyclists traversing multiple roundabouts along STH 21, Witzel Avenue, and 9th Avenue. These make for extremely hazardous conditions for pedestrians and cyclists trying to safely cross over I-41.




Figure 19. Project #15 - Pedestrian bridge access across I-41 from STH 21 to 9th Avenue

The project limits are partially within a designated underserved community, according to the CEJST tool only. Project benefits going towards the underserved community will depend on the final project limits and the proposed improvements.

Project # 16 - STH 45 from Lakeside Elementary to Waukau Avenue

The State Highway (STH) 45 from Lakeside Elementary to Waukau Avenue project experienced three suspected serious injury crashes from 2018 to 2022. The project corridor has traffic volumes of 5,200 vpd and a posted speed limit of 45 mph. Two of the three crashes involved speeding along with distracted/reckless driving under the influence of alcohol. The crashes also happened under dark, unlit conditions, which can be addressed by improving the lighting along this rural highway.




Figure 20. Project #16 – STH 45 from Lakeside Elementary to Waukau Avenue

The project limits are not within a designated underserved community, according to the CEJST and ETC tools.

Project # 17 - Oshkosh Avenue & Sawyer Street Intersection

The Oshkosh Avenue and Sawyer Street Intersection project experienced one suspected serious injury crash from 2018 to 2022. The project corridor has traffic volumes of 15,300 vpd and a posted speed limit of 25 mph. The crash involved speeding motorist during nighttime lighted conditions. This T-intersection has been a barrier for pedestrian and bicyclists due to its non-conventional geometry. The project limits are not within a designated underserved community, according to the CEJST and ETC tools.




Figure 21. Project #17 – Oshkosh Avenue and Sawyer Street Intersection

Summary

Based on the above methodology and available project information, the projects were analyzed and prioritized for SS4A Implementation grants. Table 4 shows the list of priority projects:

Table 4. Prioritized Projects for SS4A Implementation Grant

Project Priority Rank	Project No.	Location	MPO Rank	Suggested Application Category
1	2	CTH KK	A-1	Implementation Project
2	4	СТН ЈЈ	A-2	Implementation Project
3	3	College Avenue	A-3	Implementation Project
4	1	CTH AP / Midway Road	A-4	Implementation Project
5	15	Pedestrian Bridge Access across I-41	O-1	Implementation Project
6	8	CTH N	A-5	Implementation Project
7	13	STH 47 (Appleton Road)	A-6	Implementation Project
8	12	Larsen Road/Oakridge Road	A-7	Implementation Project
9	10	Bluemound Drive	A-8	Implementation Project
10	16	STH 45	O-2	Implementation Project
11	14	Jackson Street / STH 76	O-3	Implementation Project
12	17	Oshkosh Avenue & Sawyer Street Intersection	O-4	Implementation Project
	9	CTH CE & Fieldcrest Drive	D-A-1	Demonstration Project
	7	CTH E & CTH EE Intersection	D-A-2	Demonstration Project
	5	CTH OO & Holland Road Intersection	D-A-3	Demonstration Project
	6	CTH BB & CTH CB Intersection	D-A-4	Demonstration Project
	11	Jacobsen Road	D-A-5	Demonstration Project


Recommendations


After carefully analyzing the fatal and severe injury crashes associated with all 17 projects within Appleton (Fox Cities) TMA and Oshkosh MPO, SRF recommends the following:


1. Most of the fatal and serious injury crashes occurring along the selected projects, are happening at intersections with other roadways. While corridor improvements throughout the


- length of the project area can be considered, at a minimum the proposed improvements must address safety concerns at intersections.
- 2. In addition to the fatal and serious injury crashes analyzed above, there are numerous suspected minor, possible injury, and property damages only crashes throughout the selected project corridors. Given the focus of SS4A grants on reducing fatal and serious injury crashes, those criteria should be addressed as a priority. However, low-cost high-impact safety improvements that can avoid near-misses or low-severity crashes, must be considered as proactive mitigation strategy.
- 3. Project ranked D-A-1 to D-A-5, should be considered as demonstration projects. The SS4A Implementation grant allows combining of implementation and demonstration projects, within the same application. However, the demonstration projects are funded through the Planning & Demonstration funds, which were undersubscribed in FY 2022 (in FY 2023, DOT anticipates that it will award at least \$250 million for demonstration activities). These funds can test effective low-cost strategies employed at the identified locations and measure performance improvements, to inform the Comprehensive Safety Action Plan.
- 3. The Justice40 Initiative's <u>Climate and Economic Justice Screening Tool</u> may be a better screening tool to identify underserved communities over ETC. However, this is subject to change depending on the future versions of the tools or NOFO requirements.
- 4. Further analysis is required to ascertain the proposed improvements along each project corridor.
- 5. Preliminary cost estimates will be useful to ascertain the number of projects and the total grant request to best meet grant award ranges. In FY 2023, USDOT expects the minimum award will be \$2.5 million and the maximum award will be \$25 million. It is recommended to request up to \$10 million in SS4A federal funds, to be potentially eligible for "additional award considerations".


Appendix A - Figures









































COMPREHENSIVE SAFETY ACTION PLAN

APPENDIX D:

RESOLUTION OF ADOPTION

APPENDIX D: RESOLUTION OF ADOPTION

RESOLUTION OF ADOPTION

RESOLUTION NO. 06-24

ADOPTING THE COMPREHENSIVE SAFETY ACTION PLAN FOR THE APPLETON (FOX CITIES) AND OSHKOSH METROPOLITAN PLANNING ORGANIZATIONS

WHEREAS, East Central Wisconsin Regional Planning Commission is the designated Metropolitan Planning Organization (MPO) for the Appleton (Fox Cities) and Oshkosh Urbanized Areas, and charged with conducting cooperative, comprehensive, and continuing urban transportation planning as prescribed by federal and state law, and;

WHEREAS, the Safe Streets and Roads for All (SS4A) Grant Program requires the approval of an Action Plan in order to be eligible to apply for Demonstration and/ or Implementation funding, and;

WHEREAS, the Commission initiated the development of the Comprehensive Safety Action Plan to satisfy the Action Plan requirements of set forth by the SS4A Program, and;

WHEREAS, the Commission undertook and completed the development of the Comprehensive Safety Action Plan through extensive inventory and analysis, stakeholder collaboration, and public engagement to inform the selection of priority projects in need of SS4A Demonstration and/or Implementation funding while also providing actionable recommendations and evaluation criteria to enhance roadway safety, and;

WHEREAS, the Comprehensive Safety Action Plan requires the adoption by a political subdivision of a state or a Metropolitan Planning Organization in order to qualify as an SS4A Action Plan.

NOW THEREFORE, BE IT RESOLVED BY THE EAST CENTRAL WISCONSIN REGIONAL PLANNING COMMISSION

Section 1: That the Commission adopts the Comprehensive Safety Action Plan for the Appleton (Fox Cities) and Oshkosh Metropolitan Planning Organizations

Effective Date: January 24, 2024 Submitted By: Executive Committee Prepared By: Melissa Kraemer Badtke, ECWRPC Executive Director

Jeff Nooyen (Jan 24, 2024 14:24 CST)

Jeff Nooyen, Chair – Outagamie Co.

Melissa A. Kraemu Baskke Attest: Melissa Kraemer-Badtke-Executive Director East Central WI Regional Planning Commission

Jan 24, 2024

Jan 25, 2024

Approval Date